# TM 11-6625-1559-45P

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

# GS AND DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LIST

# GENERATOR, SIGNAL SWEEP

# AN/USM-203

MSC LIBRARY

HEADQUARTERS, DEPARTMENT OF THE ARMY

JANUARY 1971

TECHNICAL MANUAL
No. 11-6625-1559-45P

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D.C., *28 January 1971*

# GS and Depot Maintenance Repair Parts and Special Tools List GENERATOR, SIGNAL SWEEP AN/USM-203

**Current as of 2 December 1970**


| | | Paragraph | Page |
|---|---|---|---|
| SECTION I. | INTRODUCTION | | |
| | Scope | 1 | ii |
| | General | 2 | ii |
| | Explanation of columns | 3 | ii |
| | Special information | 4 | iv |
| | Location of repair parts | 5 | iv |
| | Federal supply code for manufacturers | 6 | iv |
| | Recommendations for maintenance publication improvements | 7 | v |
| II. | REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE | | |
| III. | SPECIAL TOOLS, TES, AND SUPPORT EQUIPMENT FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE | | |
| IV. | FEDERAL STOCK NUMBER CROSS REFERENCE TO INDEX NUMBER | | |
| V. | FIGURE AND ITEM NUMBER CROSS REFERENCE TO INDEX NUMBERS | | |
| VI. | REFERENCE DESIGNATION CROSS REFERENCE TO INDEX NUMBER | | |

# SECTION I

# INTRODUCTION

## 1. Scope

This manual lists repair parts and special tools required for the performance of general support and depot maintenance of the AN/USM–203.

NOTE

No parts authorized for stockage at direct support category.

## 2. General

This Repair Parts and Special Tools List is divided into the following sections:

*a. Repair Parts—Section II.* A list of repair parts authorized for the performance of maintenance at the general support and depot level.

*b. Special Tools, Test and Support Equipment Section III.* Not applicable.

NOTE

All indexes noted below are cross-referenced to index numbers. The index numbers appear in ascending sequence in column 1 of the repair parts list. The index number for the particular item will be the same for the item in all sections of this appendix.

*c. Federal Stock Number Cross-Reference to Index Number—Section IV.* A list of Federal stock numbers in ascending numerical sequence cross referenced to index (sequence) numbers.

*d. Figure and Item Number Cross-Reference to Index Numbers—Section V.* Not applicable.

*e. Reference Designation Cross-Reference to Index Number—Section VI.* A list of reference designations (or item numbers) to index numbers.

## 3. Explanation of Columns

The following provides an explanation of columns in the tabular lists.

*a. Source, Maintenance, and Recoverability Codes (SMR), Column 1:*

(1) Source code, indicates the selection status and source for the listed item. Source codes used are:

| *Code* | *Explanation* |
|---|---|
| P | Repair parts which are stocked in or supplied from the GSA/DSA, or Army supply system and authorized for use at indicated maintenance categories. |
| P2 | Repair parts which are procured and stocked for insurance purposes because the combat or military essentiality of the end item dictates that a minimum quantity be available in the supply system. |
| P9 | Assigned to items which are NSA design controlled: unique repair parts, special tools, test, measuring and diagnostic equipment, which are stocked and supplied by the Army COMSEC logistic system, and which are not subject to the provisions of AR 380–41. |
| P10 | Assigned to items which are NSA design controlled: special tools, test, measuring and diagnostic equipment for COMSEC support, which are accountable under the provisions of AR 380–41, and which are stocked and supplied by the Army COMSEC logistic system. |
| M | Repair parts which are not procured or stocked, but are to be manufactured in indicated maintenance levels. |
| A | Assemblies which are not procured or stocked as such, but are made up of two or more units. Such component units carry individual stock numbers and descriptions, are procured and stocked separately and can be assembled to form the required assembly at indicated maintenance categories. |
| X | Parts and assemblies mhich are not procured or stocked and the mortality of which normally is below that of the applicable end item or component. The failure of such part or assembly should result in retirement of the end item from the supply system. |
| X1 | Repair parts which are not procured or stocked. The requirement for such items will be filled by use of the next higher assembly or component. |
| X2 | Repair parts which are not stocked. The indicated maintenance category requiring such repair parts will attempt to obtain same through cannibalization. Where such repair parts are not obtainable through cannibalization, requirements will be requisitioned, with accompanying justification, through normal supply channels. |

| Code | Explanation |
|---|---|
| G | Major assemblies that are procured with PEMA funds for initial issue only as exchange assemblies at DSU and GSU level. These assemblies will not be stocked above DS and GS level or returned to depot supply level. |

(2) Maintenance code, indicates the lowest category of maintenance authorized to install the listed item. The maintenance level codes are:

| Code | Explanation |
|---|---|
| O | Organizational Maintenance |
| F | Direct Support Maintenance |
| H | General Support Maintenance |
| D | Depot Maintenance |
| C | Operator/Crew |

(3) Recoverability code, indicates whether unserviceable items should be returned for recovery or salvage. Items not coded are expendable. Recoverability codes are:

| Code | Explanation |
|---|---|
| R | Repair parts and assemblies that are economically repairable at DSU and GSU activities and normally are furnished by supply on an exchange basis. |
| S | Repair parts and assemblies which are economically repairable at DSU and GSU activities and which normally are furnished by supply on an exchange basis. When items are determined by a GSU to be uneconomically repairable, they will be evacuated to a depot for evaluation and analysis before final disposition. |
| T | High dollar value recoverable repair parts which are subject to special handling and are issued on an exchange basis. Such repair parts normally are repaired or overhauled at depot maintenance activities. |
| U | Repair parts specifically selected for salvage by reclamation units, because of precious metal content, critical materials, or high dollar value reusable casings or castings. |

*b.* Federal Stock Number, Column 2. This column indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

*c. Description, Column 3.* This column indicates the Federal item name and any additional description of the item required. A part number or other reference number is followed by the applicable five-digit Federal supply code for manufacturers in parentheses.

*d. Unit of Measure (U/M), Column 4.* A two character alphabetic abbreviation indicating the amount or quantity of the item upon which the allowances are based, e.g., ft, ea, pr, etc.

*e. Quantity Incorporated in Unit, Column 5.* This column indicates the quantity of the item used in the AN/USM–203.

*f. 30-Day DS/GS Maintenance Allowances, Columns 6 and 7.*

NOTE

Allowances in GS column are for GS maintenance only.

(1) The allowance columns are divided into three subcolumns. Indicated in each subcolumn, opposite the first appearance of each item, is the total quantity of items authorized for the number of equipments supported. Subsequent appearances of the same item will have the letters "REF" in the applicable allowance columns. Items authorized for use as required, but not for initial stockage, are identified with an asterisk in the allowance column.

(2) The quantitative allowances for GS level of maintenance will represent initial stockage for a 30-day period for the number of equipments supported.

(3) Determination of the total quantity of parts required for maintenance of more than 100 of these equipments can be accomplished by converting the equipment quantity to a decimal factor by placing a decimal point before the next to last digit of the number to indicate hundredths, and multiplying the decimal factor by the parts quantity authorized in the 51–100 allowance column. *Example,* authorized allowance for 51–100 equipments is 40; for 150 equipments multiply 40 by 1.50 or 60 parts required.

*g. 1-Year Allowances Per 100 Equipments/ Contingency Planning Purposes, Column 8.* This column indicates opposite the first appearance of each item the total quantity required for distribution and contingency planning purposes. The range of items indicates total quantities of all authorized items required to provide for adequate support of 100 equipments for one year.

*h. Depot Maintenance Allowance Per 100 Equipments, Column 9.* This column indicates opposite the first appearance of each item, the total quantity authorized for depot maintenance of 100 equipments. Subsequent appearances of the same item will have the letters "REF" in the allowance column. Items authorized for use as required, but not for initial stockage, are identified with an asterisk in the allowance column.

*i. Illustrations, Column 10.* This column is divided as follows:

(1) *Figure number, column 10a.* Indicates the figure number of the illustration in which the item is shown in TM 11–6625–1559–45/2.

(2) *Item number, column 10b.* Indicates the callout number used to identify the item in the illustration.

## 4. Special Information

*a.* Repair parts mortality is computed from failure rates derived from experience factors with the individual parts in a variety of equipments. Variations in the specific application and periods of use of electronics equipment, the fragility of electronic piece parts, plus intangible material and quality factors intrinsic to the manufacture of electronic parts, do not permit mortality to be based on hours of end item use. However, long periods of continuous use under adverse conditions are likely to increase repair parts mortality.

*b.* The following publications pertain to the AN/USM–203.

| | |
|---|---|
| TM 11–6625–1559–12 | Operator and Organizational Maintenance Manual: Generator, Signal Sweep AN/USM–203. |
| TM 11–6625–1559–45/1 | General Support and Depot Maintenance Manual: Generator, Signal Sweep AN/USM–203. |
| TM 11–6625–1559–45/2 | General Support and Depot Maintenance Manual: Generator, Signal Sweep AN/USM–203 (Illustrations). |

## 5. Location of Repair Parts

*a.* This manual contains two cross-reference indexes (IV, and VI) to be used to locate a repair part when either the Federal stock number, reference/number (manufacturer's part number), figure number, or reference designation is known. The first column in each cross-reference index is prepared, as applicable, in numerical or alphanumerical sequence. The last column of each cross-reference index lists the index number assigned to the part.

*b.* Refer to the appropriate cross-reference index (para 2*b, c, e*) and note the index number in the last column; then refer to the repair parts list to locate the index number which is listed in ascending order in column 1 of the repair parts list.

## 6. Federal Supply Code for Manufacturers

| *Code* | *Manufacturer's Name* |
|---|---|
| 00373 | Garlock, Inc. |
| 00656 | Airovox Corp |
| 01113 | Jerrold Electronics Corp Government & Industrial Div |
| 01121 | Allen-Bradley Co |
| 01766 | International Crystal Mfg Co Inc |
| 02459 | Grand Transformers Inc |
| 02660 | Amphenol Corp. |
| 02820 | Tub-Lok Mfg Co |
| 03801 | Mandex Mfg Co Inc |
| 07497 | Amphenol Corp Amphenol Cable Div |
| 07700 | Technical Wire Products Inc |
| 07707 | United Shoe Machinery Corp Fastener Div |
| 08108 | Lamp Industry for Use with Industry Designations and Abbreviations for Lamps |
| 08806 | General Electric Co Miniature Lamp Dept |
| 09022 | Cornell-Dubilier Electric Corp Mica Div |
| 10582 | CTS of Ashville Inc |
| 12697 | Clarostat Mfg Co Inc |
| 13327 | Solitron Devices Inc |
| 13511 | Amphenol Corp Amphenol Connector Div |
| 14655 | Cornell-Dubilier Electric Corp |
| 15450 | Erie Technological Products Inc Electronics Div |
| 24248 | South Chester Corp Southco Div |
| 24681 | Memcor Inc Components Division |
| 27690 | Vac-Ohm Electronics Co Inc |
| 28520 | Heyman Mfg Co |
| 44655 | Ohmite Mfg Co |
| 55814 | Sola Electric Div of Sola Basic Industries Inc |
| 56289 | Sprague Electric Co |
| 57239 | Indiana General Corp Magnetic Equipment Div |
| 70417 | Amplex Div of Chrysler Corp |
| 70903 | Belden Mfg Co |
| 71002 | Birnback Radio Co Inc |
| 71279 | Cambridge Thermionic Corp |
| 71400 | Bussman Mfg Div of Mc Graw Edison Co |
| 71450 | CTS CCRP |
| 71590 | Globe-Union Inc Centerbab Div |
| 71700 | Cornish Wire Co |
| 71785 | Cinch Mfg Co and Harvard B Jones Div |
| 72136 | Electric Matine Mfg Co Inc |
| 72653 | G. C. Electronics Co |
| 72656 | Indiana General Corp Electronics Div |
| 72699 | General Instrument Corp |
| 72825 | Eby Hugh H. Inc |
| 72982 | Erie Technological Products Inc |
| 73445 | Amperex Electronic Corp |
| 73559 | Carling Electric Inc |
| 75042 | IRC Div of TRW Inc |
| 75376 | Kurz-Kasch Inc |
| 75523 | Landis & Gyr Inc |
| 75915 | Littlefuse Inc |
| 76854 | Oak Mfg Co. Div of Oak Electro/netics Corp |
| 77342 | American Machine & Foundry Co. Potter & Brumfield Div |
| 78189 | Illinois Tool Works Inc Shakeproof Div |
| 78515 | Standard Shannon Supply Co |
| 79963 | Zierick Mfg Corp |
| 80058 | Joint Electronic Type Designation System |
| 80089 | Essex Wire Corp Controls Div |
| 80112 | G.C. Electronics Co Div of Hydrometals Inc |
| 80131 | Electronic Industries Assoc. |
| 80583 | Hammarbend Mfg Co |
| 80625 | Robertshaw Controls Co |
| 80813 | Dimco Gray Co |
| 81073 | Grayhill Inc |
| 81349 | Mil Spec Prom by Stand Div |
| 81860 | Barry Controls Div Barry Wright Corp |
| 82389 | Switchcraft Inc. |
| 82879 | ITT Wire and Cable Div |
| 83324 | Rosan Inc |
| 83325 | SNC Mfg Co |
| 83330 | Smith Herman H. Inc |
| 84171 | Arco Electronics Inc |
| 84830 | Lee Spring Co. Inc. |
| 90201 | Mallory Capacitor Co |
| 91662 | Elco Corp |

| Code | Manufacturer's Name |
|---|---|
| 94603 | Waters Mfg Inc |
| 97913 | Industrial Electronic Hardware Corp |
| 98291 | Sealectro Corp |

## 7. Recommendations for Maintenance Publication Improvements

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commanding General, U.S. Army Electronics Command, ATTN: AMSEL–ME–NMP–EM, Fort Monmouth, N.J. 07703.

## SECTION II REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (AN/USM-203)

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT PACK | (6) QTY INC IN UNIT | (7) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (9) 1 YR ALW PER EQUIP CNTGCY | (10) DEPOT MAINT ALW PER 100 EQUIP | (11) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| G-C-R A001 | 6625-935-0145 | GENERATOR, SIGNAL SWEEP AN/USM-203: 912-423; (01113) | EA | | 1 | | | | | | | | | | |
| P-H-- A002 | 5935-838-5183 | ADAPTER, CONNECTOR: T240: (82879) | EA | | 1 | | | | * | * | * | 10 | 4 | | |
| P-H-- A003 | 6625-070-7998 | DUMMY LOAD, ELECTRICAL DA-505/U: TR53; (01113) | EA | | 1 | | | | * | * | * | 10 | 4 | | |
| P-H-- A004 | 5935-149-4066 | CONNECTOR, PLUG, ELECTRICAL: JG88U; (80058) | EA | | 1 | | | | * | 2 | 2 | 40 | 24 | | |
| X2-H-- A005 | | MANDREL: 221-100; (01113) | EA | | 1 | | | | | | | | | | MP1 |
| P-H-- A006 | 5905-279-3517 | RESISTOR, FIXED, COMPOSITION: RC20GF510J; (81349) | EA | | 1 | | | | * | 2 | 2 | 27 | 16 | | R20 |
| X2-H-- A007 | | WASHER, ADJUSTABLE: 750-004; (01113) | EA | | 1 | | | | | | | | | | H1 |
| P-H-- A008 | 5935-072-7157 | PLUG ASSEMBLY, SHORTING: 822-052; (01113) | EA | | 1 | | | | * | * | * | 10 | 4 | | |
| X2-H-- A009 | 5935-500-9851 | CONNECTOR, PLUG, ELEC UG-1640/U: S306FHT; (71785) | EA | | 1 | | | | | | | | | | P5 |
| X2-H-- A010 | 5340-993-5501 | PLUG, PROT, DUST AND MOISTURE: B851077; (71785) | EA | | 1 | | | | | | | | | | MP2 |
| X-- A011 | | GENERATOR, SWEEP SG-593/U: 822-141; (01113) | EA | | 1 | | | | | | | | | | |
| P-H-- A012 | | ALC, BLANKING, AND METER CKT: 822-140; (01113) | EA | | 1 | | | | * | * | * | 5 | 2 | | |
| X2-H-- A013 | 5960-784-6103 | BASE, TUBE LOCK: 101B; (02820) | EA | | 2 | | | | | | | | | | MP3 |
| X2-H-- A014 | 5960-606-8709 | BASE, TUBE LOCK: 102B; (02820) | EA | | 4 | | | | | | | | | | MP4 |
| P-H-- A015 | | CAPACITOR, FXD, CER DIELECTRIC: 331-000C0H0759D; (72982) | EA | | 2 | | | | * | * | 2 | 16 | 8 | 4-18 | C306 |
| P-H-- A016 | | CAPACITOR, FXD, CER DIELECTRIC: SAME AS A015 | EA | | REF | | | | | | | | | 4-18 | C307 |
| P-H-- A017 | 5910-899-3797 | CAP., FXD, MET., PAPER DIELECTRIC: P8292ZN13; (00658) | EA | | 1 | | | | * | * | * | 10 | 4 | 4-18 | C305 |
| P-H-- A018 | 5910-806-6418 | CAPACITOR, FXD, PAPER DIELECTRIC: PM4S1; (14655) | EA | | 2 | | | | * | * | 2 | 16 | 8 | 4-18 | C301 |
| P-H-- A019 | 5910-806-6418 | CAPACITOR, FXD, PAPER DIELECTRIC: SAME AS A018 | EA | | REF | | | | | | | | | 4-18 | C302 |
| P-H-- A020 | 5910-847-5583 | CAPACITOR, FXD, PAPER DIELECTRIC: 160P47304; (56289) | EA | | 2 | | | | * | 2 | 2 | 27 | 12 | 4-18 | C306 |
| P-H-- A021 | 5910-847-5583 | CAPACITOR, FXD, PAPER DIELECTRIC: SAME AS A020 | EA | | REF | | | | | | | | | 4-18 | C307 |
| P-H-- A022 | 5910-079-5672 | CAPACITOR, FXD, PAPER DIELECTRIC: 4TM320; (56289) | EA | | 1 | | | | * | * | * | 10 | 4 | 4-18 | C308 |
| P-H-- A023 | 5935-901-4450 | CONNECTOR, PLUG, ELECTRICAL: 13219; (71785) | EA | | 1 | | | | * | * | * | 5 | 2 | | P301 |
| P-H-- A024 | 5935-702-7202 | CONNECTOR, RECEPTACLE, ELEC: F126; (71785) | EA | | 1 | | | | * | * | * | 5 | 2 | | S301 |
| P-H-- A025 | 5935-724-7149 | CONNECTOR, RECEPTACLE, ELEC: 2675; (71785) | EA | | 1 | | | | * | * | * | 10 | 4 | | S302 |
| P-O-- A026 | 5960-615-5584 | ELECTRON TUBE: 12AT7; (80131) | EA | | 1 | | | | * | 2 | 2 | 33 | 19 | 4-21 | V306 |
| P-O-- A027 | 5960-996-7077 | ELECTRON TUBE: 6AU6; (80131) | EA | | 2 | | | | 2 | 2 | 3 | 59 | 36 | 4-18 | V301 |
| P-O-- A028 | 5960-996-7077 | ELECTRON TUBE: SAME AS A027 | EA | | REF | | | | | | | | | 4-18 | V302 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS. | (5) QTY INC IN UNIT PACK | (6) QTY INC IN UNIT | (7) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (9) 1 YR ALW PER EQUIP CNTGCY | (10) DEPOT MAINT ALW PER 100 EQUIP | (11) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P-O--<br>A029 | 5960-087-3086 | ELECTRON TUBE:<br>6CW5; (80131) | EA | | 2 | | | | * | 2 | 2 | 40 | 24 | 4-21 | V303 |
| P-O--<br>A030 | 5960-087-3086 | ELECTRON TUBE:<br>SAME AS A029 | EA | | REF | | | | | | | | | 4-21 | V304 |
| P-O--<br>A031 | 5960-681-9596 | ELECTRON TUBE:<br>6922; (80131) | EA | | 1 | | | | 2 | 3 | 5 | 101 | 75 | 4-21 | V305 |
| X2-H--<br>A032 | | METALWORK ASSEMBLY:<br>810-660; (01113) | EA | | 1 | | | | | | | | | | MP5 |
| X2-H--<br>A033 | | CHASSIS, ELECTRICAL EQUIPMENT:<br>211-163; (01113) | EA | | 1 | | | | | | | | | | MP6 |
| X2-H--<br>A034 | | COVER, CHASSIS:<br>212-371; (01113) | EA | | 1 | | | | | | | | | | MP7 |
| X2-H--<br>A035 | | NUT, PLAIN, HEXAGON:<br>6-32; (01113) | EA | | 1 | | | | | | | | | | H1 |
| X2-H--<br>A036 | | NUT, PLAIN, HEXAGON:<br>SAME AS A035 | EA | | 1 | | | | | | | | | | H1 |
| X2-H--<br>A037 | 5935-257-7185 | PLUG, TIP:<br>203; (83330) | EA | | 1 | | | | | | | | | | P20 |
| P-H--<br>A038 | 5945-989-4100 | RELAY, ARMATURE:<br>GA11D; (77342) | EA | | 1 | | | | * | 2 | 2 | 18 | 9 | 4-21 | K3 |
| P-H--<br>A039 | 5905-195-6817 | RESISTOR, FIXED, COMPOSITION:<br>RC20GF102K; (81349) | EA | | 2 | | | | * | 2 | 2 | 40 | 24 | 4-21 | R315 |
| P-H--<br>A040 | 5905-195-6817 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A039 | EA | | REF | | | | | | | | | 4-21 | R316 |
| P-H--<br>A041 | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION:<br>RC20GF104K; (81349) | EA | | 2 | | | | 2 | 2 | 3 | 59 | 40 | 4-21 | R308 |
| P-H--<br>A042 | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A041 | EA | | REF | | | | | | | | | 4-21 | R313 |
| P-H--<br>A043 | 5905-192-9260 | RESISTOR, FIXED, COMPOSITION:<br>RC20GF154K; (81349) | EA | | 3 | | | | * | 2 | 2 | 27 | 12 | 4-21 | R303 |
| P-H--<br>A044 | 5905-192-9260 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A043 | EA | | REF | | | | | | | | | 4-21 | R320 |
| P-H--<br>A045 | 5905-192-9260 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A043 | EA | | REF | | | | | | | | | 4-18 | R328 |
| P-H--<br>A046 | 5905-279-1754 | RESISTOR, FIXED, COMPOSITION:<br>RC20GF155J; (81349) | EA | | 2 | | | | * | * | 2 | 16 | 8 | 4-21 | R325 |
| P-H--<br>A047 | 5905-279-1754 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A046 | EA | | REF | | | | | | | | | 4-21 | R326 |
| P-H--<br>A048 | 5905-192-0660 | RESISTOR, FIXED, COMPOSITION:<br>RC20GF184J; (81349) | EA | | 3 | | | | * | 2 | 2 | 27 | 12 | 4-21 | R306 |
| P-H--<br>A049 | 5905-192-0660 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A048 | EA | | REF | | | | | | | | | 4-21 | R317 |
| P-H--<br>A050 | 5905-192-0660 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A048 | EA | | REF | | | | | | | | | 4-21 | R318 |
| P-H--<br>A051 | 5905-279-1884 | RESISTOR, FIXED, COMPOSITION:<br>RC20GF335K; (81349) | EA | | 4 | | | | * | 2 | 2 | 27 | 16 | 4-21 | R310 |
| P-H--<br>A052 | 5905-279-1884 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A051 | EA | | REF | | | | | | | | | 4-21 | R312 |
| P-H--<br>A053 | 5905-279-1884 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A051 | EA | | REF | | | | | | | | | 4-21 | R323 |
| P-H--<br>A054 | 5905-279-1884 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A051 | EA | | REF | | | | | | | | | 4-21 | R324 |
| P-H--<br>A055 | 5905-185-6944 | RESISTOR, FIXED, COMPOSITION:<br>RC20GF394K; (81349) | EA | | 1 | | | | * | * | * | 10 | 4 | 4-21 | R307 |
| P-H--<br>A056 | 5905-171-2005 | RESISTOR, FIXED, COMPOSITION:<br>RC30GF471K; (81349) | EA | | 2 | | | | * | * | 2 | 16 | 8 | 4-21 | R301 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT PACK | (6) QTY INC IN UNIT | (7) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (9) 1 YR ALW PER EQUIP CNTGCY | (10) DEPOT MAINT ALW PER 100 EQUIP | (11) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P-H--<br>A057 | 5905-171-2005 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A056 | EA | | REF | | | | | | | | | 4-21 | R302 |
| P-H--<br>A058 | 5905-185-6946 | RESISTOR, FIXED, COMPOSITION:<br>RC20GF474K; (81349) | EA | | 1 | | | | * | * | * | 10 | 4 | 4-21 | R311 |
| P-H--<br>A059 | 5905-279-2514 | RESISTOR, FIXED, COMPOSITION:<br>RC20GF564J; (81349) | EA | | 2 | | | | * | * | 2 | 16 | 8 | 4-21 | R321 |
| P-H--<br>A060 | 5905-279-2514 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A059 | EA | | REF | | | | | | | | | 4-21 | R322 |
| P-H--<br>A061 | 5905-299-2029 | RESISTOR, FIXED, COMPOSITION:<br>RC32GF103K; (81349) | EA | | 1 | | | | * | * | * | 10 | 4 | 4-21 | R330 |
| P-H--<br>A062 | 5905-171-1974 | RESISTOR, FIXED, COMPOSITION:<br>RC42GF222K; (81349) | EA | | 2 | | | | * | * | 2 | 16 | 8 | 4-21 | R331 |
| P-H--<br>A063 | 5905-171-1974 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A062 | EA | | REF | | | | | | | | | 4-21 | R332 |
| P-H--<br>A064 | | RESISTOR, FIXED, WIREWOUND:<br>FRL10-3000; (24681) | EA | | 1 | | | | * | * | * | 10 | 4 | 4-21 | R327 |
| P-H--<br>A065 | | RESISTOR, VARIABLE:<br>BA811-1533; (71590) | EA | | 1 | | | | * | * | * | 8 | 3 | 4-21 | R333 |
| P-H--<br>A066 | 5905-050-3881 | RESISTOR, VARIABLE:<br>118-083; (01113) | EA | | 1 | | | | * | * | * | 8 | 3 | 4-21 | R314 |
| P-H--<br>A067 | 5905-050-3912 | RESISTOR, VARIABLE:<br>118-087; (01113) | EA | | 1 | | | | * | * | * | 8 | 3 | 4-21 | R304 |
| P-H--<br>A068 | 5905-050-3913 | RESISTOR, VARIABLE:<br>118-090; (01113) | EA | | 1 | | | | * | * | * | 8 | 3 | 4-21 | R319 |
| X2-H--<br>A069 | | SCREW, MACHINE:<br>6-32X2-1-4RH; (01113) | EA | | 1 | | | | | | | | | | H1 |
| X2-H--<br>A070 | | SCREW, MACHINE:<br>6-32X3-8PH; (01113) | EA | | 1 | | | | | | | | | | H1 |
| X2-H--<br>A071 | | SCREW, MACHINE:<br>8-32X3-8PH; (01113) | EA | | 1 | | | | | | | | | | H1 |
| X2-H--<br>A072 | | SHELL, ELECTRICAL CONNECTOR:<br>4708; (71785) | EA | | 1 | | | | | | | | | | MP8 |
| P-H--<br>A073 | 5935-944-1009 | SOCKET, ELECTRON TUBE:<br>04-703-02; (91662) | EA | | 2 | | | | * | * | * | 10 | 4 | 4-31 | XV301 |
| P-H--<br>A074 | 5935-944-1009 | SOCKET, ELECTRON TUBE:<br>SAME AS A073 | EA | | REF | | | | | | | | | 4-31 | XV302 |
| P-H--<br>A075 | | SOCKET, ELECTRON TUBE:<br>181-271; (01113) | EA | | 4 | | | | * | * | 2 | 16 | 8 | 4-31 | XV303 |
| P-H--<br>A076 | | SOCKET, ELECTRON TUBE:<br>SAME AS A075 | EA | | REF | | | | | | | | | 4-31 | XV304 |
| P-H--<br>A077 | | SOCKET, ELECTRON TUBE:<br>SAME AS A075 | EA | | REF | | | | | | | | | 4-31 | XV305 |
| P-H--<br>A078 | | SOCKET, ELECTRON TUBE:<br>SAME AS A075 | EA | | REF | | | | | | | | | 4-31 | XV306 |
| P-H--<br>A079 | 5960-545-5435 | SPRING, TUBE LOCK:<br>102W; (02820) | EA | | 4 | | | | * | 2 | 2 | 27 | 12 | | MP9 |
| P-H--<br>A080 | | SPRING, TUBE LOCK:<br>104W; (02820) | EA | | 2 | | | | * | * | 2 | 13 | 6 | | MP10 |
| X2-H--<br>A081 | | STRAP, RETAINING:<br>1015; (71785) | EA | | 1 | | | | | | | | | | MP11 |
| M-D--<br>A082 | | TERMINAL BOARD:<br>3AUA; (97913) | EA | | 1 | | | | | | | | | 4-31 | TB302 |
| M-D--<br>A083 | | TERMINAL BOARD:<br>7H5AH; (97913) | EA | | 1 | | | | | | | | | 4-31 | TB303 |
| M-D--<br>A084 | | TERMINAL BOARD:<br>7U5AU; (97913) | EA | | 1 | | | | | | | | | | |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF ISSUE | (5) QTY INC IN UNIT PACK | (6) QTY INC IN UNIT | (7) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (9) 1 YR ALW PER EQUIP CNTGCY | (10) DEPOT MAINT ALW PER 100 EQUIP | (11) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| X2-H-- A085 | | WASHER, LOCK: 5IT; (01113) | EA | | 17 | | | | | | | | | | H17 |
| X2-H-- A086 | | WASHER, LOCK: 6IT; (01113) | EA | | 2 | | | | | | | | | | H2 |
| X2-H-- A087 | | WASHER, LOCK: 8IT; (01113) | EA | | 1 | | | | | | | | | | H1 |
| X2-H-- A088 | | WASHER, SHOULDERED: 753-110; (01113) | EA | | 2 | | | | | | | | | | H2 |
| P-H-R A089 | | AMPLIFIER, PREAMP AND BIRDY: 822-133; (01113) | EA | | 1 | | | | * | * | 2 | 13 | 6 | | |
| M-D-- A090 | | BRACKET, TRIMMER MOUNTING: 1Z; (84171) | EA | | 2 | | | | | | | | | | MP12 |
| P-H-- A091 | 5910-892-7466 | CAPACITOR, FXD, CER DIELECTRIC: D6-202; (71590) | EA | | 1 | | | | * | * | * | 10 | 4 | 4-22 | C511 |
| P-H-- A092 | 5910-577-1519 | CAPACITOR, FXD, MICA DIELECTRIC: DM19-152J; (72136) | EA | | 1 | | | | * | * | * | 10 | 4 | 4-22 | C510 |
| P-H-- A093 | | CAPACITOR, FXD, MICA DIELECTRIC: DM20-182G; (72136) | EA | | 1 | | | | * | * | * | 10 | 4 | 4-22 | C513 |
| P-H-- A094 | 5910-755-5594 | CAPACITOR, FXD, PAPER DIELECTRIC: P8292ZN11; (00656) | EA | | 2 | | | | * | 2 | 2 | 27 | 16 | 4-22 | C509 |
| P-H-- A095 | 5910-755-5594 | CAPACITOR, FXD, PAPER DIELECTRIC: SAME AS A094 | EA | | REF | | | | | | | | | 4-22 | C512 |
| P-H-- A096 | 5910-984-2851 | CAPACITOR, FXD, PAPER DIELECTRIC: 192P10402; (56289) | EA | | 1 | | | | * | * | 2 | 16 | 8 | 4-22 | C516 |
| P-H-- A097 | 5910-556-9437 | CAPACITOR, VAR, MICA DIELECTRIC: 464; (72136) | EA | | 1 | | | | * | * | * | 8 | 3 | 4-22 | C508 |
| P-H-- A098 | 5910-884-0256 | CAPACITOR, VAR, MICA DIELECTRIC: 466; (72136) | EA | | 1 | | | | * | * | * | 8 | 3 | 4-22 | C515 |
| P-H-- A099 | 5910-668-4146 | CAPACITOR, VAR, MICA DIELECTRIC: 469; (72136) | EA | | 1 | | | | * | * | * | 8 | 3 | 4-22 | C504 |
| X2-H-- A100 | | CHASSIS ASSY, ELECTRICAL EQUIP: 811-402; (01113) | EA | | 1 | | | | | | | | | | MP13 |
| P-H-- A101 | 5935-241-4005 | CONNECTOR, PLUG, ELECTRICAL: P315AB; (71585) | EA | | 1 | | | | * | * | * | 5 | 2 | | P501 |
| P-H-- A102 | | SOCKET, ELECTRON TUBE: MSM1470-2; (97913) | EA | | 1 | | | | * | * | * | 10 | 4 | | XV502 |
| P-H-- A103 | | SOCKET, ELECTRON TUBE: 9714; (72825) | EA | | 1 | | | | * | * | 2 | 13 | 6 | | XV503 |
| M-D-- A104 | | TERMINAL BOARD: 2AU; (97913) | EA | | 1 | | | | | | | | | 4-30 | TB502 |
| M-D-- A105 | | TERMINAL BOARD: SAME AS A082 | EA | | 1 | | | | | | | | | 4-30 | TB509 |
| X2-H-- A106 | | TERMINAL, LUG: 701-059; (01113) | EA | | 5 | | | | | | | | | | H5 |
| X2-H-- A107 | | WASHER, LOCK: SAME AS A085 | EA | | 4 | | | | | | | | | | H4 |
| P-H-- A108 | 5935-892-9035 | CONNECTOR, RECEP, ELECTRICAL UG-657/U: | EA | | 1 | | | | * | 2 | 2 | 46 | 32 | 4-22 | J501 |
| P-O-- A109 | 5960-615-5610 | ELECTRON TUBE: 12AY7; (80131) | EA | | 1 | | | | 2 | 2 | 3 | 59 | 37 | 4-22 | V503 |
| P-O-- A110 | 5960-996-7077 | ELECTRON TUBE: SAME AS A027 | EA | | 1 | | | | | | | | | 4-22 | V502 |
| P-O-- A111 | 5960-806-5614 | ELECTRON TUBE: 7308; (73445) | EA | | 1 | | | | 2 | 2 | 3 | 59 | 37 | 4-22 | V501 |
| P-H-- A112 | 5325-276-4205 | GROMMET, RUBBER: 1043M; (80112) | EA | | 3 | | | | * | * | 2 | 13 | 6 | | MP14 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P-H-- A113 | 5935-283-2897 | JACK, TELEPHONE: 12A; (82389) | EA | 1 | | | | * | * | * | 8 | 3 | 4-19 | J505 |
| P-H-- A114 | 5935-847-6803 | JACK, TELEPHONE: 3501FP; (82389) | EA | 3 | | | | * | 2 | 2 | 33 | 18 | 4-22 | J502 |
| P-H-- A115 | 5935-847-6803 | JACK, TELEPHONE: SAME AS A114 | EA | REF | | | | | | | | | 4-22 | J503 |
| P-H-- A116 | 5935-847-6803 | JACK, TELEPHONE: SAME AS A114 | EA | REF | | | | | | | | | 4-22 | J504 |
| M-D-- A117 | | METALWORK ASSEMBLY: 810-677; (01113) | EA | 1 | | | | | | | | | | MP15 |
| X2-H-- A118 | | CHASSIS, ELECTRICAL EQUIPMENT: 211-168; (01113) | EA | 1 | | | | | | | | | | MP16 |
| X2-H-- A119 | | COVER: 212-386; (01113) | EA | 1 | | | | | | | | | | MP17 |
| X2-H-- A120 | | NUT, PLAIN, HEXAGON: 2-56BRASS; (01113) | EA | 3 | | | | | | | | | | H3 |
| X2-H-- A121 | | NUT, PLAIN, HEXAGON: 3-48; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H-- A122 | | NUT, PLAIN, HEXAGON: SAME AS A035 | EA | 2 | | | | | | | | | | H2 |
| P-H-- A123 | 5945-989-4100 | RELAY, ARMATURE: SAME AS A038 | EA | 1 | | | | | | | | | 4-22 | K1 |
| P-H-- A124 | 5905-195-6806 | RESISTOR, FIXED, COMPOSITION: RC20GF102J; (81349) | EA | 2 | | | | * | 2 | 2 | 27 | 16 | 4-22 | R531 |
| P-H-- A125 | 5905-195-6806 | RESISTOR, FIXED, COMPOSITION: SAME AS A124 | EA | REF | | | | | | | | | 4-22 | R534 |
| P-H-- A126 | 5905-195-6761 | RESISTOR, FIXED, COMPOSITION: RC20GF104J; (81349) | EA | 1 | | | | * | * | 2 | 16 | 8 | 4-22 | R532 |
| P-H-- A127 | 5905-192-0390 | RESISTOR, FIXED, COMPOSITION: RC20GF105J; (81349) | EA | 1 | | | | * | * | * | 10 | 4 | 4-22 | R507 |
| P-H-- A128 | | RESISTOR, FIXED, FILM: RN20B3163F; (81349) | EA | 2 | | | | * | * | 2 | 13 | 6 | 4-22 | R535 |
| P-H-- A129 | | RESISTOR, FIXED, FILM: SAME AS A128 | EA | REF | | | | | | | | | 4-22 | R537 |
| X2-H-- A130 | | SCREW, MACHINE: 2-56X3-4RH; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H-- A131 | | SCREW, MACHINE: 3-48X3-8RH; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H-- A132 | | SCREW, MACHINE: 4X3-16HEX HD; (01113) | EA | 4 | | | | | | | | | | H4 |
| X2-H-- A133 | | SCREW, MACHINE: 6-32X1-4BIND HD; (01113) | EA | 6 | | | | | | | | | | H6 |
| X2-H-- A134 | | SCREW, MACHINE: 6-32X3-8BIND HD; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H-- A135 | | SCREW, MACHINE: 8-32X3-8BIND HD; (01113) | EA | 1 | | | | | | | | | | H1 |
| P-H-- A136 | 5960-587-7513 | SHIELD, ELECTRON TUBE: 9704-11; (72825) | EA | 2 | | | | * | * | * | 10 | 4 | | MP18 |
| P-H-- A137 | | SHIELD, ELECTRON TUBE: 9701-4; (72825) | EA | 1 | | | | * | * | * | 5 | 2 | | MP19 |
| P-H-- A138 | 5960-050-5177 | SOCKET, ELECTRON TUBE: 922A21SP; (97913) | EA | 1 | | | | * | * | * | 5 | 2 | | |
| P-H-- A139 | | SOCKET, TRANSISTOR: 182-602; (01113) | EA | 2 | | | | * | * | * | 10 | 4 | | XQ501 |
| P-H-- A140 | | SOCKET, TRANSISTOR: SAME AS A139 | EA | REF | | | | | | | | | | XQ502 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| X2-H--<br>A141 | | SPACER:<br>229-121; (01113) | EA | 2 | | | | | | | | | | MP20 |
| P-H--<br>A142 | 5930-729-8445 | SWITCH, TOGGLE:<br>316-63; (73559) | EA | 1 | | | | * | 2 | 2 | 27 | 12 | 4-22 | S501 |
| M-D--<br>A143 | | TERMINAL BOARD ASSEMBLY, A:<br>234-156; (01113) | EA | 1 | | | | | | | | | 4-30 | TB505 |
| X2-H--<br>A144 | 5940-932-1239 | BRACKET, MOUNTING:<br>176; (79963) | EA | 2 | | | | | | | | | | MP21 |
| P-H--<br>A145 | 5910-729-8830 | CAPACITOR, FIXED, ELECTROLYTIC:<br>BBR12-150; (09022) | EA | 3 | | | | * | 2 | 2 | 27 | 15 | 4-22 | C501 |
| P-H--<br>A146 | 5910-729-8830 | CAPACITOR, FIXED, ELECTROLYTIC:<br>SAME AS A145 | EA | REF | | | | | | | | | 4-22 | C502 |
| P-H--<br>A147 | 5910-729-8830 | CAPACITOR, FIXED, ELECTROLYTIC:<br>SAME AS A145 | EA | REF | | | | | | | | | 4-22 | C503 |
| P-H--<br>A148 | 5910-104-0706 | CAPACITOR, FXD, PAPER DIELECTRIC:<br>2TMS20; (56289) | EA | 1 | | | | * | * | * | 10 | 4 | 4-22 | C514 |
| X2-H--<br>A149 | | TERMINAL, LUG:<br>SAME AS A106 | EA | 1 | | | | | | | | | | H1 |
| P-H--<br>A150 | 5905-254-9201 | RESISTOR, FIXED, COMPOSITION:<br>RC20GF473J; (81349) | EA | 1 | | | | * | * | * | 10 | 4 | 4-22 | R533 |
| P-H--<br>A151 | 5905-279-2516 | RESISTOR, FIXED, COMPOSITION:<br>RC20GF514J; (81349) | EA | 1 | | | | * | * | * | 10 | 4 | 4-22 | R508 |
| P-H--<br>A152 | 5905-195-5516 | RESISTOR, FIXED, COMPOSITION:<br>RC42GF152K; (81349) | EA | 3 | | | | * | 2 | 2 | 19 | 12 | 4-22 | R512 |
| P-H--<br>A153 | 5905-195-5516 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A152 | EA | REF | | | | | | | | | 4-22 | R514 |
| P-H--<br>A154 | 5905-195-5516 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A152 | EA | REF | | | | | | | | | 4-22 | R530 |
| P-H--<br>A155 | | RESISTOR, FIXED, WIRE WOUND:<br>2FXG1K; (12697) | EA | 2 | | | | * | * | 2 | 16 | 8 | 4-22 | R505 |
| P-H--<br>A156 | | RESISTOR, FIXED, WIRE WOUND:<br>SAME AS A155 | EA | REF | | | | | | | | | 4-22 | R511 |
| M-D--<br>A157 | | TERMINAL BOARD:<br>234-155; (01113) | EA | 1 | | | | | | | | | | |
| X2-H--<br>A158 | 5940-258-5175 | TERMINAL, STUD:<br>X1798A; (71279) | EA | 12 | | | | | | | | | | H12 |
| M-D--<br>A159 | | TERMINAL BOARD ASSEMBLY, B:<br>234-157; (01113) | EA | 1 | | | | | | | | | 4-30 | TB507 |
| X2-H--<br>A160 | 5940-932-1239 | BRACKET, MOUNTING:<br>SAME AS A144 | EA | 2 | | | | | | | | | | MP22 |
| P-H--<br>A161 | 5910-847-5583 | CAPACITOR, FXD, PAPER DIELECTRIC:<br>SAME AS A020 | EA | 1 | | | | | | | | | 4-30 | C524 |
| P-H--<br>A162 | 5905-195-6806 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A124 | EA | 1 | | | | | | | | | 4-30 | R544 |
| P-H--<br>A163 | 5905-249-3661 | RESISTOR, FIXED, COMPOSITION:<br>RC20GF683J; (81349) | EA | 1 | | | | * | * | * | 10 | 4 | 4-30 | R541 |
| P-H--<br>A164 | | RESISTOR, FIXED, FILM:<br>RN20B1060F; (81349) | EA | 1 | | | | * | * | 2 | 12 | 5 | 4-30 | R526 |
| P-H--<br>A165 | | RESISTOR, FIXED, FILM:<br>RN20B3002F; (81349) | EA | 2 | | | | * | 2 | 2 | 19 | 10 | 4-30 | R529 |
| P-H--<br>A166 | | RESISTOR, FIXED, FILM:<br>SAME AS A165 | EA | REF | | | | | | | | | 4-30 | R538 |
| P-H--<br>A167 | | RESISTOR, FIXED, FILM:<br>RN25B6802F; (81349) | EA | 2 | | | | * | 2 | 2 | 19 | 10 | 4-22 | R509 |
| P-H--<br>A168 | | RESISTOR, FIXED, FILM:<br>SAME AS A167 | EA | REF | | | | | | | | | 4-22 | R510 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO., OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P-H-- A169 | 5905-907-3422 | RESISTOR, FIXED, FILM: RN70D5101F; (81349) | EA | 1 | | | | * | * | 2 | 12 | 5 | | R542 |
| X2-H-- A170 | 5940-258-5175 | TERMINAL, STUD: SAME AS A158 | EA | 16 | | | | | | | | | | H16 |
| M-D-- A171 | | TERMINAL BOARD: 234-154; (01113) | EA | 1 | | | | | | | | | | |
| M-D-- A172 | | TERMINAL BOARD ASSEMBLY, C: 234-158; (01113) | EA | 1 | | | | | | | | | | TB506 |
| X2-H-- A173 | 5940-932-1239 | BRACKET, MOUNTING: SAME AS A144 | EA | 2 | | | | | | | | | | MP23 |
| P-H-- A174 | 5910-755-5594 | CAPACITOR, FXD, PAPER DIELECTRIC: SAME AS A094 | EA | 1 | | | | | | | | | 4-22 | C507 |
| P-H-- A175 | 5910-984-2851 | CAPACITOR, FXD, PAPER DIELECTRIC: SAME AS A096 | EA | 1 | | | | | | | | | 4-19 | C517 |
| P-H-- A176 | 5905-195-6806 | RESISTOR, FIXED, COMPOSITION: SAME AS A124 | EA | 1 | | | | | | | | | 2-11 | R536 |
| P-H-- A177 | 5905-249-9468 | RESISTOR, FIXED, COMPOSITION: RC20GF134J; (81349) | EA | 2 | | | | * | 2 | 2 | 27 | 12 | 4-19 | R501 |
| P-H-- A178 | 5905-249-9468 | RESISTOR, FIXED, COMPOSITION: SAME AS A177 | EA | REF | | | | | | | | | 4-19 | R502 |
| P-H-- A179 | 5905-279-1890 | RESISTOR, FIXED, COMPOSITION: RC20GF391J; (81349) | EA | 2 | | | | * | * | 2 | 16 | 8 | 4-19 | R503 |
| P-H-- A180 | 5905-279-1890 | RESISTOR, FIXED, COMPOSITION: SAME AS A179 | EA | REF | | | | | | | | | 4-22 | R504 |
| P-H-- A181 | 5905-299-2008 | RESISTOR, FIXED, COMPOSITION: RC32GF753J; (81349) | EA | 1 | | | | * | * | * | 10 | 4 | 4-19 | R517 |
| P-H-- A182 | | RESISTOR, FIXED, FILM: RN25B1252F; (81349) | EA | 2 | | | | * | 2 | 2 | 19 | 10 | 4-19 | R539 |
| P-H-- A183 | | RESISTOR, FIXED, FILM: SAME AS A182 | EA | REF | | | | | | | | | 4-19 | R540 |
| P-H-- A184 | | RESISTOR, FIXED, FILM: RN25B8202F; (81349) | EA | 2 | | | | * | 2 | 2 | 19 | 10 | 4-19 | R513 |
| P-H-- A185 | | RESISTOR, FIXED, FILM: SAME AS A184 | EA | REF | | | | | | | | | 4-19 | R528 |
| P-H-- A186 | 5905-769-7223 | RESISTOR, FIXED, FILM: RN70D1874F; (81349) | EA | 1 | | | | * | * | 2 | 12 | 5 | 4-19 | R543 |
| X2-H-- A187 | 5940-258-5175 | TERMINAL, STUD: SAME AS A158 | EA | 16 | | | | | | | | | | H16 |
| M-D-- A188 | | TERMINAL BOARD: SAME AS A171 | EA | 1 | | | | | | | | | | |
| P-H-- A189 | 5950-073-1218 | TRANSFORMER ASSEMBLY: 823-021; (01113) | EA | 2 | | | | * | * | 2 | 16 | 8 | | L501 |
| P-H-- A190 | | COIL: 156-372; (01113) | EA | 1 | | | | * | * | 2 | 13 | 6 | | |
| X2-H-- A191 | | CORE, CUP: CF20601; (57239) | EA | 2 | | | | | | | | | | H2 |
| X2-H-- A192 | | NUT, PLAIN, HEXAGON: SAME AS A120 | EA | 1 | | | | | | | | | | H1 |
| X2-H-- A193 | | SCREW, MACHINE: SAME AS A130 | EA | 1 | | | | | | | | | | H1 |
| X2-H-- A194 | | WASHER, LOCK: 2IT; (01113) | EA | 1 | | | | | | | | | | H1 |
| P-H-- A195 | 5950-073-1218 | TRANSFORMER ASSEMBLY: SAME AS A189 | EA | REF | | | | | | | | | | L502 |
| P-H-- A196 | | COIL: SAME AS A190 | EA | 1 | | | | | | | | | | |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| X2-H--<br>A197 | | CORE, CUP:<br>SAME AS A191 | EA | 2 | | | | | | | | | | MP24 |
| X2-H--<br>A198 | | NUT, PLAIN, HEXAGON:<br>SAME AS A120 | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A199 | | SCREW, MACHINE:<br>SAME AS A130 | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A200 | | WASHER, LOCK:<br>SAME AS A194 | EA | 1 | | | | | | | | | | H1 |
| P-H--<br>A201 | | TRANSISTOR:<br>2N3250A; (80131) | EA | 2 | | | | * | * | 2 | 13 | 6 | | Q501 |
| P-H--<br>A202 | | TRANSISTOR:<br>SAME AS A201 | EA | REF | | | | | | | | | | Q502 |
| X2-H--<br>A203 | | WASHER, LOCK:<br>1-4IT; (01113) | EA | 3 | | | | | | | | | | H3 |
| X2-H--<br>A204 | | WASHER, LOCK:<br>SAME AS A194 | EA | 4 | | | | | | | | | | H4 |
| X2-H--<br>A205 | | WASHER, LOCK:<br>3IT; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>A206 | | WASHER, LOCK:<br>SAME AS A085 | EA | 4 | | | | | | | | | | H4 |
| X2-H--<br>A207 | | WASHER, LOCK:<br>SAME AS A086 | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>A208 | | WASHER, LOCK:<br>SAME AS A087 | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A209 | | BAG, CLOTH FOIL BARRIER:<br>522-101; | EA | 1 | | | | | | | | | | MP25 |
| X2-H--<br>A210 | | BAG, PARTS:<br>522-100; (01113) | EA | 1 | | | | | | | | | | MP26 |
| X2-H--<br>A211 | | BAG, PLASTIC:<br>521-014; (01113) | EA | 1 | | | | | | | | | | MP27 |
| X2-H--<br>A212 | | BOLT, MACHINE:<br>1-4-20X1-4 HEXHD: (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A213 | | BUSHING, MACHINE THREAD:<br>221-191; (01113) | EA | 1 | | | | | | | | | | MP28 |
| X2-H--<br>A214 | 5975-273-0788 | BUSHING, STRAIN RELIEF CABLE:<br>SR691; (28520) | EA | 1 | | | | | | | | | | MP29 |
| M-D--<br>A215 | | CABINET, ELECTRICAL EQUIPMENT:<br>812-264; (01113) | EA | 1 | | | | | | | | | | MP30 |
| X2-H--<br>A216 | | BAR, SUPPORT:<br>225-067; (01113) | EA | 2 | | | | | | | | | | MP31 |
| P-H--<br>A217 | 5340-915-4839 | BUMPER, RUBBER:<br>2135; (83330) | EA | 4 | | | | * | 2 | 2 | 27 | 16 | | MP32 |
| X2-H--<br>A218 | | HANDLE, BOW:<br>203-136; (01113) | EA | 2 | | | | | | | | | | MP33 |
| X2-H--<br>A219 | | HANDLE AND TRIM ASSEMBLY:<br>811-523; (01113) | EA | 2 | | | | | | | | | | MP34 |
| X2-H--<br>A220 | | BRACKET, DOUBLE ANGLE:<br>214-733; (01113) | EA | 2 | | | | | | | | | | MP35 |
| X2-H--<br>A221 | | HANDLE, BOW:<br>814-166; (01113) | EA | 2 | | | | | | | | | | MP36 |
| X2-H--<br>A222 | 5340-796-8719 | LATCH, RIM:<br>31-20-21-11; (24248) | EA | 1 | | | | | | | | | | MP37 |
| M-D--<br>A223 | | METALWORK ASSEMBLY:<br>810-655; (01113) | EA | 1 | | | | | | | | | | MP38 |
| X2-H--<br>A224 | | CABINET, ELECTRICAL EQUIPMENT:<br>813-322; (01113) | EA | 1 | | | | | | | | | | MP39 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| X2-H--<br>A225 | | COVER ASSEMBLY, TOP:<br>811-520; (01113) | EA | 1 | | | | | | | | | | MP40 |
| X2-H--<br>A226 | | COVER, TOP:<br>212-669; (01113) | EA | 1 | | | | | | | | | | MP41 |
| X2-H--<br>A227 | | NUT, PLAIN, HEXAGON:<br>1-4-20; (01113) | EA | 4 | | | | | | | | | | H4 |
| X2-H--<br>A228 | | WASHER, LOCK:<br>SAME AS A203 | EA | 4 | | | | | | | | | | H4 |
| X2-H--<br>A229 | | WASHER, LOCK:<br>SAME AS A086 | EA | 4 | | | | | | | | | | H4 |
| X2-H--<br>A230 | | SCREW, MACHINE:<br>1-4-20X2 1-2PHPH; (01113) | EA | 4 | | | | | | | | | | H4 |
| X2-H--<br>A231 | | SCREW, MACHINE:<br>1-4-20X5-8PHPH; (01113) | EA | 18 | | | | | | | | | | H18 |
| X2-H--<br>A232 | | SCREW, MACHINE:<br>4-40X5-16RHPH; (01113) | EA | 6 | | | | | | | | | | H6 |
| X2-H--<br>A233 | | SCREW, MACHINE:<br>6-32X1-4PHPH; (01113) | EA | 4 | | | | | | | | | | H4 |
| X2-H--<br>A234 | | SCREW, MACHINE:<br>8-32X3-8PHPH; (01113) | EA | 4 | | | | | | | | | | H4 |
| X2-H--<br>A235 | | SPACER, SLEEVE:<br>225-066; (01113) | EA | 4 | | | | | | | | | | MP42 |
| X2-H--<br>A236 | | SUPPORT, HANDLE:<br>203-137; (01113) | EA | 2 | | | | | | | | | | MP43 |
| X2-H--<br>A237 | | TRIM, HANDLE:<br>203-135-0; (01113) | EA | 2 | | | | | | | | | | MP44 |
| X2-H--<br>A238 | | TRIM, HANDLE:<br>203-135-1; (01113) | EA | 2 | | | | | | | | | | MP45 |
| P-H--<br>A239 | 6625-978-9815 | CABLE ASSEMBLY, POWER, ELEC:<br>3532; (71700) | EA | 1 | | | | * | * | 2 | 12 | 5 | | |
| P-H--<br>A240 | | CABLE ASSEMBLY, RADIO FREQUENCY:<br>655-062; (01113) | EA | 1 | | | | * | * | 2 | 12 | 5 | | |
| X2-H--<br>A241 | | CABLE, RADIO FREQUENCY:<br>RG58U; (80058) | EA | 1 | | | | | | | | | | |
| P-H--<br>A242 | 5935-149-4066 | CONNECTOR, PLUG, ELECTRICAL:<br>SAME AS A004 | EA | 1 | | | | | | | | | 4-23 | P803 |
| P-H--<br>A243 | 6625-072-4585 | CABLE ASSEMBLY, RADIO FREQUENCY:<br>659-120; (01113) | EA | 1 | | | | * | * | 2 | 12 | 5 | | |
| X2-H--<br>A244 | | CONTACT, ELECTRICAL:<br>221-103; (01113) | EA | 1 | | | | | | | | | | |
| X2-H--<br>A245 | | BODY, PROBE:<br>211-111; (01113) | EA | 1 | | | | | | | | | | MP46 |
| X2-H--<br>A246 | | CABLE, RADIO FREQUENCY:<br>RG55AU; (80058) | EA | 1 | | | | | | | | | | |
| X2-H--<br>A247 | | CONE, PROBE:<br>221-102; (01113) | EA | 1 | | | | | | | | | | MP47 |
| P-H--<br>A248 | 5935-149-4066 | CONNECTOR, PLUG, ELECTRICAL:<br>SAME AS A004 | EA | 1 | | | | | | | | | 4-17 | P703 |
| X2-H--<br>A249 | | DISC, PROBE:<br>221-101; (01113) | EA | 1 | | | | | | | | | | MP48 |
| X2-H--<br>A250 | | NUT, PLAIN, HEXAGON:<br>3-8-32; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A251 | | NUT, PROBE:<br>221-104; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A252 | | SPACER, SLEEVE:<br>232-188; (01113) | EA | 1 | | | | | | | | | | MP49 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P-H-- A253 | | CAPACITOR, FXD, PLSTC DIELECTRIC: MP4S1; (14655) | EA | 1 | | | | * | * | * | 10 | 4 | 4-24 | C27 |
| P-H-- A254 | 5910-051-1925 | CAPACITOR, FXD, PLSTC DIELECTRIC: 6TMS60; (56289) | EA | 1 | | | | * | * | * | 10 | 4 | 4-24 | C26 |
| X2-H-- A255 | | CHASSIS, MAIN: 822-139; (01113) | EA | 1 | | | | | | | | | | MP50 |
| X2-H-- A256 | 5960-784-6103 | BASE, TUBE, LOCK: SAME AS A013 | EA | 2 | | | | | | | | | | MP51 |
| P-H-- A257 | 5910-724-7147 | CAPACITOR, FIXED, ELECTROLYTIC: AFH1-04; (00656) | EA | 2 | | | | * | 2 | 2 | 19 | 10 | 4-24 | C12 |
| P-H-- A258 | 5910-724-7147 | CAPACITOR, FIXED, ELECTROLYTIC: SAME AS A257 | EA | REF | | | | | | | | | 4-24 | C13 |
| P-H-- A259 | 5910-819-2539 | CAPACITOR, FIXED, ELECTROLYTIC: AFH1-52; (00656) | EA | 1 | | | | * | * | 2 | 12 | 5 | 4-24 | C2 |
| P-H-- A260 | 5910-086-6946 | CAPACITOR, FIXED, ELECTROLYTIC: AFH2-40; (00656) | EA | 1 | | | | * | * | 2 | 12 | 5 | 2-8 | C5 |
| P-H-- A261 | 5910-088-0328 | CAPACITOR, FIXED, ELECTROLYTIC: BR4-450; (14655) | EA | 1 | | | | * | * | 2 | 12 | 5 | 4-24 | C4 |
| P-H-- A262 | 5910-583-1255 | CAPACITOR, FIXED, ELECTROLYTIC: PRS1750; (00656) | EA | 1 | | | | * | * | 2 | 12 | 5 | 4-24 | C3 |
| P-H-- A263 | | CAPACITOR, FIXED, ELECTROLYTIC: TD1500-6; (72699) | EA | 3 | | | | * | 2 | 2 | 27 | 15 | 4-24 | C10 |
| P-H-- A264 | | CAPACITOR, FIXED, ELECTROLYTIC: SAME AS A263 | EA | REF | | | | | | | | | 4-24 | C11 |
| P-H-- A265 | | CAPACITOR, FIXED, ELECTROLYTIC: SAME AS A263 | EA | REF | | | | | | | | | 4-24 | C14 |
| P-H-- A266 | 5910-544-6400 | CAPACITOR, FIXED, ELECTROLYTIC: WP068; (90201) | EA | 1 | | | | * | * | 2 | 12 | 5 | 4-24 | C15 |
| P-H-- A267 | | CAPACITOR, FXD, PAPER DIELECTRIC: P161N68D; (00656) | EA | 1 | | | | * | * | * | 10 | 4 | | |
| P-H-- A268 | 5910-985-2103 | CAPACITOR, FXD, PLSTC DIELECTRIC: 160P10492; (56289) | EA | 1 | | | | * | * | * | 10 | 4 | 4-24 | C8 |
| P-H-- A269 | 5910-814-7179 | CAPACITOR, FXD, PLSTC DIELECTRIC: 160P22494; (56289) | EA | 1 | | | | * | * | * | 10 | 4 | 4-24 | C9 |
| P-H-- A270 | 5940-682-2427 | CLIP, ELECTRICAL: 141J; (71785) | EA | 1 | | | | * | * | * | 8 | 3 | | H1 |
| P-H-- A271 | 5935-728-4238 | CONNECTOR, PLUG, ELECTRICAL: 2770X; (71785) | EA | 1 | | | | * | * | * | 10 | 4 | 2-7 | P23 |
| P-H-- A272 | 5935-223-8709 | CONNECTOR, RECEPTACLE, ELEC: P306RP; (71785) | EA | 1 | | | | * | * | * | 5 | 2 | 4-16 | J5 |
| P-H-- A273 | 5935-500-6174 | CONNECTOR, RECEPTACLE, ELEC: S304AB; (71785) | EA | 1 | | | | * | * | * | 10 | 4 | 4-24 | J22 |
| P-H-- A274 | 5935-197-4331 | CONNECTOR, RECEPTACLE, ELEC: S306AB; (71785) | EA | 1 | | | | * | * | * | 5 | 2 | 4-21 | J21 |
| P-H-- A275 | 5935-257-7058 | CONNECTOR, RECEPTACLE, ELEC: S315EB; (71785) | EA | 1 | | | | * | * | 2 | 13 | 6 | 4-24 | J25 |
| P-H-- A276 | 5935-892-9035 | CONNECTOR, RECEPTACLE, ELEC: SAME AS A108 | EA | 3 | | | | | | | | | 2-7 | J1 |
| P-H-- A277 | 5935-892-9035 | CONNECTOR, RECEPTACLE, ELEC: SAME AS A108 | EA | REF | | | | | | | | | 2-7 | J2 |
| P-H-- A278 | 5935-892-9035 | CONNECTOR, RECEPTACLE, ELEC: SAME AS A108 | EA | REF | | | | | | | | | 2-7 | J3 |
| P-H-- A279 | 5935-900-4524 | CONNECTOR, RECEPTACLE, ELEC: 13220; (71785) | EA | 1 | | | | * | * | * | 5 | 2 | 4-24 | J23 |
| P-H-- A280 | 5935-724-7149 | CONNECTOR, RECEPTACLE, ELEC: SAME AS A025 | EA | 1 | | | | | | | | | 4-21 | J19 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P-O--<br>A281 | 5960-557-6883 | ELECTRON TUBE:<br>0A2; (80131) | EA | 2 | | | | 2 | 2 | 3 | 71 | 50 | 4-24 | V1 |
| P-O--<br>A282 | 5960-557-6883 | ELECTRON TUBE:<br>SAME AS A281 | EA | REF | | | | | | | | | 4-24 | V2 |
| P-O--<br>A283 | 5920-280-5062 | FUSE, CARTRIDGE:<br>312002; (75915) | EA | 1 | | | | 2 | 2 | 3 | 71 | 50 | 2-24 | F1 |
| P-O--<br>A284 | 5920-295-9600 | FUSE, CARTRIDGE:<br>313-100; (75915) | EA | 2 | | | | 2 | 3 | 6 | 130 | 100 | 2-24 | F2 |
| P-O--<br>A285 | 5920-295-9600 | FUSE, CARTRIDGE:<br>SAME AS A284 | EA | REF | | | | | | | | | 2-24 | F3 |
| P-H--<br>A286 | 5920-861-6082 | FUSEHOLDER:<br>HMB; (71400) | EA | 3 | | | | * | 2 | 2 | 18 | 9 | | XF1 |
| P-H--<br>A287 | 5920-861-6082 | FUSEHOLDER:<br>SAME AS A286 | EA | REF | | | | | | | | | | XF2 |
| P-H--<br>A288 | 5920-861-6082 | FUSEHOLDER:<br>SAME AS A286 | EA | REF | | | | | | | | | | XF3 |
| P-H--<br>A289 | 5325-640-9422 | GROMMET, RUBBER:<br>1041; (72653) | EA | 2 | | | | * | * | 2 | 13 | 6 | | MP52 |
| P-H--<br>A290 | 5325-202-2575 | GROMMET, RUBBER:<br>1043; (72653) | EA | 1 | | | | * | * | * | 8 | 3 | | MP53 |
| X2-H--<br>A291 | 5920-855-4491 | HOLDER, SEMICONDUCTOR DEVICE:<br>099067; (75915) | EA | 3 | | | | | | | | | | XCR1 |
| X2-H--<br>A292 | 5920-855-4491 | HOLDER, SEMICONDUCTOR DEVICE:<br>SAME AS A291 | EA | REF | | | | | | | | | | XCR2 |
| X2-H--<br>A293 | 5920-855-4491 | HOLDER, SEMICONDUCTOR DEVICE:<br>SAME AS A291 | EA | REF | | | | | | | | | | XCR3 |
| X2-H--<br>A294 | | INSULATOR, PLATE:<br>099067-3; (75915) | EA | 3 | | | | | | | | | | |
| X2-H--<br>A295 | | INSULATOR, PLATE:<br>238-181; (01113) | EA | 1 | | | | | | | | | | |
| X2-H--<br>A296 | | INSULATOR, PLATE:<br>238-191; (01113) | EA | 1 | | | | | | | | | | |
| P-H--<br>A297 | 5935-879-8098 | JACK, TIP:<br>1505-102; (83330) | EA | 1 | | | | * | * | * | 10 | 4 | 4-24 | J20 |
| M-D--<br>A298 | | METALWORK ASSEMBLY:<br>810-658; (01113) | EA | 1 | | | | | | | | | | MP54 |
| M-D--<br>A299 | | BRACKET, ANGLE:<br>214-319; (01113) | EA | 1 | | | | | | | | | | MP55 |
| M-D--<br>A300 | | CHASSIS, ELECTRICAL EQUIPMENT:<br>211-169; (01113) | EA | 1 | | | | | | | | | | MP56 |
| X2-H--<br>A301 | | NUT, PLAIN, HEXAGON:<br>4-40; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>A302 | | NUT, PLAIN, HEXAGON:<br>SAME AS A035 | EA | 17 | | | | | | | | | | H17 |
| X2-H--<br>A303 | | NUT, PLAIN, HEXAGON:<br>8-32; (01113) | EA | 11 | | | | | | | | | | H11 |
| M-D--<br>A304 | | PLATE, IDENTIFICATION:<br>219-204; (01113) | EA | 1 | | | | | | | | | | MP57 |
| M-D--<br>A305 | | PLATE, INSTRUCTION:<br>219-195; (01113) | EA | 1 | | | | | | | | | | MP58 |
| P-H--<br>A306 | | REACTOR:<br>C2304; (80089) | EA | 3 | | | | * | 2 | 2 | 18 | 9 | 4-24 | L1 |
| P-H--<br>A307 | | REACTOR:<br>SAME AS A306 | EA | REF | | | | | | | | | 4-24 | L2 |
| P-H--<br>A308 | | REACTOR:<br>SAME AS A306 | EA | REF | | | | | | | | | 4-24 | L3 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P-H--<br>A309 | 5950-043-1348 | REACTOR:<br>EL1677; (02459) | EA | 1 | | | | * | * | * | 8 | 3 | 4-16 | L4 |
| P-H--<br>A310 | 5945-989-4100 | RELAY, ARMATURE:<br>SAME AS A038 | EA | 1 | | | | | | | | | 4-16 | K2 |
| P-H--<br>A311 | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A041 | EA | 2 | | | | | | | | | 4-24 | R16 |
| P-H--<br>A312 | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A041 | EA | REF | | | | | | | | | 4-24 | R17 |
| P-H--<br>A313 | 5905-252-2995 | RESISTOR, FIXED, COMPOSITION:<br>RC20GF220K; (81349) | EA | 2 | | | | * | * | 2 | 16 | 8 | 4-24 | R1 |
| P-H--<br>A314 | 5905-252-2995 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A313 | EA | REF | | | | | | | | | 4-24 | R2 |
| P-H--<br>A315 | 5905-295-3409 | RESISTOR, FIXED, COMPOSITION:<br>RC20GF224K; (81349) | EA | 1 | | | | * | * | * | 10 | 4 | 4-24 | R11 |
| P-H--<br>A316 | 5905-780-2571 | RESISTOR, FIXED, COMPOSITION:<br>RC20GF3R3J; (81349) | EA | 1 | | | | * | * | * | 10 | 4 | 4-24 | R3 |
| P-H--<br>A317 | 5905-279-2621 | RESISTOR, FIXED, COMPOSITION:<br>RC20GF330K; (81349) | EA | 3 | | | | * | 2 | 2 | 27 | 12 | 4-23 | R25 |
| P-H--<br>A318 | 5905-279-2621 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A317 | EA | REF | | | | | | | | | 4-23 | R26 |
| P-H--<br>A319 | 5905-279-2621 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A317 | EA | REF | | | | | | | | | 4-23 | R27 |
| P-H--<br>A320 | 5905-279-3495 | RESISTOR, FIXED, COMPOSITION:<br>RC20GF753J; (81349) | EA | 1 | | | | * | * | * | 10 | 4 | 4-24 | R6A |
| P-H--<br>A321 | 5905-279-1692 | RESISTOR, FIXED, COMPOSITION:<br>RC32GF100J; (81349) | EA | 1 | | | | * | * | * | 10 | 4 | 4-24 | R41 |
| P-H--<br>A322 | 5905-279-2618 | RESISTOR, FIXED, COMPOSITION:<br>RC32GF394J; (81349) | EA | 1 | | | | * | * | * | 10 | 4 | 4-24 | R7 |
| P-H--<br>A323 | | RESISTOR, FIXED, WIREWOUND:<br>BWH10HMPORM10PCT; (75042) | EA | 1 | | | | * | * | * | 10 | 4 | 4-27 | R43 |
| P-H--<br>A324 | 5905-027-7191 | RESISTOR, FIXED, WIREWOUND:<br>FRL10-300; (24681) | EA | 1 | | | | * | * | * | 10 | 4 | 4-16 | R15 |
| P-H--<br>A325 | 5905-842-2914 | RESISTOR, FIXED, WIREWOUND:<br>FRL10-4000; (24681) | EA | 1 | | | | * | * | * | 10 | 4 | 4-16 | R4 |
| P-H--<br>A326 | | RESISTOR, FIXED, WIREWOUND:<br>FRL10-5000; (24681) | EA | 1 | | | | * | * | * | 10 | 4 | 4-24 | R5 |
| P-H--<br>A327 | | RESISTOR, FIXED, WIREWOUND:<br>1-3-4D48F17500; (44655) | EA | 1 | | | | * | * | * | 10 | 4 | 4-17 | R13 |
| P-H--<br>A328 | 5905-034-5923 | RESISTOR, FIXED, WIREWOUND:<br>240E1R05; (56289) | EA | 1 | | | | * | * | * | 10 | 4 | 4-16 | R44 |
| P-H--<br>A329 | 5905-107-8024 | RESISTOR, VARIABLE:<br>CLU5031; (44655) | EA | 1 | | | | * | * | 2 | 12 | 5 | 4-16 | R6 |
| P-H--<br>A330 | | RESISTOR, VARIABLE:<br>118-088; (71450) | EA | 1 | | | | * | * | 2 | 12 | 5 | 4-27 | R29 |
| X2-H--<br>A331 | 5340-820-6211 | RETAINER, CAPACITOR:<br>TH19; (90201) | EA | 1 | | | | | | | | | | MP59 |
| X2-H--<br>A332 | 5940-329-4434 | RETAINER, CAPACITOR:<br>TH23; (90201) | EA | 1 | | | | | | | | | | MP60 |
| X2-H--<br>A333 | 5910-682-2543 | RETAINER, CAPACITOR:<br>VR3; (90201) | EA | 3 | | | | | | | | | | MP61 |
| X2-H--<br>A334 | | SCREW, MACHINE:<br>4-40X1-2RH; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>A335 | | SCREW, MACHINE:<br>4-40X1-4RH; (01113) | EA | 4 | | | | | | | | | | H4 |
| X2-H--<br>A336 | | SCREW, MACHINE:<br>6-32X1-4PH; (01113) | EA | 4 | | | | | | | | | | H4 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| X2-H-- A337 | | SCREW, MACHINE: SAME AS A069 | EA | 4 | | | | | | | | | | H4 |
| X2-H-- A338 | | SCREW, MACHINE: SAME AS A070 | EA | 16 | | | | | | | | | | H16 |
| X2-H-- A339 | | SCREW, MACHINE: 8-32X3-8; (01113) | EA | 8 | | | | | | | | | | H8 |
| X2-H-- A340 | | SCREW, SELF-TAPPING: 4X3-16HS; (01113) | EA | 2 | | | | | | | | | | H2 |
| P-H-- A341 | 5961-759-1312 | SEMICONDUCTOR DEVICE, DIODE: CER70; (13327) | EA | 1 | | | | * | * | * | 8 | 3 | 4-24 | CR7 |
| P-H-- A342 | 5961-725-4075 | SEMICONDUCTOR DEVICE, DIODE: HC30; (13327) | EA | 1 | | | | * | * | * | 8 | 3 | 4-24 | CR4 |
| P-H-- A343 | | SEMICONDUCTOR DEVICE, DIODE: STCER72F; (13327) | EA | 3 | | | | * | 2 | 2 | 18 | 9 | 4-24 | CR1 |
| P-H-- A344 | | SEMICONDUCTOR DEVICE, DIODE: SAME AS A343 | EA | REF | | | | | | | | | 4-24 | CR2 |
| P-H-- A345 | | SEMICONDUCTOR DEVICE, DIODE: SAME AS A343 | EA | REF | | | | | | | | | 4-24 | CR3 |
| P-H-- A346 | 5961-952-6721 | SEMICONDUCTOR DEVICE, DIODE: SOD30D; (13327) | EA | 2 | | | | * | * | 2 | 13 | 6 | 4-24 | CR6 |
| P-O-- A347 | 5935-252-6015 | SHIELD, ELECTRICAL CONNECTOR: 2704; (71785) | EA | 1 | | | | * | * | 2 | 13 | 6 | | MP62 |
| P-H-- A348 | | SOCKET, ELECTRON TUBE: 04-70302; (91662) | EA | 2 | | | | * | * | * | 10 | 4 | | XV1 |
| P-H-- A348A | | SOCKET, ELECTRON TUBE: SAME AS A348 | EA | REF | | | | | | | | | | XV2 |
| X2-H-- A349 | 5960-280-3757 | SPRING, TUBE, LOCK: 103W; (02820) | EA | 2 | | | | | | | | | | MP63 |
| X2-H-- A350 | | STANDOFF: 225-022; (01113) | EA | 4 | | | | | | | | | | E1 |
| X2-H-- A351 | | STANDOFF: SAME AS A350 | EA | REF | | | | | | | | | | E2 |
| X2-H-- A352 | | STANDOFF: SAME AS A350 | EA | REF | | | | | | | | | | E3 |
| X2-H-- A353 | | STANDOFF: SAME AS A350 | EA | REF | | | | | | | | | | E4 |
| P-H-- A354 | 5930-729-8445 | SWITCH, TOGGLE: SAME AS A142 | EA | 1 | | | | | | | | | 4-24 | S4 |
| X2-H-- A355 | 5940-156-7345 | TERMINAL, LUG: 2106-06-00; (78189) | EA | 4 | | | | | | | | | | H4 |
| X2-H-- A356 | | TERMINAL, LUG: 701-022; (01113) | EA | 1 | | | | | | | | | | H1 |
| M-D-- A357 | 5940-683-4679 | TERMINAL BOARD: 10-170; (71785) | EA | 1 | | | | | | | | | | TB9 |
| M-D-- A358 | | TERMINAL BOARD: 2AH; (97913) | EA | 1 | | | | | | | | | 4-27 | TB4 |
| M-D-- A359 | | TERMINAL BOARD: SAME AS A104 | EA | 1 | | | | | | | | | 4-27 | TB21 |
| M-D-- A360 | | TERMINAL BOARD: 2HA; (97913) | EA | 1 | | | | | | | | | 4-27 | TB11 |
| M-D-- A361 | | TERMINAL BOARD: 2ULAR; (97913) | EA | 1 | | | | | | | | | 4-27 | TB20 |
| M-D-- A362 | | TERMINAL BOARD: 3AHA; (97913) | EA | 2 | | | | | | | | | 4-27 | TB5 |
| M-D-- A363 | | TERMINAL BOARD: SAME AS A362 | EA | REF | | | | | | | | | 4-27 | TB6 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| M-D-- A364 | | TERMINAL BOARD: 3H2A; (97913) | EA | 1 | | | | | | | | | 4-27 | TB2 |
| M-D-- A365 | | TERMINAL BOARD: 4AU2A; (97913) | EA | 1 | | | | | | | | | 4-27 | TB12 |
| M-D-- A366 | | TERMINAL BOARD: 42AHA; (97913) | EA | 1 | | | | | | | | | 4-27 | TB3 |
| M-D-- A367 | | TERMINAL BOARD: 42AUA; (97913) | EA | 2 | | | | | | | | | 4-27 | TB7 |
| M-D-- A368 | | TERMINAL BOARD: SAME AS A367 | EA | REF | | | | | | | | | 4-27 | TB22 |
| M-D-- A369 | | TERMINAL BOARD: 5AUAUA; (97913) | EA | 1 | | | | | | | | | 4-27 | TB23 |
| M-D-- A370 | | TERMINAL BOARD: 52AH2A; (97913) | EA | 1 | | | | | | | | | 4-27 | TB10 |
| M-D-- A371 | 5950-753-7574 | TRANSFORMER, AUDIO: 6P321; (83325) | EA | 1 | | | | | | | | | 4-24 | T3 |
| P-H-- A372 | 5950-073-1219 | TRANSFORMER, AUDIO: 141-192; (01113) | EA | 1 | | | | * | * | * | 10 | 4 | 4-24 | T2 |
| X2-H-- A373 | | WASHER, LOCK: 4; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H-- A374 | | WASHER, LOCK: 5; (01113) | EA | 18 | | | | | | | | | | H18 |
| X2-H-- A375 | | WASHER, LOCK: 6; (01113) | EA | 19 | | | | | | | | | | H19 |
| X2-H-- A376 | | WASHER, LOCK: 8; (01113) | EA | 13 | | | | | | | | | | H13 |
| X2-H-- A377 | | WASHER, SHOULDER: SAME AS A088 | EA | 8 | | | | | | | | | | H8 |
| X2-H-- A378 | 5340-193-3644 | CLAMP, LOOP: 78; (79963) | EA | 3 | | | | | | | | | | MP64 |
| X2-H-- A379 | 5340-584-1139 | CLAMP, LOOP: 835; (83330) | EA | 2 | | | | | | | | | | MP65 |
| X2-H-- A380 | 5340-819-1859 | CLAMP, LOOP: 841; (83330) | EA | 1 | | | | | | | | | | MP66 |
| X2-H-- A381 | 6625-072-4586 | COUPLING ASSEMBLY: 811-233; (01113) | EA | 1 | | | | | | | | | | MP67 |
| X2-H-- A382 | | BUSHING, SLEEVE: 221-220; (01113) | EA | 1 | | | | | | | | | | MP68 |
| X2-H-- A383 | | NUT, PLAIN, KNURLED: 221-219; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H-- A384 | | RING, RETAINING: 773-109-1; (01113) | EA | 1 | | | | | | | | | | MP69 |
| X2-H-- A385 | | SHAFT, SHOULDERED: 226-021; (01113) | EA | 1 | | | | | | | | | | MP70 |
| X2-H-- A386 | | DESICCANT CNTR, DEHUMIDIFIER: 501-101; (01113) | EA | 5 | | | | | | | | | | MP71 |
| P-H-- A387 | | DETECTOR, AUTO LEVEL CONT UHF: 822-134; (01113) | EA | 1 | | | | * | * | 2 | 12 | 5 | | |
| X2-H-- A388 | | BARREL, CRYSTAL: 229-117; (01113) | EA | 2 | | | | | | | | | | MP72 |
| X2-H-- A389 | | BARREL, TUNING: 229-118; (01113) | EA | 2 | | | | | | | | | | MP73 |
| M-D-- A390 | | BRACKET, MOUNTING: 214-092; (01113) | EA | 1 | | | | | | | | | | MP74 |
| P-H-- A391 | 5910-802-7432 | CAPACITOR, FXD, MICA DIELECTRIC: FA5C102W; (01121) | EA | 1 | | | | * | 2 | 2 | 27 | 12 | 4-17 | C103 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P-H--<br>A392 | 5910-070-7994 | CAPACITOR, FXD, MICA DIELECTRIC:<br>FA5C4701; (01121) | EA | 1 | | | | * | 2 | 2 | 27 | 12 | 4-17 | C102 |
| P-H--<br>A393 | | CAPACITOR, FXD, MICA DIELECTRIC:<br>0670-0014A0-102K; (15450) | EA | 1 | | | | * | 2 | 2 | 27 | 12 | 4-17 | C101 |
| P-H--<br>A394 | 5961-773-0108 | CLIP, CRYSTAL, DUAL TAPPED:<br>222-115; (01113) | EA | 1 | | | | * | * | 2 | 13 | 6 | | |
| P-H--<br>A396 | 5935-892-9035 | CONNECTOR, RECEPTACLE, ELEC:<br>SAME AS A108 | EA | 2 | | | | | | | | | 4-17 | J101 |
| P-H--<br>A397 | 5935-892-9035 | CONNECTOR, RECEPTACLE, ELEC:<br>SAME AS A108 | EA | REF | | | | | | | | | 4-17 | J102 |
| X2-H--<br>A398 | | COVER, PLATE:<br>222-116; (01113) | EA | 1 | | | | | | | | | | MP75 |
| X2-H--<br>A399 | | CRYSTALHOLDER:<br>221-117; (01113) | EA | 2 | | | | | | | | | | |
| X2-H--<br>A400 | | CRYSTALHOLDER:<br>SAME AS A399 | EA | REF | | | | | | | | | | |
| X2-H--<br>A401 | | HOUSING, DETECTOR:<br>222-166; (01113) | EA | 1 | | | | | | | | | | MP76 |
| X2-H--<br>A402 | 5950-788-1179 | INDUCTOR, DETECTOR:<br>218-008; (01113) | EA | 1 | | | | | | | | | | |
| X2-H--<br>A403 | | NUT, PLAIN, HEXAGON:<br>1-4-32; (01113) | EA | 2 | | | | | | | | | | H2 |
| P-H--<br>A404 | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A041 | EA | 1 | | | | | | | | | 4-17 | R102 |
| P-H--<br>A406 | 5905-299-1965 | RESISTOR, FIXED, COMPOSITION:<br>RC20GF301J; (81349) | EA | 2 | | | | * | 2 | 2 | 40 | 24 | 4-17 | R101 |
| P-H--<br>A407 | | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A406 | EA | REF | | | | | | | | | 4-17 | R103 |
| X2-H--<br>A408 | | SCREW, MACHINE:<br>2-56X3-16RH; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A409 | | SCREW, MACHINE:<br>SAME AS A335 | EA | 8 | | | | | | | | | | H8 |
| X2-H--<br>A410 | | SCREW, MACHINE:<br>4-40X3-8FIL H; (01113) | EA | 8 | | | | | | | | | | H8 |
| P-H--<br>A411 | 5961-845-4593 | SEMICONDUCTOR, DEVICE, DIODE:<br>139-106; (01113) | EA | 2 | | | | * | * | * | 10 | 4 | 4-17 | CR101 |
| P-H--<br>A412 | | SEMICONDUCTOR, DEVICE, DIODE:<br>SAME AS A411 | EA | REF | | | | | | | | | 4-17 | CR102 |
| X2-H--<br>A413 | | SETSCREW:<br>6-32X3-16; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>A414 | | TERMINAL, LUG:<br>701-009; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>A415 | 5935-050-4401 | TERMINAL, SCREW:<br>221-110; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>A416 | | WASHER, FLAT:<br>752-011; (01113) | EA | 4 | | | | | | | | | | H4 |
| X2-H--<br>A417 | | WASHER, NONMETALLIC:<br>753-106; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>A418 | | WASHER, SHOULDERED:<br>753-109; (01113) | EA | 4 | | | | | | | | | | H4 |
| P-H--<br>A418A | 6625-070-7998 | DUMMY LOAD, ELECTRICAL DA-505/U:<br>SAME AS A003 | EA | 1 | | | | | | | | | 4-20 | |
| P-H--<br>A418B | 5935-149-4066 | CONNECTOR, PLUG, ELECTRICAL:<br>SAME AS A004 | EA | 1 | | | | | | | | | | |
| X2-H--<br>A418C | | MANDREL:<br>SAME AS A005 | EA | 1 | | | | | | | | | | MP357 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P-H--<br>A418D | 5905-279-3517 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A006 | EA | 1 | | | | | | | | | | |
| X2-H--<br>A418E | | WASHER, ADJUSTABLE:<br>SAME AS A007 | EA | 1 | | | | | | | | | | H1 |
| P-H--<br>A419 | 5820-935-8114 | DETECTOR, RF RP-231/U:<br>822-129; (01113) | EA | 1 | | | | * | * | 2 | 12 | 5 | | |
| X2-H--<br>A420 | | BARREL, CRYSTAL:<br>SAME AS A388 | EA | 2 | | | | | | | | | | MP77 |
| X2-H--<br>A421 | | BARREL, TUNING:<br>SAME AS A389 | EA | 2 | | | | | | | | | | MP78 |
| P-H--<br>A422 | 5910-802-7432 | CAPACITOR, FXD, MICA DIELECTRIC:<br>SAME AS A391 | EA | 1 | | | | | | | | | 4-22 | C901 |
| P-H--<br>A423 | 5910-070-7994 | CAPACITOR, FXD, MICA DIELECTRIC:<br>SAME AS A392 | EA | 1 | | | | | | | | | 4-22 | C902 |
| P-H--<br>A424 | | CAPACITOR, FXD, MICA DIELECTRIC:<br>SAME AS A393 | EA | 1 | | | | | | | | | 4-22 | C903 |
| P-H--<br>A425 | 5961-773-0108 | CLIP, DUAL CRYSTAL:<br>SAME AS A394 | EA | 1 | | | | | | | | | | |
| P-H--<br>A426 | 5935-892-9035 | CONNECTOR, RECEPTACLE, ELEC:<br>SAME AS A108 | EA | 2 | | | | | | | | | 4-19 | J901 |
| P-H--<br>A427 | 5935-892-9035 | CONNECTOR, RECEPTACLE, ELEC:<br>SAME AS A108 | EA | REF | | | | | | | | | 4-19 | J902 |
| X2-H--<br>A428 | | COVER, DETECTOR:<br>SAME AS A398 | EA | 1 | | | | | | | | | | MP79 |
| X2-H--<br>A429 | | CRYSTALHOLDER:<br>SAME AS A399 | EA | 2 | | | | | | | | | | |
| X2-H--<br>A430 | | CRYSTALHOLDER:<br>SAME AS A399 | EA | REF | | | | | | | | | | |
| X2-H--<br>A431 | | HOUSING, MACHINED DETECTOR:<br>SAME AS A401 | EA | 1 | | | | | | | | | | MP80 |
| X2-H--<br>A432 | 5950-788-1179 | INDUCTOR, DETECTOR:<br>SAME AS A402 | EA | 1 | | | | | | | | | | |
| P-H--<br>A433 | 5935-197-4319 | JACK, TELEPHONE:<br>101; (83330) | EA | 2 | | | | * | * | 2 | 13 | 6 | 4-19 | J904 |
| P-H--<br>A434 | 5935-197-4319 | JACK, TELEPHONE:<br>SAME AS A433 | EA | REF | | | | | | | | | 4-19 | J903 |
| X2-H--<br>A435 | | PANEL, DETECTOR:<br>810-247; (01113) | EA | 1 | | | | | | | | | | MP81 |
| P-H--<br>A436 | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A041 | EA | 1 | | | | | | | | | 4-19 | R902 |
| P-H--<br>A437 | 5905-299-1965 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A406 | EA | 2 | | | | | | | | | 4-19 | R901 |
| P-H--<br>A438 | 5905-299-1965 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A406 | EA | REF | | | | | | | | | 4-19 | R903 |
| X2-H--<br>A439 | | SCREW, MACHINE:<br>SAME AS A410 | EA | 8 | | | | | | | | | | H8 |
| X2-H--<br>A440 | | SCREW, MACHINE:<br>4-40X5-16TRUSS H; (01113) | EA | 8 | | | | | | | | | | H8 |
| X2-H--<br>A441 | | SCREW, MACHINE:<br>SAME AS A408 | EA | 1 | | | | | | | | | | H1 |
| P-H--<br>A442 | | SEMICONDUCTOR DEVICE, DIODE:<br>130-106; (01113) | EA | 2 | | | | * | * | * | 10 | 4 | 4-19 | CR901 |
| P-H--<br>A443 | | SEMICONDUCTOR DEVICE, DIODE:<br>SAME AS A442 | EA | REF | | | | | | | | | 4-19 | CR902 |
| X2-H--<br>A444 | | SETSCREW:<br>6-32X3-16 ALLEN; (01113) | EA | 2 | | | | | | | | | | H2 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| X2-H--<br>A445 | | WASHER, NONMETALLIC:<br>SAME AS A417 | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>A446 | | WASHER, NONMETALLIC:<br>SAME AS A418 | EA | 4 | | | | | | | | | | H4 |
| P-H--<br>A447 | | DIAL, SCALE:<br>219-418; (01113) | EA | 1 | | | | * | * | * | 10 | 4 | | MP82 |
| X2-H--<br>A448 | | ENVELOPE ASSEMBLY:<br>531-006; (01113) | EA | 1 | | | | | | | | | | MP83 |
| X2-H--<br>A449 | | BOOK, INSTRUCTION:<br>435-505; (01113) | EA | 1 | | | | | | | | | | MP84 |
| X2-H--<br>A450 | | CARD, WARRANTY:<br>435-002; (01113) | EA | 1 | | | | | | | | | | MP85 |
| X2-H--<br>A451 | | TAG, LINE VOLTAGE:<br>432-226; (01113) | EA | 1 | | | | | | | | | | MP86 |
| P-H-R<br>A452 | | GENERATOR, HARMONIC MARKER:<br>822-136; (01113) | EA | 1 | | | | * | * | 2 | 12 | 5 | | |
| P-H--<br>A453 | | CABLE, SP, ELECTRICAL:<br>658-141; (01113) | EA | 1 | | | | * | * | 2 | 12 | 4 | | |
| P-H--<br>A454 | | CAPACITOR, FXD, CER DIELECTRIC:<br>BPD203; (00656) | EA | 6 | | | | * | 2 | 2 | 40 | 24 | 4-23 | C401 |
| P-H--<br>A455 | | CAPACITOR, FXD, CER DIELECTRIC:<br>SAME AS A454 | EA | REF | | | | | | | | | 4-23 | C406 |
| P-H--<br>A456 | | CAPACITOR, FXD, CER DIELECTRIC:<br>SAME AS A454 | EA | REF | | | | | | | | | 4-23 | C407 |
| P-H--<br>A457 | | CAPACITOR, FXD, CER DIELECTRIC:<br>SAME AS A454 | EA | REF | | | | | | | | | 4-23 | C435 |
| P-H--<br>A458 | | CAPACITOR, FXD, CER DIELECTRIC:<br>SAME AS A454 | EA | REF | | | | | | | | | 4-23 | C436 |
| P-H--<br>A459 | | CAPACITOR, FXD, CER DIELECTRIC:<br>SAME AS A454 | EA | REF | | | | | | | | | 4-23 | C437 |
| P-H--<br>A460 | 5910-702-5718 | CAPACITOR, FXD, CER DIELECTRIC:<br>DD390; (71590) | EA | 1 | | | | * | * | * | 10 | 4 | 4-23 | C418 |
| P-H--<br>A461 | 5910-686-9133 | CAPACITOR, FXD, CER DIELECTRIC:<br>DD470; (71590) | EA | 4 | | | | * | 2 | 2 | 27 | 16 | 4-23 | C408 |
| P-H--<br>A462 | 5910-686-9133 | CAPACITOR, FXD, CER DIELECTRIC:<br>SAME AS A461 | EA | REF | | | | | | | | | 4-23 | C409 |
| P-H--<br>A463 | 5910-686-9133 | CAPACITOR, FXD, CER DIELECTRIC:<br>SAME AS A461 | EA | REF | | | | | | | | | 4-23 | C416 |
| P-H--<br>A464 | 5910-686-9133 | CAPACITOR, FXD, CER DIELECTRIC:<br>SAME AS A461 | EA | REF | | | | | | | | | 4-23 | C433 |
| P-H--<br>A465 | 5910-543-0052 | CAPACITOR, FXD, CER DIELECTRIC:<br>TCN20; (71590) | EA | 1 | | | | * | * | * | 10 | 4 | 4-23 | C405 |
| P-H--<br>A466 | 5910-063-0538 | CAPACITOR, FXD, CER DIELECTRIC:<br>TCN24; (71590) | EA | 2 | | | | * | * | 2 | 16 | 8 | 4-23 | C427 |
| P-H--<br>A467 | 5910-063-0538 | CAPACITOR, FXD, CER DIELECTRIC:<br>SAME AS A466 | EA | REF | | | | | | | | | 4-23 | C428 |
| P-H--<br>A468 | 5910-544-6327 | CAPACITOR, FXD, CER DIELECTRIC:<br>TCZ1; (71590) | EA | 2 | | | | * | * | 2 | 16 | 8 | 4-23 | C429 |
| P-H--<br>A469 | 5910-544-6327 | CAPACITOR, FXD, CER DIELECTRIC:<br>SAME AS A468 | EA | REF | | | | | | | | | 4-23 | C432 |
| P-H--<br>A470 | | CAPACITOR, FXD, CER DIELECTRIC:<br>TCZ1R5; (71590) | EA | 2 | | | | * | * | 2 | 16 | 8 | 4-23 | C425 |
| P-H--<br>A471 | | CAPACITOR, FXD, CER DIELECTRIC:<br>SAME AS A470 | EA | REF | | | | | | | | | 4-23 | C431 |
| P-H--<br>A472 | 5910-712-8192 | CAPACITOR, FXD, CER DIELECTRIC:<br>TCZ3R3; (71590) | EA | 1 | | | | * | * | * | 10 | 4 | 4-23 | C404 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P-H--<br>A473 | | CAPACITOR, FXD, CER DIELECTRIC:<br>301-0000K0688L; (15450) | EA | 1 | | | | * | * | * | 10 | 4 | 4-23 | C417 |
| P-H--<br>A474 | | CAPACITOR, FXD, CER DIELECTRIC:<br>811; (15450) | EA | 4 | | | | * | 2 | 2 | 27 | 16 | 4-23 | C421 |
| P-H--<br>A475 | | CAPACITOR, FXD, CER DIELECTRIC:<br>SAME AS A474 | EA | REF | | | | | | | | | 4-23 | C422 |
| P-H--<br>A476 | | CAPACITOR, FXD, CER DIELECTRIC:<br>SAME AS A474 | EA | REF | | | | | | | | | 4-23 | C426 |
| P-H--<br>A477 | | CAPACITOR, FXD, CER DIELECTRIC:<br>SAME AS A474 | EA | REF | | | | | | | | | 4-23 | C430 |
| P-H--<br>A478 | | CAPACITOR, FXD MICA DIELECTRIC:<br>CM15E121J; (81349) | EA | 2 | | | | * | * | 2 | 16 | 8 | 4-23 | C402 |
| P-H--<br>A479 | | CAPACITOR, FXD, MICA DIELECTRIC:<br>SAME AS A478 | EA | REF | | | | | | | | | 4-23 | C403 |
| P-H--<br>A480 | | CAPACITOR, FXD, MICA DIELECTRIC:<br>CM15E151J; (81349) | EA | 2 | | | | * | * | 2 | 16 | 8 | 4-23 | C420 |
| P-H--<br>A481 | | CAPACITOR, FXD, MICA DIELECTRIC:<br>SAME AS A480 | EA | REF | | | | | | | | | 4-23 | C424 |
| P-H--<br>A482 | | CAPACITOR, FXD, MICA DIELECTRIC:<br>CM15E161J; (81349) | EA | 1 | | | | * | * | * | 10 | 4 | 4-23 | C419 |
| P-H--<br>A483 | 5910-264-9427 | CAPACITOR, FXD, MICA DIELECTRIC:<br>CM15E300J; (81349) | EA | 1 | | | | * | * | * | 10 | 4 | 4-23 | C423 |
| P-H--<br>A484 | | CAPACITOR, VAR, PLSTC DIELECTRIC:<br>536-000-4R; (15450) | EA | 3 | | | | * | 2 | 2 | 40 | 24 | 4-23 | C410 |
| P-H--<br>A485 | | CAPACITOR, VAR, PLSTC DIELECTRIC:<br>SAME AS A484 | EA | REF | | | | | | | | | 4-23 | C415 |
| P-H--<br>A486 | | CAPACITOR, VAR, PLSTC DIELECTRIC:<br>SAME AS A484 | EA | REF | | | | | | | | | 4-23 | C434 |
| X2-H--<br>A487 | | CHASSIS, ELECTRICAL EQUIPMENT:<br>211-165; (01113) | EA | 1 | | | | | | | | | | MP87 |
| P-H--<br>A488 | 5950-022-5874 | COIL, RADIO FREQUENCY:<br>156-457; (01113) | EA | 1 | | | | * | * | * | 8 | 3 | 4-23 | L405 |
| P-H--<br>A489 | 5905-279-3517 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A006 | EA | 1 | | | | | | | | | 4-23 | R405 |
| P-H--<br>A490 | 5950-022-5875 | COIL, RADIO FREQUENCY:<br>156-458; (01113) | EA | 1 | | | | * | * | * | 8 | 3 | 4-23 | L404 |
| P-H--<br>A491 | 5905-279-3517 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A006 | EA | 1 | | | | | | | | | 4-23 | R404 |
| P-H--<br>A492 | 5950-022-5876 | COIL, RADIO FREQUENCY:<br>156-459; (01113) | EA | 1 | | | | * | * | * | 8 | 3 | 4-23 | L409 |
| P-H--<br>A493 | 5950-022-5886 | COIL, RADIO FREQUENCY:<br>156-460; (01113) | EA | 1 | | | | * | * | * | 8 | 3 | 4-23 | L414 |
| P-H--<br>A494 | 5950-022-5898 | COIL, RADIO FREQUENCY:<br>156-461; (01113) | EA | 1 | | | | * | * | * | 8 | 3 | | L403 |
| X2-H--<br>A495 | | FORM, COIL:<br>F754; (72656) | EA | 1 | | | | | | | | | | MP88 |
| P-H--<br>A496 | | COIL, RADIO FREQUENCY:<br>811-244; (01113) | EA | 7 | | | | * | 2 | 2 | 33 | 21 | 4-23 | L406 |
| X2-H--<br>A497 | | FORM, COIL:<br>201-046; (01113) | EA | 1 | | | | | | | | | | MP89 |
| X2-H--<br>A498 | | HOLDER, COIL:<br>221-146; (01113) | EA | 1 | | | | | | | | | | MP90 |
| X2-H--<br>A499 | | SCREW, MACHINE:<br>1-4-28X3-8BRASS; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A500 | | TUBE, COIL FORM:<br>235-005; (01113) | EA | 1 | | | | | | | | | | MP91 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P-H--<br>A501 | | COIL, RADIO FREQUENCY:<br>SAME AS A496 | EA | REF | | | | | | | | | 4-23 | L407 |
| X2-H--<br>A502 | | FORM, COIL:<br>SAME AS A497 | EA | 1 | | | | | | | | | | MP92 |
| X2-H--<br>A503 | | HOLDER, COIL:<br>SAME AS A498 | EA | 1 | | | | | | | | | | MP93 |
| X2-H--<br>A504 | | SCREW, MACHINE:<br>SAME AS A499 | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A505 | | TUBE, COIL FORM:<br>SAME AS A500 | EA | 1 | | | | | | | | | | MP94 |
| P-H--<br>A506 | | COIL, RADIO FREQUENCY:<br>SAME AS A496 | EA | REF | | | | | | | | | 4-23 | L408 |
| X2-H--<br>A507 | | FORM, COIL:<br>SAME AS A497 | EA | 1 | | | | | | | | | | MP95 |
| X2-H--<br>A508 | | HOLDER, COIL:<br>SAME AS A498 | EA | 1 | | | | | | | | | | MP96 |
| X2-H--<br>A509 | | SCREW, MACHINE:<br>SAME AS A499 | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A510 | | TUBE, COIL FORM:<br>SAME AS A500 | EA | 1 | | | | | | | | | | MP97 |
| P-H--<br>A511 | | COIL, RADIO FREQUENCY:<br>SAME AS A496 | EA | REF | | | | | | | | | 4-23 | L410 |
| X2-H--<br>A512 | | FORM, COIL:<br>SAME AS A497 | EA | 1 | | | | | | | | | | MP98 |
| X2-H--<br>A513 | | HOLDER, COIL:<br>SAME AS A498 | EA | 1 | | | | | | | | | | MP99 |
| X2-H--<br>A514 | | SCREW, MACHINE:<br>SAME AS A499 | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A515 | | TUBE, COIL FORM:<br>SAME AS A500 | EA | 1 | | | | | | | | | | MP100 |
| P-H--<br>A516 | | COIL, RADIO FREQUENCY:<br>SAME AS A496 | EA | REF | | | | | | | | | 4-23 | L411 |
| X2-H--<br>A517 | | FORM, COIL:<br>SAME AS A497 | EA | 1 | | | | | | | | | | MP101 |
| X2-H--<br>A518 | | HOLDER, COIL:<br>SAME AS A498 | EA | 1 | | | | | | | | | | MP102 |
| X2-H--<br>A519 | | SCREW, MACHINE:<br>SAME AS A499 | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A520 | | TUBE, COIL FORM:<br>SAME AS A500 | EA | 1 | | | | | | | | | | MP103 |
| P-H--<br>A521 | | COIL, RADIO FREQUENCY:<br>SAME AS A496 | EA | REF | | | | | | | | | 4-23 | L412 |
| X2-H--<br>A522 | | FORM, COIL:<br>SAME AS A497 | EA | 1 | | | | | | | | | | MP104 |
| X2-H--<br>A523 | | HOLDER, COIL:<br>SAME AS A498 | EA | 1 | | | | | | | | | | MP105 |
| X2-H--<br>A524 | | SCREW, MACHINE:<br>SAME AS A499 | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A525 | | TUBE, COIL FORM:<br>SAME AS A500 | EA | 1 | | | | | | | | | | MP106 |
| P-H--<br>A526 | | COIL, RADIO FREQUENCY:<br>SAME AS A496 | EA | REF | | | | | | | | | 4-23 | L413 |
| X2-H--<br>A527 | | FORM, COIL:<br>SAME AS A497 | EA | 1 | | | | | | | | | | MP107 |
| X2-H--<br>A528 | | HOLDER, COIL:<br>SAME AS A498 | EA | 1 | | | | | | | | | | MP108 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| X2-H--<br>A529 | | SCREW, MACHINE:<br>SAME AS A499 | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A530 | | TUBE, COIL FORM:<br>SAME AS A500 | EA | 1 | | | | | | | | | | MP109 |
| P-H--<br>A531 | | COIL, RADIO FREQUENCY:<br>811-245; (01113) | EA | 2 | | | | * | * | 2 | 13 | 6 | 4-23 | L401 |
| X2-H--<br>A532 | | FORM, COIL:<br>SAME AS A497 | EA | 1 | | | | | | | | | | MP110 |
| X2-H--<br>A533 | | HOLDER, COIL:<br>SAME AS A498 | EA | 1 | | | | | | | | | | MP111 |
| X2-H--<br>A534 | | TUBE, COIL FORM:<br>SAME AS A500 | EA | 1 | | | | | | | | | | MP112 |
| X2-H--<br>A535 | | SLUG, THREADED:<br>716-018; (01113) | EA | 1 | | | | | | | | | | MP113 |
| P-H--<br>A536 | | COIL, RADIO FREQUENCY:<br>SAME AS A531 | EA | REF | | | | | | | | | 4-23 | L402 |
| X2-H--<br>A537 | | FORM, COIL:<br>SAME AS A497 | EA | | | | | | | | | | | MP114 |
| X2-H--<br>A538 | | HOLDER, COIL:<br>SAME AS A498 | EA | 1 | | | | | | | | | | MP115 |
| X2-H--<br>A539 | | TUBE, COIL FORM:<br>SAME AS A500 | EA | 1 | | | | | | | | | | MP116 |
| X2-H--<br>A540 | | SLUG, THREADED:<br>SAME AS A535 | EA | 1 | | | | | | | | | | MP117 |
| P-H--<br>A541 | 5935-242-5283 | CONNECTOR, PLUG, ELECTRICAL:<br>P304CCT; (71785) | EA | 1 | | | | * | * | 2 | 13 | 6 | 4-23 | P401 |
| P-H--<br>A542 | 5935-892-9035 | CONNECTOR, RECEPTACLE, ELEC:<br>SAME AS A108 | EA | 1 | | | | | | | | | 4-23 | J405 |
| P-H--<br>A543 | | CRYSTAL UNIT, QUARTZ:<br>F605; (01766) | EA | 1 | | | | * | * | * | 8 | 3 | 4-23 | Y401 |
| P-O--<br>A544 | | ELECTRON TUBE:<br>6CB6; (80131) | EA | 1 | | | | * | 2 | 2 | 27 | 14 | 4-23 | V402 |
| P-O--<br>A545 | 5960-681-9596 | ELECTRON TUBE:<br>SAME AS A031 | EA | 2 | | | | | | | | | 4-23 | V401 |
| P-O--<br>A546 | 5960-681-9596 | ELECTRON TUBE:<br>SAME AS A031 | EA | REF | | | | | | | | | 4-23 | V403 |
| P-H--<br>A547 | 5325-640-9422 | GROMMET, RUBBER:<br>SAME AS A289 | EA | 1 | | | | | | | | | | MP118 |
| P-H--<br>A548 | 5935-847-6803 | JACK, TIP:<br>SAME AS A114 | EA | 3 | | | | | | | | | 4-23 | J402 |
| P-H--<br>A549 | 5935-847-6803 | JACK, TIP:<br>SAME AS A114 | EA | REF | | | | | | | | | 4-23 | J403 |
| P-H--<br>A550 | 5935-847-6803 | JACK, TIP:<br>SAME AS A114 | EA | REF | | | | | | | | | 4-23 | J404 |
| X2-H--<br>A552 | | NUT, PLAIN, HEXAGON:<br>SAME AS A301 | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A553 | | NUT, PLAIN, HEXAGON:<br>732-006-2; (01113) | EA | 9 | | | | | | | | | | H9 |
| P-H--<br>A554 | 5905-195-6817 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A039 | EA | 3 | | | | | | | | | 4-23 | R412 |
| P-H--<br>A555 | 5905-195-6817 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A039 | EA | REF | | | | | | | | | 4-23 | R423 |
| P-H--<br>A556 | 5905-195-6817 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A039 | EA | REF | | | | | | | | | 4-23 | R426 |
| P-H--<br>A557 | 5905-185-8510 | RESISTOR, FIXED, COMPOSITION:<br>RC20GF103J; (81349) | EA | 2 | | | | * | * | 2 | 16 | 8 | 4-23 | R403 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P-H--<br>A558 | 5905-185-8510 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A557 | EA | REF | | | | | | | | | 4-23 | R407 |
| P-H--<br>A559 | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A041 | EA | 5 | | | | | | | | | 4-23 | R402 |
| P-H--<br>A560 | 5905-195-6761 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A126 | EA | REF | | | | | | | | | 4-23 | R415 |
| P-H--<br>A561 | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A041 | EA | REF | | | | | | | | | 4-23 | R418 |
| P-H--<br>A562 | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A041 | EA | REF | | | | | | | | | 4-23 | R419 |
| P-H--<br>A563 | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A041 | EA | REF | | | | | | | | | 4-23 | R420 |
| P-H--<br>A564 | 5905-192-3982 | RESISTOR, FIXED, COMPOSITION:<br>RC20GF105K; (81349) | EA | 2 | | | | * | * | 2 | 16 | 8 | 4-23 | R414 |
| P-H--<br>A565 | 5905-192-3982 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A564 | EA | REF | | | | | | | | | 4-23 | R422 |
| P-H--<br>A566 | 5905-299-1541 | RESISTOR, FIXED, COMPOSITION:<br>RC20GF151J; (81349) | EA | 3 | | | | * | 2 | 2 | 27 | 12 | 4-23 | R406 |
| P-H--<br>A567 | 5905-299-1541 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A566 | EA | REF | | | | | | | | | 4-23 | R411 |
| P-H--<br>A568 | 5905-299-1541 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A566 | EA | REF | | | | | | | | | 4-23 | R424 |
| P-H--<br>A569 | 5905-295-3403 | RESISTOR, FIXED, COMPOSITION:<br>RC20GF225K; (81349) | EA | 1 | | | | * | * | * | 10 | 4 | 4-23 | R416 |
| P-H--<br>A570 | 5905-295-3410 | RESISTOR, FIXED, COMPOSITION:<br>RC20GF473K; (81349) | EA | 1 | | | | * | * | 2 | 16 | 8 | 4-23 | R417 |
| P-H--<br>A571 | 5905-279-3496 | RESISTOR, FIXED, COMPOSITION:<br>RC20GF513J; (81349) | EA | 2 | | | | * | * | 2 | 16 | 8 | 4-23 | R413 |
| P-H--<br>A572 | 5905-279-3496 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A571 | EA | REF | | | | | | | | | 4-23 | R421 |
| P-H--<br>A573 | 5905-171-1986 | RESISTOR, FIXED, COMPOSITION:<br>RC20GF563J; (81349) | EA | 1 | | | | * | * | * | 10 | 4 | 4-23 | R401 |
| P-H--<br>A574 | 5905-821-8123 | RESISTOR, VARIABLE:<br>CLU1031; (44655) | EA | 1 | | | | * | * | 2 | 12 | 5 | 2-6 | R425 |
| X2-H--<br>A575 | | RETAINER, CRYSTAL:<br>224-004; (01113) | EA | 1 | | | | | | | | | | MP120 |
| X2-H--<br>A576 | | RING, SPLIT:<br>773-101; (01113) | EA | 20 | | | | | | | | | 4-23 | MP121 |
| X2-H--<br>A577 | | SCREW, MACHINE:<br>4-40X1-2RD HD; (01113) | EA | 1 | | | | | | | | | | H1 |
| P-H--<br>A578 | 5961-729-0129 | SEMICONDUCTOR DEVICE, DIODE:<br>K3A; (92703) | EA | 3 | | | | * | 2 | 2 | 27 | 12 | 4-23 | CR402 |
| P-H--<br>A579 | 5961-729-0129 | SEMICONDUCTOR DEVICE, DIODE:<br>SAME AS A578 | EA | REF | | | | | | | | | 4-23 | CR404 |
| P-H--<br>A580 | 5961-729-0129 | SEMICONDUCTOR DEVICE, DIODE:<br>SAME AS A578 | EA | REF | | | | | | | | | 4-23 | CR406 |
| P-H--<br>A581 | | SEMICONDUCTOR DEVICE, DIODE:<br>1N87; (80131) | EA | 3 | | | | * | 2 | 2 | 18 | 9 | 4-23 | CR401 |
| P-H--<br>A582 | | SEMICONDUCTOR DEVICE, DIODE:<br>SAME AS A581 | EA | REF | | | | | | | | | 4-23 | CR405 |
| P-H--<br>A583 | | SEMICONDUCTOR DEVICE, DIODE:<br>SAME AS A581 | EA | REF | | | | | | | | | 4-23 | CR403 |
| P-O--<br>A584 | | SHIELD, ELECTRON TUBE:<br>9700-7; (72825) | EA | 1 | | | | * | * | * | 8 | 3 | | MP122 |
| P-H--<br>A585 | 5960-587-7513 | SHIELD, ELECTRON TUBE:<br>SAME AS A136 | EA | 2 | | | | | | | | | | MP123 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P-H--<br>A586 | | SOCKET, CRYSTAL:<br>CS5013-1; (97913) | EA | 1 | | | | * | * | * | 8 | 3 | | XY401 |
| P-H--<br>A587 | | SOCKET, ELECTRON TUBE:<br>SAME AS A102 | EA | 1 | | | | | | | | | 4-29 | XV402 |
| P-H--<br>A588 | | SOCKET, ELECTRON TUBE:<br>SAME AS A103 | EA | 2 | | | | | | | | | 4-29 | XV401 |
| P-H--<br>A589 | | SOCKET, ELECTRON TUBE:<br>SAME AS A103 | EA | REF | | | | | | | | | 4-29 | XV403 |
| X2-H--<br>A590 | 5940-683-4671 | TERMINAL, INSULATED, FEED-THRU:<br>FTSM2TURC2; (98291) | EA | 2 | | | | | | | | | | |
| X2-H--<br>A591 | | TERMINAL, LUG:<br>701-011; (01113) | EA | 4 | | | | | | | | | | H4 |
| X2-H--<br>A592 | | TERMINAL, LUG:<br>701-032; (01113) | EA | 1 | | | | | | | | | | H1 |
| M-D--<br>A593 | | TERMINAL BOARD:<br>SAME AS A104 | EA | 2 | | | | | | | | | 4-29 | TB404 |
| M-D--<br>A594 | | TERMINAL BOARD:<br>SAME AS A104 | EA | REF | | | | | | | | | 4-29 | TB405 |
| M-D--<br>A595 | | TERMINAL BOARD:<br>SAME AS A360 | EA | 1 | | | | | | | | | 4-29 | TB402 |
| M-D--<br>A596 | | TERMINAL BOARD:<br>SAME AS A362 | EA | 1 | | | | | | | | | 4-29 | TB401 |
| M-D--<br>A597 | | TERMINAL BOARD:<br>61-4AH; (97913) | EA | 1 | | | | | | | | | 4-29 | TB403 |
| M-D--<br>A598 | | TERMINAL BOARD:<br>69-3103; (03801) | EA | 6 | | | | | | | | | 4-29 | TB406 |
| M-D--<br>A599 | | TERMINAL BOARD:<br>SAME AS A598 | EA | REF | | | | | | | | | 4-29 | TB407 |
| M-D--<br>A600 | | TERMINAL BOARD:<br>SAME AS A598 | EA | REF | | | | | | | | | 4-29 | TB408 |
| M-D--<br>A601 | | TERMINAL BOARD:<br>SAME AS A598 | EA | REF | | | | | | | | | 4-29 | TB409 |
| M-D--<br>A602 | | TERMINAL BOARD:<br>SAME AS A598 | EA | REF | | | | | | | | | 4-29 | TB410 |
| M-D--<br>A603 | | TERMINAL BOARD:<br>SAME AS A598 | EA | REF | | | | | | | | | 4-29 | TB411 |
| X2-H--<br>A604 | | WASHER, COPPER:<br>752-005; (01113) | EA | 9 | | | | | | | | | | H9 |
| X2-H--<br>A605 | | WASHER, LOCK:<br>SAME AS A203 | EA | 3 | | | | | | | | | | H3 |
| X2-H--<br>A606 | | WASHER, LOCK:<br>4IT; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A607 | | WASHER, LOCK:<br>SAME AS A085 | EA | 16 | | | | | | | | | | H16 |
| X2-H--<br>A608 | 5330-171-8727 | WASHER, NONMETALLIC:<br>2161; | EA | 1 | | | | | | | | | | H1 |
| P-H--<br>A609 | | GROMMET, RUBBER:<br>5716; (72653) | EA | 1 | | | | * | * | * | 8 | 3 | | MP124 |
| P-H--<br>A610 | | INSERTER, MARKER:<br>815-123; (01113) | EA | 1 | | | | * | * | * | 8 | 3 | | H1 |
| X2-H--<br>A611 | | BODY, INSERTER:<br>222-151; (01113) | EA | 1 | | | | | | | | | | MP125 |
| X2-H--<br>A612 | | CAPACITOR, FXD, CER DIELECTRIC:<br>331-000U2M0250K; (72982) | EA | 1 | | | | | | | | | 4-23 | C801 |
| X2-H--<br>A613 | | CAPACITOR, FXD, PLSTC DIELECTRIC:<br>69001-0500; (00373) | EA | 1 | | | | | | | | | 4-23 | C802 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR, CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| X2-H--<br>A614 | 5935-892-9035 | CONNECTOR, RECEPTACLE, ELEC<br>UG-657/U:<br>SAME AS A108 | EA | 3 | | | | | | | | | 4-23 | J801 |
| X2-H--<br>A615 | 5935-892-9035 | CONNECTOR, RECEPTACLE, ELEC<br>UG-657/U:<br>SAME AS A108 | EA | REF | | | | | | | | | 4-23 | J802 |
| X2-H--<br>A616 | 5935-892-9035 | CONNECTOR, RECEPTACLE, ELEC<br>UG-657/U:<br>SAME AS A108 | EA | REF | | | | | | | | | 4-23 | J803 |
| X2-H--<br>A617 | | COVER, INSERTER:<br>228-123; (01113) | EA | 1 | | | | | | | | | | MP126 |
| X2-H--<br>A618 | 5950-022-5901 | INDUCTOR, MARKER INSERTER:<br>221-201; (01113) | EA | 1 | | | | | | | | | | |
| P-H--<br>A619 | 5905-195-6817 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A039 | EA | 1 | | | | | | | | | 4-23 | R802 |
| X2-H--<br>A620 | 5905-060-2326 | RESISTOR, FIXED, COMPOSITION:<br>RC20GF562K; (81349) | EA | 1 | | | | | | | | | 4-23 | R801 |
| X2-H--<br>A621 | | SCREW, ASSEMBLED WASHER:<br>4-40X1-4; (01113) | EA | 4 | | | | | | | | | | H4 |
| P-H--<br>A622 | 5961-729-0129 | SEMICONDUCTOR DEVICE, DIODE:<br>SAME AS A578 | EA | 1 | | | | | | | | | 4-23 | CR801 |
| X2-H--<br>A623 | | TERMINAL, LUG:<br>D1472; (83330) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A624 | | TERMINAL BOARD:<br>234-473; (01113) | EA | 1 | | | | | | | | | 4-36 | TB801 |
| X2-H--<br>A625 | | WASHER, LOCK:<br>SAME AS A606 | EA | 1 | | | | | | | | | | H1 |
| P-H--<br>A626 | 5935-197-4319 | JACK, TIP:<br>SAME AS A433 | EA | 1 | | | | | | | | | | |
| P-O--<br>A627 | | KNOB:<br>SCH65470; (75376) | EA | 1 | | | | * | * | * | 8 | 3 | | MP127 |
| P-O--<br>A628 | | KNOB:<br>81657-3L40004; (75376) | EA | 1 | | | | * | * | 2 | 13 | 6 | | MP128 |
| X2-H--<br>A629 | | LABEL:<br>432-222; (01113) | EA | 1 | | | | | | | | | | MP129 |
| P-H-R<br>A630 | 6625-179-8678 | MIXER STAGE, FREQUENCY:<br>822-131; (01113) | EA | 1 | | | | * | * | 2 | 12 | 5 | | |
| X2-H--<br>A631 | 6625-072-7156 | BARREL, CRYSTAL:<br>229-116; (01113) | EA | 2 | | | | | | | | | | MP130 |
| X2-H--<br>A632 | | BLOCK, SUPPORT:<br>232-036; (01113) | EA | 1 | | | | | | | | | | MP131 |
| X2-H--<br>A633 | | BOLT, SPADE:<br>716-004; (01113) | EA | 3 | | | | | | | | | | H3 |
| P-H--<br>A634 | 5910-818-4622 | CAPACITOR ASSEMBLY:<br>811-123; (01113) | EA | 3 | | | | * | 2 | 2 | 27 | 12 | 4-20 | C704 |
| X2-H--<br>A635 | | CORE, CAPACITOR:<br>221-109; (01113) | EA | 1 | | | | | | | | | | MP132 |
| X2-H--<br>A636 | | INSULATOR, BUSHING:<br>238-149; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A637 | | SLEEVE, CAPACITOR:<br>221-116; (01113) | EA | 1 | | | | | | | | | | MP133 |
| P-H--<br>A638 | 5910-818-4622 | CAPACITOR ASSEMBLY:<br>SAME AS A634 | EA | REF | | | | | | | | | 4-20 | C705 |
| X2-H--<br>A639 | | CORE, CAPACITOR:<br>SAME AS A635 | EA | 1 | | | | | | | | | | MP134 |
| X2-H--<br>A640 | | INSULATOR, BUSHING:<br>SAME AS A636 | EA | 1 | | | | | | | | | | H1 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| X2-H--<br>A641 | | SLEEVE, CAPACITOR:<br>SAME AS A637 | EA | 1 | | | | | | | | | | MP135 |
| P-H--<br>A642 | 5910-818-4622 | CAPACITOR ASSEMBLY:<br>SAME AS A634 | EA | REF | | | | | | | | | 4-17 | C706 |
| X2-H--<br>A643 | | CORE, CAPACITOR:<br>SAME AS A635 | EA | 1 | | | | | | | | | | MP136 |
| X2-H--<br>A644 | | INSULATOR, BUSHING:<br>SAME AS A636 | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A645 | | SLEEVE, CAPACITOR:<br>SAME AS A637 | EA | 1 | | | | | | | | | | MP137 |
| P-H--<br>A646 | 5910-070-7994 | CAPACITOR, FXD, FEEDTHRU:<br>SAME AS A392 | EA | 1 | | | | | | | | | 4-17 | C710 |
| P-H--<br>A647 | 5910-755-5594** | CAP., FXD, MET. PAPER DIELECTRIC:<br>SAME AS A094 | EA | 2 | | | | | | | | | 4-17 | C711 |
| P-H--<br>A648 | 5910-755-5594 | CAP., FXD, MET. PAPER DIELECTRIC:<br>SAME AS A647 | EA | REF | | | | | | | | | 4-17 | C712 |
| P-H--<br>A649 | 5910-802-7432 | CAPACITOR, FXD, MICA DIELECTRIC:<br>SAME AS A391 | EA | 1 | | | | | | | | | 4-17 | C709 |
| P-H--<br>A650 | | CAPACITOR, FXD, MICA DIELECTRIC:<br>SAME AS A393 | EA | 1 | | | | | | | | | 4-17 | C708 |
| P-H--<br>A651 | 5910-667-5757 | CAPACITOR, FXD, MICA DIELECTRIC:<br>4700CB; (72982) | EA | 2 | | | | * | * | 2 | 16 | 8 | 4-17 | C713 |
| P-H--<br>A652 | 5910-667-5757 | CAPACITOR, FXD, MICA DIELECTRIC:<br>SAME AS A651 | EA | REF | | | | | | | | | 4-17 | C714 |
| P-H--<br>A653 | 5910-888-1602 | CAPACITOR, VAR. PLSTC DIELECTRIC:<br>HPT65A; (01113) | EA | 2 | | | | * | 2 | 2 | 27 | 12 | 4-17 | C702 |
| X2-H--<br>A654 | | NUT:<br>732-008; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A655 | | SLUG ASSEMBLY:<br>811-398; (01113) | EA | 1 | | | | | | | | | | MP138 |
| X2-H--<br>A656 | | WASHER, FLAT:<br>752-009; (01113) | EA | 1 | | | | | | | | | | H1 |
| P-H--<br>A657 | 5910-888-1602 | CAPACITOR, VAR, PLSTC DIELECTRIC:<br>SAME AS A653 | EA | REF | | | | | | | | | | C747 |
| X2-H--<br>A658 | | NUT:<br>SAME AS A654 | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A659 | | SLUG ASSEMBLY:<br>SAME AS A655 | EA | 1 | | | | | | | | | | MP139 |
| X2-H--<br>A660 | | WASHER, FLAT:<br>SAME AS A656 | EA | 1 | | | | | | | | | | H1 |
| P-H--<br>A661 | | CAPACITOR, VAR, PLSTC DIELECTRIC:<br>SAME AS A484 | EA | 3 | | | | | | | | | 4-17 | C701 |
| P-H--<br>A662 | | CAPACITOR, VAR, PLSTC DIELECTRIC:<br>SAME AS A484 | EA | REF | | | | | | | | | 4-17 | C703 |
| P-H--<br>A663 | | CAPACITOR, VAR, PLSTC DIELECTRIC:<br>SAME AS A484 | EA | REF | | | | | | | | | 4-17 | C715 |
| P-H--<br>A664 | 5910-780-8526 | CAPACITOR, VAR, PLSTC DIELECTRIC:<br>536-048-4R; (72982) | EA | 1 | | | | * | * | * | 10 | 4 | 4-17 | C716 |
| P-H--<br>A665 | 5935-728-4238 | CONNECTOR, PLUG, ELECTRICAL:<br>SAME AS A271 | EA | 1 | | | | | | | | | 4-16 | P19 |
| P-H--<br>A666 | 5935-892-9035 | CONNECTOR, RECEPTACLE, ELECT.<br>UG-657/U:<br>SAME AS A108 | EA | 3 | | | | | | | | | 4-17 | J701 |
| P-H--<br>A667 | 5935-892-9035 | CONNECTOR, RECEPTACLE, ELECT.<br>UG-657/U:<br>SAME AS A108 | EA | REF | | | | | | | | | 4-17 | J702 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE | USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P-H-- A668 | 5935-892-9035 | CONNECTOR, RECEPTACLE, ELECT. UG-657/U: SAME AS A108 | | EA | REF | | | | | | | | | 4-17 | J703 |
| X2-H-- A669 | 5950-022-5899 | FORM, COIL: 201-022; (01113) | | EA | 1 | | | | | | | | | | MP140 |
| X2-H-- A670 | 5950-022-5900 | FORM, COIL: 201-031; (01113) | | EA | 2 | | | | | | | | | | MP141 |
| X2-H-- A671 | | HOLDER, CRYSTAL: SAME AS A399 | | EA | 4 | | | | | | | | | | XCR1 |
| X2-H-- A672 | | HOLDER, CRYSTAL: SAME AS A399 | | EA | REF | | | | | | | | | | XCR2 |
| X2-H-- A673 | | HOLDER, CRYSTAL: SAME AS A399 | | EA | REF | | | | | | | | | | XCR3 |
| X2-H-- A674 | | HOLDER, CRYSTAL: SAME AS A399 | | EA | REF | | | | | | | | | | XCR4 |
| X2-H-- A675 | | HOLDER, CRYSTAL, DUAL: 222-118; (01113) | | EA | 2 | | | | | | | | | | XCR5 |
| X2-H-- A676 | | HOLDER, CRYSTAL: SAME AS A675 | | EA | REF | | | | | | | | | | XCR6 |
| X2-H-- A677 | | INSULATOR, TRANSFORMER MTG: 232-033; (01113) | | EA | 1 | | | | | | | | | | H1 |
| X2-H-- A678 | | LUG: T01-031; (01113) | | EA | 1 | | | | | | | | | | H1 |
| X2-H-- A679 | | LUG: SAME AS A592 | | EA | 2 | | | | | | | | | | H2 |
| M-D-- A680 | | METALWORK ASSEMBLY: 810-258; (01113) | | EA | 1 | | | | | | | | | | MP142 |
| X2-H-- A681 | | COVER ASSEMBLY, MAIN MIXER: 811-110; (01113) | | EA | 1 | | | | | | | | | | MP143 |
| X2-H-- A682 | | COVER, INSIDE: 212-146; (01113) | | EA | 1 | | | | | | | | | | MP144 |
| X2-H-- A683 | | COVER, OUTSIDE: 212-147; (01113) | | EA | 1 | | | | | | | | | | MP145 |
| X2-H-- A684 | | HOUSING, MAIN MIXER: 212-151; (01113) | | EA | 1 | | | | | | | | | | MP146 |
| X2-H-- A685 | | SHIELD: 214-094; (01113) | | EA | 3 | | | | | | | | | | MP147 |
| M-D-- A686 | | METALWORK ASSEMBLY: 810-261; (01113) | | EA | 1 | | | | | | | | | | MP148 |
| X2-H-- A687 | | COVER, INSIDE, UHF: 212-150; (01113) | | EA | 1 | | | | | | | | | | MP149 |
| X2-H-- A688 | | COVER, OUTSIDE, UHF: 212-149; (01113) | | EA | 1 | | | | | | | | | | MP150 |
| X2-H-- A689 | | HOUSING, UHF MIXER: 212-148; (01113) | | EA | 1 | | | | | | | | | | MP151 |
| M-D-- A690 | | PLATE ASSEMBLY, MOUNTING: 811-111; (01113) | | EA | 1 | | | | | | | | | | MP152 |
| M-D-- A691 | | PLATE, MIXER, BYPASS: 214-093; (01113) | | EA | 1 | | | | | | | | | | MP153 |
| M-D-- A692 | | PLATE, MOUNTING, MIXER: 213-244; (01113) | | EA | 1 | | | | | | | | | | MP154 |
| M-D-- A693 | | METALWORK ASSEMBLY: 810-328; (01113) | | EA | 1 | | | | | | | | | | MP155 |
| M-D-- A694 | | BRACKET, SUPPORT, MIXER: 214-313; (01113) | | EA | 1 | | | | | | | | | | MP156 |
| M-D-- A695 | | PLATE: 213-341; (01113) | | EA | 1 | | | | | | | | | | MP157 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE | USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| X2-H--A696 | | NUT, PLAIN, HEXAGON: 10-32; (01113) | | EA | 1 | | | | | | | | | | H1 |
| X2-H--A697 | | NUT, PLAIN, HEXAGON: SAME AS A250 | | EA | 1 | | | | | | | | | | H1 |
| X2-H--A698 | | NUT, PLAIN, HEXAGON: SAME AS A035 | | EA | 3 | | | | | | | | | | H3 |
| X2-H--A699 | | PLATE, CRYSTAL: 222-117; (01113) | | EA | 1 | | | | | | | | | | MP158 |
| X2-H--A700 | 5935-076-9704 | PLUG, TIP: 102; (83330) | | EA | 1 | | | | | | | | | | |
| X2-H--A701 | | POST, ELEC-MECH EQUIPMENT: 225-011; (01113) | | EA | 2 | | | | | | | | | | MP159 |
| X2-H--A702 | | POST, ELEC-MECH EQUIPMENT: 282-003; (01113) | | EA | 2 | | | | | | | | | | MP160 |
| P-H--A703 | 5905-581-7947 | RESISTOR, FIXED, COMPOSITION: RC99GF101J; (81349) | | EA | 2 | | | | * | * | 2 | 16 | 8 | 4-17 | R705 |
| P-H--A704 | 5905-581-7947 | RESISTOR, FIXED, COMPOSITION: SAME AS A703 | | EA | REF | | | | | | | | | 4-17 | R706 |
| P-H--A705 | 5905-185-8518 | RESISTOR, FIXED, COMPOSITION: RC20GF103K; (81349) | | EA | 1 | | | | * | * | * | 10 | 4 | 4-17 | R708 |
| P-H--A706 | 5905-279-2694 | RESISTOR, FIXED, COMPOSITION: RC20GF201J; (81349) | | EA | 1 | | | | * | * | * | 10 | 4 | 4-17 | R702 |
| P-H--A707 | 5905-299-1965 | RESISTOR, FIXED, COMPOSITION: SAME AS A406 | | EA | 2 | | | | | | | | | 4-17 | R707 |
| P-H--A708 | 5905-299-1965 | RESISTOR, FIXED, COMPOSITION: SAME AS A406 | | EA | REF | | | | | | | | | 4-17 | R709 |
| P-H--A709 | 5905-810-3546 | RESISTOR, FIXED, COMPOSITION: RC20GF5R1J; (81349) | | EA | 2 | | | | * | * | 2 | 16 | 8 | 4-17 | R701 |
| P-H--A710 | 5905-810-3546 | RESISTOR, FIXED, COMPOSITION: SAME AS A709 | | EA | REF | | | | | | | | | 4-17 | R704 |
| X2-H--A711 | | SCREW, ASSEMBLED: 4X3-16HH; (01113) | | EA | 9 | | | | | | | | | | H9 |
| X2-H--A712 | | SCREW, ASSEMBLED WASHER: 6X1-4HH; (01113) | | EA | 2 | | | | | | | | | | H2 |
| X2-H--A713 | | SCREW, MACHINE: 10-32X1-4PH; (01113) | | EA | 1 | | | | | | | | | | H1 |
| X2-H--A714 | | SCREW, MACHINE: 2-56X1-4RH; (01113) | | EA | 1 | | | | | | | | | | H1 |
| X2-H--A715 | | SCREW, MACHINE: SAME AS A408 | | EA | 2 | | | | | | | | | | H2 |
| X2-H--A716 | | SCREW, MACHINE: 2-56X3-8RH; (01113) | | EA | 1 | | | | | | | | | | H1 |
| X2-H--A717 | | SCREW, MACHINE: 2-56X9-16RH; (01113) | | EA | 1 | | | | | | | | | | H1 |
| X2-H--A718 | | SCREW, MACHINE: SAME AS A334 | | EA | 4 | | | | | | | | | | H4 |
| X2-H--A719 | | SCREW, MACHINE: SAME AS A336 | | EA | 7 | | | | | | | | | | H7 |
| X2-H--A720 | | SCREW, MACHINE: SAME AS A070 | | EA | 2 | | | | | | | | | | H2 |
| X2-H--A721 | | SCREW, TAPPING, THREAD CUTTING: 4X3-8BH STL; (01113) | | EA | 3 | | | | | | | | | | H3 |
| P-H--A722 | 5961-845-7632 | SEMICONDUCTOR DEVICE, DIODE: 130-107; (01113) | | EA | 2 | | | | * | * | 2 | 13 | 6 | 4-17 | CR701 |
| P-H--A723 | | SEMICONDUCTOR DEVICE, DIODE: SAME AS A722 | | EA | REF | | | | | | | | | 4-17 | CR702 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P-H-- A724 | 5961-845-4695 | SEMICONDUCTOR DEVICE, DIODE: 139-111; (01113) | EA | 2 | | | | * | * | 2 | 13 | 6 | 4-20 | CR703 |
| P-H-- A725 | | SEMICONDUCTOR DEVICE, DIODE: SAME AS A724 | EA | REF | | | | | | | | | 4-20 | CR704 |
| X2-H-- A726 | | SETSCREW: 6-32X3-16SCH; (01113) | EA | 2 | | | | | | | | | | H2 |
| P-O-- A727 | 5935-252-6015 | SHIELD, ELECTRICAL CONNECTOR: SAME AS A347 | EA | 1 | | | | | | | | | | MP161 |
| X2-H-- A728 | | SPACER, SLEEVE: 232-037; (01113) | EA | 1 | | | | | | | | | | MP162 |
| X2-H-- A729 | | STRIP, COPPER: 215-101; (01113) | EA | 1 | | | | | | | | | 4-17 | L701 |
| M-D-- A730 | | TERMINAL BOARD: SAME AS A082 | EA | 1 | | | | | | | | | 4-32 | TB702 |
| X2-H-- A731 | | WASHER, FIBRE: SAME AS A417 | EA | 2 | | | | | | | | | | H2 |
| X2-H-- A732 | | WASHER, FLAT: SAME AS A375 | EA | 1 | | | | | | | | | | H1 |
| X2-H-- A733 | | WASHER, LOCK: SAME AS A194 | EA | 2 | | | | | | | | | | H2 |
| X2-H-- A734 | | WASHER, LOCK: SAME AS A086 | EA | 11 | | | | | | | | | | H11 |
| X2-H-- A735 | 5340-839-1279 | MOUNT, RESILIENT: 302-2; (81860) | EA | 2 | | | | | | | | | | MP163 |
| X2-H-- A736 | | NUT, PLAIN, HEXAGON: 1-2-32; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H-- A737 | | NUT, PLAIN, HEXAGON: SAME AS A250 | EA | 1 | | | | | | | | | | H1 |
| X2-H-- A738 | | NUT, PLAIN, HEXAGON: SAME AS A035 | EA | 5 | | | | | | | | | | H5 |
| X2-H-- A739 | | NUT, PLAIN, HEXAGON: SAME AS A303 | EA | 4 | | | | | | | | | | H4 |
| P-H-- A740 | | OSCILLATOR, FIXED: 822-137; (01113) | EA | 1 | | | | * | * | 2 | 12 | 5 | | |
| X2-H-- A741 | | BLOCK A: 222-112; (01113) | EA | 1 | | | | | | | | | | MP164 |
| X2-H-- A742 | | BLOCK B, THREADED: 222-113; (01113) | EA | 1 | | | | | | | | | | MP165 |
| P-H-- A743 | | CAPACITOR, FXD, CER. DIELECTRIC: 331000C0K0159C; (72982) | EA | 1 | | | | * | * | * | 10 | 4 | 4-20 | C204 |
| P-H-- A744 | | CAPACITOR, FXD, MICA DIELECTRIC: 370FA; (72982) | EA | 1 | | | | * | * | * | 10 | 4 | 4-20 | C202 |
| P-H-- A745 | 5910-681-9204 | CAPACITOR, VAR, AIR DIELECTRIC: MAC5; (80583) | EA | 1 | | | | * | * | 2 | 12 | 5 | 4-20 | C205 |
| P-H-- A746 | | CAPACITOR, VAR, PLSTC DIELECTRIC: SAME AS A653 | EA | 2 | | | | | | | | | 4-20 | C201 |
| P-H-- A747 | | CAPACITOR, VAR, PLSTC DIELECTRIC: SAME AS A653 | EA | REF | | | | | | | | | 4-20 | C206 |
| P-H-- A748 | 5910-050-4402 | CAPACITOR ASSEMBLY: 811-122; (01113) | EA | 1 | | | | * | * | * | 8 | 3 | 4-20 | C203 |
| X2-H-- A749 | | CLIP, GRID CAPACITOR: 224-016; (01113) | EA | 1 | | | | | | | | | | H1 |
| P-H-- A750 | 5950-834-9125 | COIL, RADIO FREQUENCY: 156-089; (01113) | EA | 3 | | | | * | 2 | 2 | 18 | 9 | 4-20 | L203 |
| P-H-- A751 | | COIL, RADIO FREQUENCY: SAME AS A750 | EA | REF | | | | | | | | | 4-20 | L204 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P-H-- A752 | | COIL, RADIO FREQUENCY: SAME AS A750 | EA | REF | | | | | | | | | 4-20 | L205 |
| P-O-- A753 | 5960-617-8935 | ELECTRON TUBE: 5675; (80131) | EA | 1 | | | | 2 | 3 | 5 | 101 | 73 | 4-20 | V201 |
| P-H-- A754 | 5915-070-7997 | FILTER ASSEMBLY: 823-018; (01113) | EA | 2 | | | | * | 2 | 2 | 27 | 15 | 4-17 | FL201 |
| P-H-- A755 | | FILTER ASSEMBLY: SAME AS A754 | EA | REF | | | | | | | | | 4-17 | FL202 |
| P-H-- A756 | 5940-729-7746 | INDUCTOR ASSEMBLY, CATHODE: 811-120; (01113) | EA | 1 | | | | * | * | * | 8 | 3 | 4-17 | L201 |
| P-H-- A757 | 5940-255-3237 | INDUCTOR ASSEMBLY, PLATE: 811-121; (01113) | EA | 1 | | | | * | * | * | 8 | 3 | 4-17 | L206 |
| M-D-- A758 | | INSULATOR, PLATE: 238-142; (01113) | EA | 1 | | | | | | | | | | H1 |
| M-D-- A759 | 5970-280-9491 | INSULATOR, STANDOFF: 430; (71002) | EA | 2 | | | | | | | | | | |
| M-D-- A760 | | METALWORK ASSEMBLY: 810-316; (01113) | EA | 1 | | | | | | | | | | MP166 |
| M-D-- A761 | | BRACKET: 214-306; (01113) | EA | 1 | | | | | | | | | | MP167 |
| M-D-- A762 | | BRACKET, ANGLE: 214-307; (01113) | EA | 2 | | | | | | | | | | MP168 |
| X2-H-- A763 | | COVER: 212-383; (01113) | EA | 1 | | | | | | | | | | MP169 |
| M-D-- A764 | | HOUSING: 212-385; (01113) | EA | 1 | | | | | | | | | | MP170 |
| X2-H-- A765 | | NUT, PLAIN, HEXAGON: SAME AS A250 | EA | 1 | | | | | | | | | | H1 |
| X2-H-- A766 | | NUT, PLAIN, HEXAGON: SAME AS A301 | EA | 2 | | | | | | | | | | H2 |
| X2-H-- A767 | | NUT, SLEEVE: 225-021; (01113) | EA | 4 | | | | | | | | | | H4 |
| X2-H-- A768 | | PROBE, CAPACITY: 221-105; (01113) | EA | 1 | | | | | | | | | | MP171 |
| P-H-- A769 | 5905-186-3008 | RESISTOR, FIXED, COMPOSITION: RC20GF101K; (81349) | EA | 1 | | | | * | * | * | 10 | 4 | 4-17 | R201 |
| P-H-- A770 | 5905-295-3410 | RESISTOR, FIXED, COMPOSITION: SAME AS A570 | EA | 1 | | | | | | | | | 4-17 | R202 |
| X2-H-- A771 | | SCREW, MACHINE: 3-48X3-16RH; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H-- A772 | | SCREW, MACHINE: 4-40X3-4RH; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H-- A773 | | SCREW, MACHINE: 6-32X3-8PH STL; (01113) | EA | 8 | | | | | | | | | | H8 |
| P-H-- A774 | 5935-888-1439 | SOCKET, ELECTRON TUBE: 22-3; (81073) | EA | 1 | | | | * | * | * | 8 | 3 | | |
| X2-H-- A775 | | TERMINAL, LUG: 701-004; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H-- A776 | | TERMINAL, LUG: SAME AS A591 | EA | 1 | | | | | | | | | | H1 |
| X2-H-- A777 | | WASHER: 752-008; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H-- A778 | | WASHER, LOCK: SAME AS A205 | EA | 1 | | | | | | | | | | H1 |
| X2-H-- A779 | | WASHER, LOCK: SAME AS A606 | EA | 2 | | | | | | | | | | H2 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| X2-H--<br>A780 | | WASHER, LOCK:<br>SAME AS A085 | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A781 | | WASHER, LOCK:<br>SAME AS A086 | EA | 4 | | | | | | | | | | H4 |
| X2-H--<br>A782 | 5330-171-8727 | WASHER, NONMETALLIC:<br>SAME AS A608 | EA | 2 | | | | | | | | | | H2 |
| P-H-R<br>A783 | | OSCILLATOR, SWEEP:<br>815-124; (01113) | EA | 1 | | | | * | * | 2 | 12 | 5 | | |
| X2-H--<br>A784 | | SWEEP OSCILLATOR, FIFTH ASSY:<br>811-302; (01113) | EA | 1 | | | | | | | | | | |
| X2-H--<br>A785 | | CLAMP, CABLE:<br>774-020-1; (01113) | EA | 1 | | | | | | | | | | MP172 |
| X2-H--<br>A786 | | COVER, CAVITY:<br>212-370; (01113) | EA | 1 | | | | | | | | | | MP173 |
| X2-H--<br>A787 | | COVER, FRONT:<br>228-131; (01113) | EA | 1 | | | | | | | | | | MP174 |
| X2-H--<br>A788 | | COVER ASSEMBLY, WOBBULATOR:<br>811-236; (01113) | EA | 1 | | | | | | | | | | MP175 |
| M-D--<br>A789 | | PLATE, BOTTOM, WOBBULATOR:<br>213-337; (01113) | EA | 1 | | | | | | | | | | MP176 |
| X2-H--<br>A790 | | SCREW, MACHINE:<br>SAME AS A335 | EA | 5 | | | | | | | | | | H5 |
| X2-H--<br>A791 | | SCREW, SELF-TAPPING, THD CTG:<br>4-40X3-16; (01113) | EA | 21 | | | | | | | | | | H21 |
| X2-H--<br>A792 | | SWEEP OSCILLATOR, THIRD ASSY:<br>811-301; (01113) | EA | 1 | | | | | | | | | | |
| X2-H--<br>A793 | | BUSHING, SLEEVE:<br>221-197; (01113) | EA | 3 | | | | | | | | | | MP177 |
| P-H--<br>A794 | 6625-072-4574 | CABLE ASSEMBLY, PROBE A:<br>659-121; (01113) | EA | 1 | | | | * | * | 2 | 12 | 5 | | |
| X2-H--<br>A795 | | CONTACT, ELECTRICAL:<br>SAME AS A244 | EA | 1 | | | | | | | | | | |
| X2-H--<br>A796 | | BODY, PROBE:<br>221-111; (01113) | EA | 1 | | | | | | | | | | MP178 |
| X2-H--<br>A797 | | CABLE, RADIO FREQUENCY:<br>SAME AS A246 | EA | | | | | | | | | | | |
| X2-H--<br>A798 | | CONE, PROBE:<br>SAME AS A247 | EA | 1 | | | | | | | | | | MP179 |
| P-H--<br>A799 | 5935-149-4066 | CONNECTOR, PLUG, ELECTRICAL:<br>SAME AS A004 | EA | 1 | | | | | | | | | 4-17 | P6 |
| X2-H--<br>A800 | | DISC, PROBE:<br>SAME AS A249 | EA | 1 | | | | | | | | | | MP180 |
| X2-H--<br>A801 | | NUT, PLAIN, HEXAGON:<br>732-005; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A802 | | NUT, PROBE:<br>SAME AS A251 | EA | 1 | | | | | | | | | | H1 |
| P-H--<br>A803 | 5905-581-7947 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A703 | EA | 2 | | | | | | | | | 4-20 | R602 |
| P-H--<br>A804 | 5905-581-7947 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A704 | EA | REF | | | | | | | | | 4-20 | R603 |
| X2-H--<br>A805 | | SHIELD, RESISTOR:<br>229-114; (01113) | EA | 1 | | | | | | | | | | MP181 |
| P-H--<br>A806 | 6625-072-4575 | CABLE ASSEMBLY, PROBE B:<br>659-122; (01113) | EA | 1 | | | | * | * | 2 | 12 | 5 | | |
| X2-H--<br>A807 | | CONTACT, ELECTRICAL:<br>SAME AS A244 | EA | 1 | | | | | | | | | | |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| X2-H--<br>A808 | | BODY, PROBE:<br>SAME AS A796 | EA | 1 | | | | | | | | | | MP182 |
| X2-H--<br>A809 | | CABLE, RADIO FREQUENCY:<br>SAME AS A246 | EA | 1 | | | | | | | | | | |
| X2-H--<br>A810 | | CONE, PROBE:<br>SAME AS A247 | EA | 1 | | | | | | | | | | MP183 |
| P-H--<br>A811 | 5935-149-4066 | CONNECTOR, PLUG, ELECTRICAL:<br>SAME AS A004 | EA | 1 | | | | | | | | | 4-20 | P24 |
| X2-H--<br>A812 | | DISC, PROBE:<br>SAME AS A249 | EA | 1 | | | | | | | | | | MP184 |
| X2-H--<br>A813 | | NUT, PLAIN, HEXAGON:<br>SAME AS A801 | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A814 | | NUT, PROBE:<br>SAME AS A251 | EA | 1 | | | | | | | | | | H1 |
| P-H--<br>A815 | 5905-581-7947 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A703 | EA | 2 | | | | | | | | | 4-16 | R606 |
| P-H--<br>A816 | 5905-581-7947 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A703 | EA | REF | | | | | | | | | 4-16 | R607 |
| X2-H--<br>A817 | | SHIELD, RESISTOR:<br>SAME AS A805 | EA | 1 | | | | | | | | | | MP185 |
| P-H--<br>A818 | 5995-070-8002 | CABLE ASSEMBLY, PROBE D:<br>659-109; (01113) | EA | | | | | * | * | 2 | 12 | 5 | | |
| X2-H--<br>A819 | | CONTACT, ELECTRICAL:<br>SAME AS A244 | EA | 1 | | | | | | | | | | |
| X2-H--<br>A820 | | BODY, PROBE:<br>SAME AS A796 | EA | 1 | | | | | | | | | | MP186 |
| X2-H--<br>A821 | | CABLE, RADIO FREQUENCY:<br>SAME AS A246 | EA | | | | | | | | | | | |
| X2-H--<br>A822 | | CONE, PROBE:<br>SAME AS A247 | EA | 1 | | | | | | | | | | MP187 |
| P-H--<br>A823 | 5935-149-4066 | CONNECTOR, PLUG, ELECTRICAL:<br>SAME AS A004 | EA | 1 | | | | | | | | | 4-16 | P7 |
| X2-H--<br>A824 | | DISC, PROBE:<br>SAME AS A249 | EA | 1 | | | | | | | | | | MP188 |
| X2-H--<br>A825 | | NUT, PLAIN, HEXAGON:<br>SAME AS A801 | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A826 | | NUT, PROBE:<br>SAME AS A251 | EA | 1 | | | | | | | | | | H1 |
| P-H--<br>A827 | 5905-581-7947 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A703 | EA | 2 | | | | | | | | | 4-16 | R604 |
| P-H--<br>A828 | 5905-581-7947 | RESISTOR, FIXED, COMPOSITION:<br>SAME AS A703 | EA | REF | | | | | | | | | 4-16 | R605 |
| X2-H--<br>A829 | | SHIELD, RESISTOR:<br>SAME AS A805 | EA | 1 | | | | | | | | | | MP189 |
| P-H--<br>A830 | | CABLE ASSY, SPL PURPOSE, ELEC:<br>659-126; (01113) | EA | 1 | | | | * | * | 2 | 12 | 5 | | |
| P-H--<br>A831 | | CONNECTOR, PLUG, ELECTRICAL:<br>261-12-06-030; (71785) | EA | 1 | | | | * | * | * | 8 | 3 | 4-16 | P21 |
| X2-H--<br>A832 | 5340-329-2128 | CLAMP, LOOP:<br>116; (79963) | EA | 1 | | | | | | | | | | MP190 |
| X2-H--<br>A833 | | CLAMP ASSEMBLY, DIAL CARD:<br>811-240; (01113) | EA | 1 | | | | | | | | | | MP191 |
| X2-H--<br>A834 | | BASE, CLAMP:<br>215-153; (01113) | EA | 1 | | | | | | | | | | MP192 |
| X2-H--<br>A835 | | NUT, PLAIN, HEXAGON:<br>3-486ST; (01113) | EA | 2 | | | | | | | | | | H2 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| X2-H--<br>A836 | | SCREW, MACHINE:<br>3-48X1-4FHSST; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>A837 | | SPRING, CLAMP:<br>224-036; (01113) | EA | 1 | | | | | | | | | | MP193 |
| X2-H--<br>A838 | | WASHER, LOCK:<br>SAME AS A205 | EA | 2 | | | | | | | | | | H2 |
| P-H--<br>A839 | | DIAL, SCALE:<br>219-231; (01113) | EA | 1 | | | | * | * | * | 8 | 3 | | MP194 |
| X2-H--<br>A840 | | DISC ASSEMBLY, TOP DIAL:<br>811-281; (01113) | EA | 1 | | | | | | | | | | MP195 |
| P-O--<br>A841 | 5960-070-0274 | ELECTRON TUBE:<br>815-107; (01113) | EA | 1 | | | | 2 | 3 | 5 | 101 | 73 | 4-16 | V601 |
| P-H--<br>A842 | 5915-070-7997 | FILTER ASSEMBLY:<br>SAME AS A754 | EA | 3 | | | | | | | | | 4-16 | FL601 |
| P-H--<br>A843 | 5915-070-7997 | FILTER ASSEMBLY:<br>SAME AS A754 | EA | REF | | | | | | | | | 4-16 | FL602 |
| P-H--<br>A844 | 5915-070-1997 | FILTER ASSEMBLY:<br>SAME AS A754 | EA | REF | | | | | | | | | 4-16 | FL603 |
| X2-H--<br>A845 | | FLANGE ASSEMBLY, GRID:<br>811-325; (01113) | EA | 1 | | | | | | | | | | |
| X2-H--<br>A846 | | CLAMP, GRID:<br>221-099; (01113) | EA | 1 | | | | | | | | | | |
| X2-H--<br>A847 | | CLAMP, TUBE:<br>231-125; (01113) | EA | 4 | | | | | | | | | | MP196 |
| X2-H--<br>A848 | | FLANGE, GRID:<br>221-192; (01113) | EA | 1 | | | | | | | | | | |
| X2-H--<br>A849 | | INSULATOR, GRID CLAMP:<br>238-146; (01113) | EA | 1 | | | | | | | | | | |
| P-H--<br>A850 | 5905-279-3504 | RESISTOR, FIXED, COMPOSITION:<br>RC20GF472J; (81349) | EA | 1 | | | | * | * | * | 10 | 4 | 4-16 | R601 |
| X2-H--<br>A851 | | SCREW, MACHINE:<br>SAME AS A408 | EA | 4 | | | | | | | | | | H4 |
| X2-H--<br>A852 | | GEAR ASSEMBLY, SPEED DECREASER:<br>811-259; (01113) | EA | 1 | | | | | | | | | | MP197 |
| X2-H--<br>A853 | 3120-661-5014 | BEARING, SLEEVE:<br>FF312; (70417) | EA | 4 | | | | | | | | | | MP198 |
| M-D--<br>A854 | | BRACKET, RETAINER:<br>214-328; (01113) | EA | 1 | | | | | | | | | | MP199 |
| X2-H--<br>A855 | | CAN ASSEMBLY:<br>811-253; (01113) | EA | 1 | | | | | | | | | | MP200 |
| X2-H--<br>A856 | | GEAR AND SHAFT ASSEMBLY:<br>811-258; (01113) | EA | 1 | | | | | | | | | | MP201 |
| X2-H--<br>A857 | | GEAR, SPUR:<br>278-027; (01113) | EA | 1 | | | | | | | | | | MP202 |
| X2-H--<br>A858 | | PIN, GROOVED, HEADLESS:<br>21S094-0250; (78515) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A859 | | SHAFT, SHOULDERED:<br>226-026; (01113) | EA | 1 | | | | | | | | | | MP203 |
| X2-H--<br>A860 | | GEAR CLUSTER, SPUR:<br>278-028; (01113) | EA | 1 | | | | | | | | | | MP204 |
| X2-H--<br>A861 | | GEAR, SPUR:<br>278-022; (01113) | EA | 1 | | | | | | | | | | MP205 |
| X2-H--<br>A862 | | GEAR, SPUR:<br>278-024; (01113) | EA | 1 | | | | | | | | | | MP206 |
| X2-H--<br>A863 | | GEAR, SPUR:<br>278-025; (01113) | EA | 1 | | | | | | | | | | MP207 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| X2-H--<br>A864 | | GEARSHAFT, SPUR:<br>278-029; (01113) | EA | 1 | | | | | | | | | | MP208 |
| X2-H--<br>A865 | | HUB, DIAL:<br>228-138; (01113) | EA | 1 | | | | | | | | | | MP209 |
| M-D--<br>A866 | | PLATE, FRONT:<br>222-146; (01113) | EA | 1 | | | | | | | | | | MP210 |
| X2-H--<br>A867 | | POST, ELEC-MECH EQUIPMENT:<br>221-198; (01113) | EA | 4 | | | | | | | | | | MP211 |
| X2-H--<br>A868 | | RING, RETAINING:<br>5133-25; (01113) | EA | 1 | | | | | | | | | | MP212 |
| X2-H--<br>A869 | | SCREW, MACHINE:<br>10-32X1-4BH; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>A870 | | SCREW, MACHINE:<br>6-32X1-4BH; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>A871 | | SCREW, MACHINE:<br>8-32X3-8BH; (01113) | EA | 8 | | | | | | | | | | H8 |
| X2-H--<br>A872 | | SETSCREW:<br>8-32X3-16SSSCHCU; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>A873 | | SHAFT, SHOULDERED:<br>226-024; (01113) | EA | 1 | | | | | | | | | | MP213 |
| X2-H--<br>A874 | | SPRING, DRIVE GEAR:<br>224-034; (01113) | EA | 2 | | | | | | | | | | MP214 |
| X2-H--<br>A875 | | WASHER, LOCK:<br>10IT; (0113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A876 | | WASHER, LOCK:<br>SAME AS A086 | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>A877 | | GEAR ASSEMBLY, SPIRAL:<br>811-277; (01113) | EA | 1 | | | | | | | | | | MP215 |
| P-O--<br>A878 | 6240-155-8706 | LAMP, INCANDESCENT:<br>47; (08108) | EA | 2 | | | | 2 | 2 | 3 | 71 | 50 | 4-20 | DS1 |
| P-O--<br>A879 | | LAMP, INCANDESCENT:<br>SAME AS A878 | EA | REF | | | | | | | | | 4-20 | DS2 |
| P-H--<br>A880 | | LAMPHOLDER:<br>502-8136-2132-80; (72619) | EA | 2 | | | | * | * | * | 10 | 4 | | XDS1 |
| P-H--<br>A881 | | LAMPHOLDER:<br>SAME AS A880 | EA | REF | | | | | | | | | | XDS2 |
| M-D--<br>A882 | | MOUNTING EAR, WOBBULATOR:<br>214-290; | EA | 3 | | | | | | | | | | MP216 |
| X2-H--<br>A883 | | NUT, PLAIN, HEXAGON:<br>SAME AS A035 | EA | 3 | | | | | | | | | | H3 |
| P-H--<br>A884 | 6625-072-4577 | REACTOR:<br>156-749; (01113) | EA | 1 | | | | * | * | * | 10 | 4 | 4-20 | L601 |
| X2-H--<br>A885 | | RING, RETAINING:<br>100-5100; (01113) | EA | 1 | | | | | | | | | | MP217 |
| X2-H--<br>A886 | | SCREW, CAP, HEXAGON HEAD:<br>6-32X3-4SS; (01113) | EA | 3 | | | | | | | | | | H3 |
| X2-H--<br>A887 | | SCREW, CAP, SOCKET HEAD:<br>10-32X1-2SS; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A888 | | SCREW, CAP, SOCKET HEAD:<br>10-32X3-8SS; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>A889 | | SCREW, DIAL HUB:<br>221-187; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A890 | | SCREW, MACHINE:<br>1-4-20X1-20H; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>A891 | | SCREW, MACHINE:<br>4-40X1-4FILH; (01113) | EA | 4 | | | | | | | | | | H4 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| X2-H--<br>A892 | | SCREW, MACHINE:<br>4-40X3-4FILH; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A893 | | SCREW, MACHINE:<br>6-32X3-16BH; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A894 | | SCREW, MACHINE:<br>6-32X5-8BH; (01113) | EA | 3 | | | | | | | | | | H3 |
| X2-H--<br>A895 | | SPRING, DISC:<br>224-033; (01113) | EA | 1 | | | | | | | | | | MP218 |
| X2-H--<br>A896 | | SWEEP OSCILLATOR, SECOND ASSY:<br>811-300; (01113) | EA | 1 | | | | | | | | | | |
| X2-H--<br>A897 | | COVER AND CAP ASSEMBLY:<br>811-116; (01113) | EA | 1 | | | | | | | | | | MP219 |
| X2-H--<br>A898 | | CAP, END:<br>221-093; (01113) | EA | 1 | | | | | | | | | | MP220 |
| X2-H--<br>A899 | | COVER, RACK:<br>229-110; (01113) | EA | 1 | | | | | | | | | | MP221 |
| M-D--<br>A900 | | PLATE, CAPACITOR:<br>128-204; (01113) | EA | 1 | | | | | | | | | | |
| X2-H--<br>A901 | | SCREW, CAP, SOCKET HEAD:<br>4-40X3-4; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>A902 | | SLIDER ASSEMBLY:<br>811-265; (01113) | EA | 1 | | | | | | | | | | MP222 |
| X2-H--<br>A903 | | CAP, END:<br>238-148; (01113) | EA | 1 | | | | | | | | | | MP223 |
| X2-H--<br>A904 | | CONTACT RING, TUBE PLATE:<br>224-020; (01113) | EA | 1 | | | | | | | | | | |
| X2-H--<br>A905 | | INSULATOR, SLEEVE:<br>643-015; (01113) | EA | 1 | | | | | | | | | | |
| X2-H--<br>A906 | | ROD ASSEMBLY, INNER:<br>811-263; (01113) | EA | 1 | | | | | | | | | | MP224 |
| X2-H--<br>A907 | | SCREW, MACHINE:<br>10-32X1-2RH; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A908 | | SCREW, MACHINE:<br>SAME AS A408 | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>A909 | | SETSCREW:<br>4-40X5-16SCH FP; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A910 | | SETSCREW:<br>6-32X3-16SCH CUP; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A911 | | SLIDER, INNER:<br>221-258; (01113) | EA | 1 | | | | | | | | | | MP225 |
| X2-H--<br>A912 | | SLIDER ASSEMBLY, OUTER:<br>811-264; (01113) | EA | 1 | | | | | | | | | | MP226 |
| X2-H--<br>A913 | | GEAR RACK:<br>278-023; (01113) | EA | 2 | | | | | | | | | | MP227 |
| X2-H--<br>A914 | | PIN, GROOVED, HEADLESS:<br>21S062-0312; (78515) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>A915 | | SLIDER, OUTER:<br>221-094; (01113) | EA | 1 | | | | | | | | | | MP228 |
| X2-H--<br>A916 | | SPRING, HELICAL, COMPRESSION:<br>224-014; (01113) | EA | 2 | | | | | | | | | | MP229 |
| X2-H--<br>A917 | | STOP, RACK, INNER:<br>214-103; (01113) | EA | 1 | | | | | | | | | | MP230 |
| X2-H--<br>A918 | | SUPPORT, ROD, INNER:<br>221-096; (01113) | EA | 1 | | | | | | | | | | MP231 |
| X2-H--<br>A919 | | WASHER, LOCK:<br>SAME AS A875 | EA | 1 | | | | | | | | | | H1 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| X2-H--<br>A920 | | SWEEP OSCILLATOR, FIRST ASSY:<br>811-237; (01113) | EA | 1 | | | | | | | | | | |
| X2-H--<br>A921 | | BOLT, RACK SUPPORT:<br>221-190; (01113) | EA | 1 | | | | | | | | | | H1 |
| P-H--<br>A922 | 5935-500-6174 | CONNECTOR, RECEPTACLE, ELEC:<br>SAME AS A273 | EA | 1 | | | | | | | | | | J21 |
| X2-H--<br>A923 | | COUPLING, SHAFT, FLEXIBLE:<br>104110-5; (80625) | EA | 1 | | | | | | | | | | MP232 |
| X2-H--<br>A924 | | FORK ASSEMBLY:<br>811-238; (01113) | EA | 1 | | | | | | | | | | MP233 |
| X2-H--<br>A925 | | FORK:<br>228-133; (01113) | EA | 1 | | | | | | | | | | MP234 |
| X2-H--<br>A926 | | SCREW, MACHINE:<br>SAME AS A870 | EA | 4 | | | | | | | | | | H4 |
| X2-H--<br>A927 | | SPRING, FLAT:<br>224-030; (01113) | EA | 2 | | | | | | | | | | MP235 |
| X2-H--<br>A928 | | SPRING, FLAT:<br>224-031; (01113) | EA | 2 | | | | | | | | | | MP236 |
| X2-H--<br>A929 | | WASHER, LOCK:<br>SAME AS A086 | EA | 4 | | | | | | | | | | H4 |
| M-D--<br>A930 | | GASKET SHIELD:<br>214-289; (01113) | EA | 1 | | | | | | | | | | MP237 |
| X2-H--<br>A931 | | GEAR CLUSTER, SPUR:<br>278-019; (01113) | EA | 1 | | | | | | | | | | MP238 |
| X2-H--<br>A932 | | HOUSING, FRONT:<br>228-130; (01113) | EA | 1 | | | | | | | | | | MP239 |
| X2-H--<br>A933 | | HOUSING ASSEMBLY, REAR:<br>811-299; (01113) | EA | 1 | | | | | | | | | | MP240 |
| X2-H--<br>A934 | 3120-517-8322 | BEARING, SLEEVE:<br>AA304-7; (70417) | EA | 2 | | | | | | | | | | MP241 |
| X2-H--<br>A935 | | HOUSING, REAR:<br>228-135; (01113) | EA | 1 | | | | | | | | | | MP242 |
| X2-H--<br>A936 | | PIN, GROOVED, HEADLESS:<br>23S125-0250; (78515) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A937 | | PIN, GROOVED, HEADLESS:<br>23S125-0375; (78515) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A938 | | NUT, PLAIN, HEXAGON:<br>SAME AS A696 | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>A939 | | NUT, PLAIN, HEXAGON:<br>SAME AS A250 | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A940 | | PIN, GROOVED, HEADLESS:<br>218094-0375; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A941 | | PIVOT, FORK:<br>221-193; (01113) | EA | 2 | | | | | | | | | | MP243 |
| M-D--<br>A942 | | PLATE, BASE:<br>222-167; (01113) | EA | 1 | | | | | | | | | | MP244 |
| X2-H--<br>A943 | | RETAINER, GASKET:<br>218-030; (01113) | EA | 1 | | | | | | | | | | MP245 |
| X2-H--<br>A944 | | RING ASSEMBLY, WOBBULATOR MTG:<br>811-328; (01113) | EA | 1 | | | | | | | | | | MP246 |
| X2-H--<br>A945 | | BEARING, SLEEVE:<br>273-017; (01113) | EA | 4 | | | | | | | | | | MP247 |
| X2-H--<br>A946 | | CAPSTAN:<br>221-188; (01113) | EA | 3 | | | | | | | | | | MP248 |
| X2-H--<br>A947 | | RING, MOUNTING:<br>228-132; (01113) | EA | 1 | | | | | | | | | | MP249 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| X2-H--<br>A948 | | RING, RETAINING:<br>SAME AS A868 | EA | 5 | | | | | | | | | | MP250 |
| X2-H--<br>A949 | | SCREW, CAP, SOCKET HEAD:<br>10-32-1-1-2; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>A950 | | SCREW, CAP, SOCKET HEAD:<br>10-32X3-8; (01113) | EA | 9 | | | | | | | | | | H9 |
| X2-H--<br>A951 | | SCREW, MACHINE:<br>SAME AS A893 | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>A952 | | SETSCREW:<br>1-4-28X3-8SCH CO; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>A953 | | SETSCREW:<br>10-32X3-16SCH CU; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A954 | | SETSCREW:<br>10-32X3-8SCH CUP; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A955 | | SETSCREW:<br>SAME AS A910 | EA | 4 | | | | | | | | | | H4 |
| X2-H--<br>A956 | | SHAFT, SHOULDERED:<br>226-019; (01113) | EA | 1 | | | | | | | | | | MP251 |
| X2-H--<br>A957 | | SHAFT, SHOULDERED:<br>226-020; (01113) | EA | 4 | | | | | | | | | | MP252 |
| P-H--<br>A958 | 6625-072-4578 | SWITCH ASSEMBLY, DETENT:<br>811-239; (01113) | EA | 1 | | | | | | | | | | |
| X2-H--<br>A959 | | BALL, NYLON, 3-16:<br>233-007; (01113) | EA | 1 | | | | | | | | | | MP253 |
| X2-H--<br>A960 | | BEARING, SLEEVE:<br>AA335-5; (70417) | EA | 1 | | | | | | | | | | MP254 |
| X2-H--<br>A961 | | BODY, COUPLING:<br>221-218; (01113) | EA | 1 | | | | | | | | | | MP255 |
| X2-H--<br>A962 | | CAM ASSEMBLY:<br>811-250; (01113) | EA | 1 | | | | | | | | | | MP256 |
| X2-H--<br>A963 | | CAM, CONTROL:<br>231-142; (01113) | EA | 1 | | | | | | | | | | MP257 |
| X2-H--<br>A964 | | SHAFT, SHOULDERED:<br>226-018; (01113) | EA | 1 | | | | | | | | | | MP258 |
| X2-H--<br>A965 | | COVER, WAFER:<br>212-329; (01113) | EA | 1 | | | | | | | | | | MP259 |
| X2-H--<br>A966 | | DETENT, SWITCH:<br>221-189; (01113) | EA | 1 | | | | | | | | | | MP260 |
| X2-H--<br>A967 | | HOUSING, DETENT:<br>228-136; (01113) | EA | 1 | | | | | | | | | | MP261 |
| M-D--<br>A968 | | PLATE, SPRING RETAINER:<br>213-333; (01113) | EA | 1 | | | | | | | | | | MP262 |
| X2-H--<br>A969 | | SCREW, SELF-TAPPING, THD CTG:<br>4-40X1-4RHS; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>A970 | | SCREW, SELF-TAPPING, THD CTG:<br>4-40X3-16RHS; (01113) | EA | 4 | | | | | | | | | | H4 |
| X2-H--<br>A971 | | SETSCREW:<br>6-32X3-8SHCS; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A972 | | SETSCREW:<br>8-32X5-16SSS; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A973 | | SPACER, SLEEVE:<br>225-020; (01113) | EA | 2 | | | | | | | | | | MP263 |
| P-H--<br>A974 | | SPRING, HELICAL, COMPRESSION:<br>LC026B7; (84830) | EA | 1 | | | | * | * | * | 8 | 3 | | MP264 |
| P-H--<br>A975 | | SWITCH SECTION, ROTARY:<br>161-124; (01113) | EA | 1 | | | | * | * | * | 10 | 4 | 4-25 | S3 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| X2-H--<br>A976 | | TERMINAL, LUG:<br>701-003; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A977 | | TUBE, CAVITY:<br>229-109; (01113) | EA | 1 | | | | | | | | | | MP265 |
| X2-H--<br>A978 | | WASHER, SPRING TENSION:<br>754-005-1; (01113) | EA | 1 | | | | | | | | | | H1 |
| M-D--<br>A979 | | SUPPORT, RACK:<br>232-073; (01113) | EA | | | | | | | | | | | MP266 |
| X2-H--<br>A980 | | TERMINAL, LUG:<br>SAME AS A976 | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A981 | | TERMINAL, LUG:<br>701-033; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A982 | | WASHER, FLAT:<br>1-20DX7-32IDX3-6; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>A983 | | WASHER, FLAT:<br>6X3-80D; (01113) | EA | 6 | | | | | | | | | | H6 |
| X2-H--<br>A984 | | WASHER, LOCK:<br>3-81T; (01113) | EA | 3 | | | | | | | | | | H3 |
| X2-H--<br>A985 | | WASHER, LOCK:<br>SAME AS A086 | EA | 6 | | | | | | | | | | H6 |
| X2-H--<br>A986 | | WASHER, NONMETALLIC:<br>753-115; | EA | 2 | | | | | | | | | | H2 |
| P-H--<br>A987 | 4935-774-6255 | WOBBULATOR ASSEMBLY:<br>822-004; (01113) | EA | 1 | | | | * | * | 2 | 12 | 5 | 4-20 | C601 |
| X2-H--<br>A988 | | WASHER, LOCK:<br>SAME AS A606 | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>A989 | | PANEL ASSEMBLY, FRONT:<br>822-128; | EA | 1 | | | | | | | | | | MP267 |
| P-H--<br>A990 | 6625-073-1216 | AMMETER, 100UA:<br>171-207; (01113) | EA | 1 | | | | * | * | 2 | 13 | 6 | 4-16 | M301 |
| P-H-R<br>A991 | | ATTENUATOR:<br>818-107; (01113) | EA | 1 | | | | * | * | 2 | 12 | 5 | | AT1 |
| X2-H--<br>A992 | | ARM, DETENT:<br>228-234; (01113) | EA | 1 | | | | | | | | | | MP268 |
| X2-H--<br>A993 | | ASSISTOR, DETENT SPRING:<br>224-059; (01113) | EA | 1 | | | | | | | | | | MP269 |
| X2-H--<br>A994 | | BEARING, BALL, ANNULAR:<br>RF4012X48 7-12SS; (01113) | EA | 1 | | | | | | | | | | MP270 |
| X2-H--<br>A995 | | BEARING, SHAFT:<br>221-534; (01113) | EA | 2 | | | | | | | | | | MP271 |
| X2-H--<br>A996 | | BUSHING, INSULATED:<br>238-213; (01113) | EA | 2 | | | | | | | | | | MP272 |
| X2-H--<br>A997 | | BUSHING, INSULATED:<br>238-214; (01113) | EA | 10 | | | | | | | | | | MP273 |
| X2-H--<br>A998 | | CLAMP, DETENT SPRING:<br>224-060; (01113) | EA | 1 | | | | | | | | | | MP274 |
| X2-H--<br>A999 | | COLLAR:<br>225-081; (01113) | EA | 1 | | | | | | | | | | MP275 |
| P-H--<br>B001 | | CONNECTOR, RECEPTACLE, ELEC:<br>185-131; (01113) | EA | 2 | | | | * | * | 2 | 13 | 6 | | J13 |
| P-H--<br>B002 | | CONNECTOR, RECEPTACLE, ELEC:<br>SAME AS B001 | EA | REF | | | | | | | | | | J14 |
| P-H--<br>B003 | | CONTACT, RESISTOR:<br>221-329; (01113) | EA | | | | | * | 2 | 2 | 33 | 18 | | |
| X2-H--<br>B004 | | END BELL, ELEC ROTATING EQUIP:<br>228-161-0; (01113) | EA | 1 | | | | | | | | | | MP276 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| X2-H--<br>B005 | | END BELL, ELEC ROTATING EQUIP:<br>228-161-1; (01113) | EA | 1 | | | | | | | | | | MP277 |
| X2-H--<br>B006 | 5325-619-3036 | EYELET, METALLIC:<br>SE43; (07707) | EA | 2 | | | | | | | | | | H2 |
| P-H--<br>B007 | | GASKET, RFI SHIELDING:<br>ES3186; (07700) | EA | 2 | | | | * | * | * | 10 | 4 | | MP278 |
| X2-H--<br>B008 | | PIN, CONTACT:<br>221-328; (01113) | EA | 1 | | | | | | | | | | |
| X2-H--<br>B009 | | PIN, SPRING:<br>218094-0750; (78515) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>B010 | | PIN, SPRING:<br>773-158; (01113) | EA | 1 | | | | | | | | | | H1 |
| M-D--<br>B011 | | PLATE, IDENTIFICATION:<br>219-373; (01113) | EA | 1 | | | | | | | | | | MP279 |
| X2-H--<br>B012 | | RING, GROUND:<br>222-172; (01113) | EA | 2 | | | | | | | | | | MP280 |
| X2-H--<br>B013 | | ROD, TIE:<br>226-035; (01113) | EA | 4 | | | | | | | | | | MP281 |
| X2-H--<br>B014 | | ROTOR:<br>222-171; (01113) | EA | 1 | | | | | | | | | | MP282 |
| X2-H--<br>B015 | | SCREW, MACHINE:<br>2-56X3-16BRASS; (01113) | EA | 12 | | | | | | | | | | H12 |
| X2-H--<br>B016 | | SCREW, MACHINE:<br>4-40X1-8RH; (01113) | EA | 8 | | | | | | | | | | H8 |
| X2-H--<br>B017 | | SCREW, MACHINE:<br>6-32X5-16PAN HD; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>B018 | | SETSCREW:<br>6-32X1-8; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>B019 | | SHAFT, ROTOR:<br>226-043; (01113) | EA | 1 | | | | | | | | | | MP283 |
| X2-H--<br>B020 | | SPACER:<br>221-330; (01113) | EA | 2 | | | | | | | | | | MP284 |
| X2-H--<br>B021 | | SPACER:<br>221-331-0; (01113) | EA | 6 | | | | | | | | | | MP285 |
| X2-H--<br>B022 | | SPACER:<br>221-331-1; (01113) | EA | 2 | | | | | | | | | | MP286 |
| X2-H--<br>B023 | | SPACER:<br>221-331-2; (01113) | EA | 2 | | | | | | | | | | MP287 |
| X2-H--<br>B024 | | SPACER:<br>221-331-3; (01113) | EA | 2 | | | | | | | | | | MP288 |
| X2-H--<br>B025 | | SPACER:<br>221-331-4; (01113) | EA | 8 | | | | | | | | | | MP289 |
| X2-H--<br>B026 | | SPACER:<br>221-510; (01113) | EA | 1 | | | | | | | | | | MP290 |
| X2-H--<br>B027 | | SPRING, CONTACT:<br>224-045; (01113) | EA | 2 | | | | | | | | | | MP291 |
| X2-H--<br>B028 | | SPRING, DETENT:<br>224-058; (01113) | EA | 1 | | | | | | | | | | MP292 |
| X2-H--<br>B029 | 6920-833-1404 | SPRING, HELICAL, COMPRESSION:<br>LC022C5; (84830) | EA | 4 | | | | | | | | | | MP293 |
| X2-H--<br>B030 | | SPRING, RETAINER:<br>221-585; (01113) | EA | 4 | | | | | | | | | | MP294 |
| P-H--<br>B031 | | TEE-PAD, FIXED:<br>2R1D115; (27690) | EA | 1 | | | | * | * | * | 10 | 4 | | MP357 |
| P-H--<br>B032 | | TEE-PAD, FIXED:<br>2R1D116; (27690) | EA | 1 | | | | * | * | * | 10 | 4 | | MP358 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P-H--<br>B033 | | TEE-PAD, FIXED:<br>2R2D117; (27690) | EA | 1 | | | | * | * | * | 10 | 4 | | MP359 |
| P-H--<br>B034 | | TEE-PAD, FIXED:<br>3R2D118; (27690) | EA | 1 | | | | * | * | * | 10 | 4 | | MP360 |
| P-H--<br>B035 | | TEE-PAD, FIXED:<br>3R2D119; (27690) | EA | 1 | | | | * | * | * | 10 | 4 | | MP361 |
| X2-H--<br>B036 | | WASHER, INSULATED:<br>231-155; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>B037 | | WASHER, LOCK:<br>SAME AS A086 | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>B038 | | WASHER, SPRING TENSION:<br>754-008; (01113) | EA | 10 | | | | | | | | | | H10 |
| X2-H--<br>B039 | 4730-392-5555 | BEARING, PANEL:<br>115-255; (74970) | EA | 1 | | | | | | | | | | MP295 |
| X2-H--<br>B040 | | BEARING, SHAFT PANEL:<br>273-013; (01113) | EA | 1 | | | | | | | | | | MP296 |
| P-H--<br>B041 | 6625-880-5157 | BEZEL, MOLDED:<br>232-087; (01113) | EA | 1 | | | | * | * | * | 8 | 4 | | MP297 |
| X2-H--<br>B042 | | BUSHING, GUIDE TUBE:<br>221-202; (01113) | EA | 1 | | | | | | | | | | MP298 |
| X2-H--<br>B043 | | CABLE ASSEMBLY, SP, ELECTRICAL:<br>655-078-2; (01113) | EA | 1 | | | | | | | | | | |
| X2-H--<br>B044 | 6625-072-8638 | CABLE ASSEMBLY, SP, ELECTRICAL:<br>655-078-3; (01113) | EA | 1 | | | | | | | | | | |
| X2-H--<br>B045 | 6145-942-8514 | CABLE, SP, ELECTRICAL:<br>21-597; (07497) | EA | | | | | | | | | | | |
| X2-H--<br>B046 | | CABLE, SP, ELECTRICAL:<br>8446; (07497) | EA | | | | | | | | | | | |
| X2-H--<br>B047 | 6145-681-8499 | CABLE, SP, ELECTRICAL:<br>8759; (70903) | EA | | | | | | | | | | | |
| X2-H--<br>B048 | | CABLE ASSEMBLY, SP, ELECTRICAL:<br>655-040; (01113) | EA | 1 | | | | | | | | | | |
| X2-H--<br>B049 | | CABLE, SP, ELECTRICAL:<br>SAME AS A246 | EA | 1 | | | | | | | | | | |
| P-H--<br>B050 | 5935-149-4066 | CONNECTOR, PLUG, ELECTRICAL<br>UG-88/U:<br>SAME AS A004 | EA | 2 | | | | * | 2 | 2 | 27 | 16 | 4-16 | P8 |
| P-H--<br>B051 | 5935-149-4066 | CONNECTOR, PLUG, ELECTRICAL<br>UG-88/U:<br>SAME AS A004 | EA | REF | | | | | | | | | | P701 |
| X2-H--<br>B052 | | CABLE ASSEMBLY, SP, ELECTRICAL:<br>655-058; (01113) | EA | 2 | | | | | | | | | | |
| X2-H--<br>B053 | | CABLE, SP, ELECTRICAL:<br>SAME AS A246 | EA | | | | | | | | | | | |
| P-H--<br>B054 | 5935-149-4066 | CONNECTOR, PLUG, ELECTRICAL<br>UG-88/U:<br>SAME AS A004 | EA | 2 | | | | | | | | | 4-16 | P10 |
| P-H--<br>B055 | 5935-149-4066 | CONNECTOR, PLUG, ELECTRICAL<br>UG-88/U:<br>SAME AS A004 | EA | REF | | | | | | | | | 4-20 | P11 |
| X2-H--<br>B056 | | CABLE ASSEMBLY, SP, ELECTRICAL:<br>SAME AS B052 | EA | REF | | | | | | | | | | |
| X2-H--<br>B057 | | CABLE, SP, ELECTRICAL:<br>SAME AS A246 | EA | | | | | | | | | | | |
| P-H--<br>B058 | 5935-149-4066 | CONNECTOR, PLUG, ELECTRICAL<br>UG-88/U:<br>SAME AS A004 | EA | 2 | | | | | | | | | 4-16 | P9 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P-H-- B059 | 5935-149-4066 | CONNECTOR, PLUG, ELECTRICAL UG-88/U: SAME AS A004 | EA | REF | | | | | | | | | 4-20 | P702 |
| X2-H-- B060 | | CABLE ASSEMBLY, SP, ELECTRICAL: 655-059; (01113) | EA | 1 | | | | | | | | | | |
| X2-H-- B061 | | CABLE, SP, ELECTRICAL: SAME AS A246 | EA | | | | | | | | | | | |
| P-H-- B062 | 5935-149-4066 | CONNECTOR, PLUG, ELECTRICAL UG-88/U: SAME AS A004 | EA | 2 | | | | | | | | | 4-20 | P12 |
| P-H-- B063 | 5935-149-4066 | CONNECTOR, PLUG, ELECTRICAL UG-88/U: SAME AS A004 | EA | REF | | | | | | | | | 4-20 | P13 |
| X2-H-- B064 | | CABLE ASSEMBLY, SP, ELECTRICAL: 655-090; (01113) | EA | 1 | | | | | | | | | | |
| X2-H-- B065 | | CABLE, SP, ELECTRICAL: SAME AS A246 | EA | | | | | | | | | | | |
| P-H-- B066 | 5935-149-4066 | CONNECTOR, PLUG, ELECTRICAL UG-88/U: SAME AS A004 | EA | 1 | | | | | | | | | 4-20 | P14 |
| P-H-- B067 | 5935-553-2249 | CONNECTOR, RECEPTACLE, ELEC: UG909U; (80058) | EA | 1 | | | | * | * | * | 5 | 2 | 4-25 | J4 |
| P-H-- B068 | 5910-666-7615 | CAPACITOR, FXD, CER DIELECTRIC: D6-331; (71590) | EA | | | | | * | 2 | 2 | 27 | 16 | 4-26 | C20 |
| P-H-- B069 | 5910-666-7615 | CAPACITOR, FXD, CER DIELECTRIC: SAME AS B068 | EA | REF | | | | | | | | | 4-26 | C21 |
| P-H-- B070 | 5910-666-7615 | CAPACITOR, FXD, CER DIELECTRIC: SAME AS B068 | EA | REF | | | | | | | | | 4-26 | C22 |
| P-H-- B071 | 5910-666-7615 | CAPACITOR, FXD, CER DIELECTRIC: SAME AS B068 | EA | REF | | | | | | | | | 4-26 | C23 |
| P-H-- B072 | 5910-986-8950 | CAPACITOR, FXD, PLSTC DIELECTRIC: 6TMD20; (56289) | EA | 1 | | | | * | * | * | 10 | 4 | 4-26 | C25 |
| X2-H-- B073 | | CARRIAGE ASSEMBLY, DETECTOR: 811-519; (01113) | EA | 1 | | | | | | | | | | MP299 |
| M-D-- B074 | | BRACKET, ANGLE: 213-472; (01113) | EA | 1 | | | | | | | | | | MP300 |
| X2-H-- B075 | | CARRIAGE, DETECTOR: 214-090; (01113) | EA | 1 | | | | | | | | | | MP301 |
| X2-H-- B076 | | NUT, PLAIN, HEXAGON: SAME AS A035 | EA | 2 | | | | | | | | | | H2 |
| X2-H-- B077 | | SCREW, MACHINE: 6-32X3-8PAN HD; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H-- B078 | | WASHER, LOCK: SAME AS A086 | EA | 2 | | | | | | | | | | H2 |
| X2-H-- B079 | 5340-193-3644 | CLAMP, LOOP: SAME AS A378 | EA | 1 | | | | | | | | | | MP302 |
| X2-H-- B080 | 5935-076-9704 | CONNECTOR, PLUG, ELECTRICAL: SAME AS A700 | EA | 2 | | | | | | | | | | P17 |
| X2-H-- B081 | 5935-076-9704 | CONNECTOR, PLUG, ELECTRICAL: SAME AS A700 | EA | REF | | | | | | | | | | P18 |
| P-H-- B082 | | CONNECTOR, PLUG, ELECTRICAL: 202-31-06-066; (71785) | EA | 1 | | | | * | * | * | 5 | 2 | | P302 |
| P-H-- B083 | 5325-276-4205 | GROMMET, RUBBER: SAME AS A112 | EA | 2 | | | | | | | | | | MP303 |
| X2-H-- B084 | | HOOK, VARIABLE RESISTOR: CA10002STYLE1; (94603) | EA | 1 | | | | | | | | | | MP304 |
| P-O-- B085 | | KNOB: SAME AS A628 | EA | 1 | | | | | | | | | | MP305 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P-O--<br>B086 | | KNOB:<br>S1676-33-40D; (75376) | EA | 1 | | | | * | * | * | 8 | 3 | | MP306 |
| P-O--<br>B087 | | KNOB:<br>S-1677-3WSK1RT; (01113) | EA | 2 | | | | * | * | 2 | 13 | 6 | | MP307 |
| P-O--<br>B088 | | KNOB:<br>S1777-313-160D; (75376) | EA | 8 | | | | * | 2 | 2 | 40 | 24 | | MP308 |
| P-O--<br>B089 | | KNOB:<br>239-067; (01113) | EA | 1 | | | | * | * | * | 8 | 3 | | MP309 |
| P-O--<br>B090 | | KNOB:<br>265BLACK; (80813) | EA | 1 | | | | * | * | * | 8 | 3 | | MP310 |
| P-O--<br>B091 | 6240-943-7560 | LAMP, NEON:<br>NE2P; (08806) | EA | 8 | | | | 2 | 3 | 5 | 107 | 80 | 4-24 | DS3 |
| P-O--<br>B092 | 6240-943-7560 | LAMP, NEON:<br>SAME AS B091 | EA | REF | | | | | | | | | 4-24 | DS4 |
| P-O--<br>B093 | 6240-943-7560 | LAMP, NEON:<br>SAME AS B091 | EA | REF | | | | | | | | | 4-24 | DS5 |
| P-O--<br>B094 | 6240-943-7560 | LAMP, NEON:<br>SAME AS B091 | EA | REF | | | | | | | | | 4-24 | DS6 |
| P-O--<br>B095 | 6240-943-7560 | LAMP, NEON:<br>SAME AS B091 | EA | REF | | | | | | | | | 4-24 | DS7 |
| P-O--<br>B096 | 6240-943-7560 | LAMP, NEON:<br>SAME AS B091 | EA | REF | | | | | | | | | 4-24 | DS8 |
| P-O--<br>B097 | 6240-943-7560 | LAMP, NEON:<br>SAME AS B091 | EA | REF | | | | | | | | | 4-24 | DS9 |
| P-O--<br>B098 | 6240-943-7560 | LAMP, NEON:<br>SAME AS B091 | EA | REF | | | | | | | | | 4-24 | DS10 |
| M-D--<br>B099 | | METALWORK ASSEMBLY:<br>810-656; (01113) | EA | 1 | | | | | | | | | | MP311 |
| M-D--<br>B100 | | BRACKET, DIAL:<br>214-298; (01113) | EA | 2 | | | | | | | | | | MP312 |
| M-D--<br>B101 | | CHASSIS, MARKER CONTROL:<br>211-164; (01113) | EA | 1 | | | | | | | | | | MP313 |
| X2-H--<br>B102 | | COVER, MARKER CONTROL:<br>212-382; (01113) | EA | 1 | | | | | | | | | | MP314 |
| M-D--<br>B103 | | PLATE, SWITCH MOUNTING:<br>213-342; (01113) | EA | 1 | | | | | | | | | | MP315 |
| X2-H--<br>B104 | | BRACKET, MARKER INSERTER:<br>SAME AS B074 | EA | 1 | | | | | | | | | | MP316 |
| M-D--<br>B105 | | BRACKET, ATTENUATOR MOUNTING:<br>213-473; (01113) | EA | 1 | | | | | | | | | | MP317 |
| X2-H--<br>B106 | | CARRIAGE, DETECTOR:<br>SAME AS B075 | EA | 1 | | | | | | | | | | MP318 |
| X2-H--<br>B107 | | NUT, PLAIN, HEXAGON:<br>SAME AS A250 | EA | 3 | | | | | | | | | | H3 |
| X2-H--<br>B108 | | NUT, PLAIN, HEXAGON:<br>SAME AS A035 | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>B109 | | NUT, PRESS:<br>RPN4-40-5C; (83324) | EA | 4 | | | | | | | | | | H4 |
| X2-H--<br>B110 | | PANEL, FRONT:<br>216-258; (01113) | EA | 1 | | | | | | | | | | MP319 |
| M-D--<br>B111 | | PLATE, ARROW:<br>231-143; (01113) | EA | 2 | | | | | | | | | | MP320 |
| X2-H--<br>B112 | | PRINTED CIRCUIT BOARD, RH:<br>275-012; (01113) | EA | 1 | | | | | | | | | | A1 |
| X2-H--<br>B113 | | PRINTED CIRCUIT BOARD, LH:<br>275-011; (01113) | EA | 1 | | | | | | | | | | A2 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P-H-- B114 | 5905-249-9468 | RESISTOR, FIXED, BOARD, RH: SAME AS A177 | EA | 1 | | | | | | | | | 4-19 | R40 |
| P-H-- B115 | 5905-279-2664 | RESISTOR, FIXED, COMPOSITION: RC20GF305J; (81349) | EA | 1 | | | | * | * | * | 10 | 4 | 4-19 | R36 |
| P-H-- B116 | 5905-279-2019 | RESISTOR, FIXED, COMPOSITION: RC20GF512J; (81349) | EA | 2 | | | | * | * | 2 | 16 | 8 | 4-19 | R39 |
| P-H-- B117 | 5905-279-2019 | RESISTOR, FIXED, COMPOSITION: SAME AS B116 | EA | REF | | | | | | | | | 4-19 | R42 |
| P-H-- B118 | 5905-279-2657 | RESISTOR, FIXED, COMPOSITION: RC20GF565K; (81349) | EA | 2 | | | | * | * | 2 | 16 | 8 | 4-19 | R32 |
| P-H-- B119 | 5905-279-2657 | RESISTOR, FIXED, COMPOSITION: SAME AS B118 | EA | REF | | | | | | | | | 4-19 | R33 |
| P-H-- B120 | 5905-171-2000 | RESISTOR, FIXED, COMPOSITION: RC20GF684J; (81349) | EA | 1 | | | | * | * | 2 | 12 | 5 | 4-19 | R34 |
| P-H-- B121 | 5905-279-1759 | RESISTOR, FIXED, COMPOSITION: RC20GF754J; (81349) | EA | 1 | | | | * | * | 2 | 12 | 5 | 4-19 | R35 |
| P-H-- B122 | | RESISTOR, VARIABLE: JA2N056P104AA; (01121) | EA | 1 | | | | * | * | 2 | 12 | 5 | 2-7 | R9 |
| P-H-- B123 | 5905-050-4415 | RESISTOR, VARIABLE: J82182; (01121) | EA | 1 | | | | * | * | 2 | 12 | 5 | 4-19 | R37 |
| P-H-- B124 | | RESISTOR, VARIABLE: SY3048; (10582) | EA | 1 | | | | * | * | 2 | 12 | 5 | 4-19 | R506 |
| P-H-- B125 | | RESISTOR, VARIABLE: 45-2551; (71450) | EA | 5 | | | | * | 2 | 2 | 40 | 25 | | R8-S10 |
| P-H-- B126 | | RESISTOR, VARIABLE: SAME AS B125 | EA | REF | | | | | | | | | 4-23 | R21-S6 |
| P-H-- B127 | | RESISTOR, VARIABLE: SAME AS B125 | EA | REF | | | | | | | | | 4-23 | R22-S7 |
| P-H-- B128 | | RESISTOR, VARIABLE: SAME AS B125 | EA | REF | | | | | | | | | 4-23 | R23-S8 |
| P-H-- B129 | | RESISTOR, VARIABLE: SAME AS B125 | EA | REF | | | | | | | | | 4-23 | R24-S9 |
| P-H-- B130 | | RESISTOR, VARIABLE: 45-2550; (71450) | EA | 1 | | | | * | * | 2 | 12 | 5 | 4-18 | R10 |
| P-H-- B131 | | RESISTOR, VARIABLE: KH6474; (71450) | EA | 1 | | | | * | * | 2 | 12 | 5 | 4-16 | R14 |
| P-H-- B132 | | RESISTOR, VARIABLE: 45-2552; (71450) | EA | 1 | | | | * | * | 2 | 12 | 5 | | R38-S11 |
| P-H-- B133 | | RESISTOR, VARIABLE: LR8723; (71450) | EA | 1 | | | | * | * | 2 | 12 | 5 | 4-19 | R527 |
| X2-H-- B134 | | SCREW, MACHINE: SAME AS A335 | EA | 4 | | | | | | | | | | H4 |
| X2-H-- B135 | | SCREW, MACHINE: 6-32X1-2FIL H; (01113) | EA | 4 | | | | | | | | | | H4 |
| X2-H-- B136 | | SCREW, MACHINE: SAME AS A134 | EA | 2 | | | | | | | | | | H2 |
| X2-H-- B137 | | SCREW, MACHINE: 6-32X3-8FIL H; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H-- B138 | | SCREW, MACHINE: 6-32X5-8FIL H; (01113) | EA | 4 | | | | | | | | | | H4 |
| X2-H-- B139 | | SCREW, MACHINE: 8-32X1-2BIND.HD; (01113) | EA | 4 | | | | | | | | | | H4 |
| X2-H-- B140 | | SCREW, MACHINE: SAME AS A135 | EA | 4 | | | | | | | | | | H4 |
| X2-H-- B141 | | SCREW, THREAD FORMING: 4X3-16RH; (01113) | EA | 4 | | | | | | | | | | H4 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| X2-H--<br>B142 | | SETSCREW:<br>SAME AS A413 | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>B143 | | SHELL, ELECTRICAL CONNECTOR:<br>16B12358; (71785) | EA | 1 | | | | | | | | | | MP321 |
| X2-H--<br>B144 | | SHIELD, LIGHT:<br>232-086; (01113) | EA | 2 | | | | | | | | | | MP322 |
| X2-H--<br>B145 | | SPRING, TENSION:<br>215-148; (01113) | EA | 2 | | | | | | | | | | MP323 |
| P-H--<br>B146 | 6625-072-4583 | SWITCH ASSEMBLY, COAX:<br>822-042; (01113) | EA | 1 | | | | * | * | 2 | 12 | 5 | 4-16 | S5 |
| X2-H--<br>B147 | 3110-100-6149 | BALL, BEARING:<br>220-007; (01113) | EA | 2 | | | | | | | | | | MP324 |
| X2-H--<br>B148 | | BODY, SWITCH:<br>222-124; (01113) | EA | 1 | | | | | | | | | | MP325 |
| X2-H--<br>B149 | | CABLE, SP, ELECTRICAL:<br>SAME AS B046 | EA | | | | | | | | | | | |
| X2-H--<br>B150 | | CAM:<br>218-011; (01113) | EA | 1 | | | | | | | | | | MP326 |
| X2-H--<br>B151 | | CASE, SWITCH:<br>222-155; (01113) | EA | 1 | | | | | | | | | | MP327 |
| X2-H--<br>B152 | 5340-193-3644 | CLAMP, LOOP:<br>SAME AS A378 | EA | 1 | | | | | | | | | | MP328 |
| P-H--<br>B153 | 5935-242-5283 | CONNECTOR, PLUG, ELECTRICAL:<br>SAME AS A541 | EA | 1 | | | | | | | | | 2-6 | P22 |
| P-H--<br>B154 | 5935-892-9035 | CONNECTOR, PLUG, ELECTRICAL:<br>SAME AS A108 | EA | 4 | | | | | | | | | 4-16 | P7 |
| P-H--<br>B155 | 5935-892-9035 | CONNECTOR, PLUG, ELECTRICAL:<br>SAME AS A108 | EA | REF | | | | | | | | | 4-16 | P10 |
| P-H--<br>B156 | 5935-892-9035 | CONNECTOR, PLUG, ELECTRICAL:<br>SAME AS A108 | EA | REF | | | | | | | | | 4-16 | P8 |
| P-H--<br>B157 | 5935-892-9035 | CONNECTOR, PLUG, ELECTRICAL:<br>SAME AS A108 | EA | REF | | | | | | | | | 4-16 | P9 |
| X2-H--<br>B158 | | COVER, SWITCH HOUSING:<br>222-125; (01113) | EA | 1 | | | | | | | | | | MP329 |
| M-D--<br>B159 | | METALWORK ASSEMBLY:<br>810-659; (01113) | EA | 1 | | | | | | | | | | MP330 |
| M-D--<br>B160 | | BRACKET, SWITCH:<br>214-299; (01113) | EA | 1 | | | | | | | | | | MP331 |
| X2-H--<br>B161 | | PLATE, SHIELD:<br>273-005; (01113) | EA | 1 | | | | | | | | | | MP332 |
| X2-H--<br>B162 | | RING:<br>229-108; (01113) | EA | 1 | | | | | | | | | | MP333 |
| X2-H--<br>B163 | | RING, RETAINING:<br>773-109; (01113) | EA | 1 | | | | | | | | | | MP334 |
| X2-H--<br>B164 | | SCREW, MACHINE:<br>P13068-1; (71590) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>B165 | | SCREW, MACHINE:<br>2-56X9-16PAN HD; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>B166 | | SCREW, MACHINE:<br>6-32X1-4PAN HD; (01113) | EA | 4 | | | | | | | | | | H4 |
| X2-H--<br>B167 | | SCREW, MACHINE:<br>6-32X5-8RD HD; (01113) | EA | 4 | | | | | | | | | | H4 |
| X2-H--<br>B168 | | SCREW, MACHINE:<br>720-001-2; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>B169 | | SHAFT, SHOULDERED:<br>226-025; (01113) | EA | 1 | | | | | | | | | | MP335 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| X2-H--<br>B170 | | SPACER:<br>P7610-1; (71590) | EA | 4 | | | | | | | | | | MP336 |
| X2-H--<br>B171 | | SPACER:<br>P7611-1; (71590) | EA | 2 | | | | | | | | | | MP337 |
| X2-H--<br>B172 | | SPRING, COIL:<br>224-010; (01113) | EA | 2 | | | | | | | | | | MP338 |
| X2-H--<br>B173 | | SPRING, FLAT:<br>224-011; (01113) | EA | 1 | | | | | | | | | | MP339 |
| X2-H--<br>B174 | | TERMINAL, LUG:<br>SAME AS A981 | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>B175 | | WAFER, SWITCH:<br>PS283-233; (71590) | EA | 2 | | | | | | | | | 4-24 | S2B |
| X2-H--<br>B175A | | WAFER, SWITCH:<br>SAME AS B175 | EA | REF | | | | | | | | | 4-24 | S2C |
| X2-H--<br>B176 | | WAFER, SWITCH:<br>216562A; (76854) | EA | 1 | | | | | | | | | 4-24 | S2A |
| X2-H--<br>B177 | | WASHER, HF LEAKPROOF:<br>752-018; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>B178 | | WASHER, LOCK:<br>SAME AS A086 | EA | 12 | | | | | | | | | | H12 |
| X2-H--<br>B179 | | WASHER, SPRING:<br>750-009; (01113) | EA | 1 | | | | | | | | | | H1 |
| P-H--<br>B180 | 5930-729-8444 | SWITCH, TOGGLE:<br>T110B63; (73559) | EA | 1 | | | | * | * | 2 | 12 | 5 | 4-24 | S1 |
| P-H--<br>B181 | 5930-729-8445 | SWITCH, TOGGLE:<br>SAME AS A142 | EA | 1 | | | | | | | | | 4-19 | S12 |
| X2-H--<br>B182 | | TERMINAL, LUG:<br>701-008; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>B183 | | TERMINAL, LUG:<br>SAME AS A356 | EA | 8 | | | | | | | | | | H8 |
| X2-H--<br>B184 | | TERMINAL, LUG:<br>701-047; (01113) | EA | 1 | | | | | | | | | | H1 |
| M-D--<br>B185 | | TERMINAL BOARD:<br>SAME AS A597 | EA | 1 | | | | | | | | | | TB15 |
| X2-H--<br>B186 | | THUMBSCREW:<br>SAME AS A696 | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>B187 | | TUBE, GUIDE:<br>229-125; (01113) | EA | 1 | | | | | | | | | | MP340 |
| P-H--<br>B188 | | VERNIER, DIAL WINDOW:<br>232-088; (01113) | EA | 1 | | | | * | * | * | 8 | 3 | | MP341 |
| X2-H--<br>B189 | | WASHER, FLAT:<br>F61; (01113) | EA | 12 | | | | | | | | | | H12 |
| X2-H--<br>B190 | | WASHER, LOCK:<br>SAME AS A984 | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>B191 | | WASHER, LOCK:<br>SAME AS A085 | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>B192 | | WASHER, LOCK:<br>SAME AS A086 | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>B193 | | WASHER, LOCK:<br>SAME AS A087 | EA | 6 | | | | | | | | | | H6 |
| X2-H--<br>B194 | 5330-584-0260 | WASHER, NONMETALLIC:<br>2162; (83330) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>B195 | 5330-345-0990 | WASHER, SHOULDERED:<br>2153; (83330) | EA | 2 | | | | | | | | | | H2 |
| P-H--<br>B196 | | WINDOW, DIAL:<br>237-003; (01113) | EA | 1 | | | | * | * | * | 8 | 3 | | MP342 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| X2-H--<br>B197 | | PLATE, RESILIENT:<br>213-329; (01113) | EA | 1 | | | | | | | | | | MP343 |
| X2-H--<br>B198 | | PROTECTOR, ELECTRICAL CABLE:<br>214-326; (01113) | EA | 1 | | | | | | | | | | MP344 |
| X2-H--<br>B199 | | SCREW, MACHINE:<br>1-4-20X1-2 SCH B; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>B200 | | SCREW, MACHINE:<br>10-32X1-2PH; (01113) | EA | 6 | | | | | | | | | | H6 |
| X2-H--<br>B201 | | SCREW, MACHINE:<br>10-32X1 1-2 SCH; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>B202 | | SCREW, MACHINE:<br>10-32X3-8PH; (01113) | EA | 4 | | | | | | | | | | H4 |
| X2-H--<br>B203 | | SCREW, MACHINE:<br>10-32X5-8FH; (01113) | EA | 10 | | | | | | | | | | H10 |
| X2-H--<br>B204 | | SCREW, MACHINE:<br>4-40X5-16FH BRS; (01113) | EA | 3 | | | | | | | | | | H3 |
| X2-H--<br>B205 | | SCREW, MACHINE:<br>6-32X1-4FH; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>B206 | | SCREW, MACHINE:<br>6-32X3-8FH CROSS; (01113) | EA | 5 | | | | | | | | | | H5 |
| X2-H--<br>B207 | | SCREW, MACHINE:<br>SAME AS A070 | EA | 10 | | | | | | | | | | H10 |
| X2-H--<br>B208 | | SCREW, MACHINE:<br>8-32X1-2FH; (01113) | EA | 4 | | | | | | | | | | H4 |
| X2-H--<br>B209 | | SCREW, MACHINE:<br>8-32X1-2PH; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>B210 | | SCREW, MACHINE:<br>8-32X3-8FH CROSS; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>B211 | | SCREW, MACHINE:<br>SAME AS A071 | EA | 5 | | | | | | | | | | H5 |
| X2-H--<br>B212 | | SCREW, TAPPING, THREAD FORMING:<br>SAME AS A132 | EA | 8 | | | | | | | | | | H8 |
| X2-H--<br>B213 | | SCREW, TAPPING, THREAD FORMING:<br>6X1-4 HEX HD; (01113) | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>B214 | | SHOCK MOUNT AND XMFR ASSY, REAR:<br>822-138; (01113) | EA | 1 | | | | | | | | | | |
| P-H--<br>B215 | 5935-405-0441 | CONNECTOR, PLUG, ELECTRICAL:<br>P315FHT; (71785) | EA | 1 | | | | * | * | * | 5 | 2 | | P16 |
| P-H--<br>B216 | 5935-257-7058 | CONNECTOR, RECEPTACLE, ELEC:<br>SAME AS A275 | EA | 2 | | | | | | | | | | J15 |
| P-H--<br>B217 | 5935-257-7058 | CONNECTOR, RECEPTACLE, ELEC:<br>SAME AS A275 | EA | REF | | | | | | | | | | J16 |
| M-D--<br>B218 | | METALWORK ASSEMBLY:<br>810-657; (01113) | EA | 1 | | | | | | | | | | MP345 |
| M-D--<br>B219 | | BRACKET, ANGLE:<br>214-311; (01113) | EA | 1 | | | | | | | | | | MP346 |
| M-D--<br>B220 | | BRACKET, ANGLE:<br>214-312; (01113) | EA | 1 | | | | | | | | | | MP347 |
| M-D--<br>B221 | | BRACKET, ANGLE, LEFT HAND:<br>214-315; (01113) | EA | 1 | | | | | | | | | | MP348 |
| M-D--<br>B222 | | BRACKET, ANGLE, RIGHT HAND:<br>214-314; (01113) | EA | 1 | | | | | | | | | | MP349 |
| M-D--<br>B223 | | BRACKET, DOUBLE ANGLE:<br>214-305; (01113) | EA | 1 | | | | | | | | | | MP350 |
| M-D--<br>B224 | | PLATE, RETAINING, ELEC CONNECTOR:<br>213-340; (01113) | EA | 1 | | | | | | | | | | MP351 |

| (1) SMR CODE / INDEX NO. | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) 1-20 | (b) 21-50 | (c) 51-100 | (8) 1 YR ALW PER EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATIONS (a) FIG NO. | (b) ITEM NO. OR REFERENCE DESIGNATION |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| X2-H--<br>B225 | 5340-329-1568 | MOUNT, RESILIENT:<br>5205; (81860) | EA | 2 | | | | | | | | | | MP352 |
| X2-H--<br>B226 | | NUT, PLAIN, HEXAGON:<br>SAME AS A696 | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>B227 | | RETAINER, CAPACITOR:<br>222-149; (01113) | EA | 1 | | | | | | | | | | MP353 |
| X2-H--<br>B228 | | SCREW, MACHINE:<br>SAME AS B202 | EA | 4 | | | | | | | | | | H4 |
| X2-H--<br>B229 | | SCREW, MACHINE:<br>6-32X1-4HEX HTYS; (01113) | EA | 8 | | | | | | | | | | H8 |
| X2-H--<br>B230 | | SCREW, MACHINE:<br>SAME AS A070 | EA | 3 | | | | | | | | | | H3 |
| X2-H--<br>B231 | | SCREW, MACHINE:<br>SAME AS A071 | EA | 4 | | | | | | | | | | H4 |
| X2-H--<br>B232 | | SUPPORT, REAR SHOCK MOUNTING:<br>222-148; (01113) | EA | 2 | | | | | | | | | | MP354 |
| P-H--<br>B233 | 5930-729-8445 | SWITCH, TOGGLE:<br>SAME AS A142 | EA | 1 | | | | | | | | | | S13 |
| X2-H--<br>B234 | | TERMINAL STRIP, GROUNDING:<br>SAME AS A981 | EA | 1 | | | | | | | | | | |
| X2-H--<br>B235 | | WASHER, LOCK:<br>SAME AS A875 | EA | 4 | | | | | | | | | | H4 |
| X2-H--<br>B236 | | WASHER, LOCK:<br>SAME AS A085 | EA | 7 | | | | | | | | | | H7 |
| X2-H--<br>B237 | | WASHER, LOCK:<br>SAME AS A087 | EA | 4 | | | | | | | | | | H4 |
| P-H--<br>B238 | | XMFR, PWR, STEP-DN AND STEP-UP:<br>71542; (55814) | EA | 1 | | | | * | * | * | 10 | 4 | | T1-C1 |
| X2-H--<br>B239 | | SPACER, SLEEVE:<br>215-218; (01113) | EA | 2 | | | | | | | | | | MP355 |
| X2-H--<br>B240 | | STRIP, SUPPORT:<br>215-265; (01113) | EA | 1 | | | | | | | | | | MP356 |
| X2-H--<br>B241 | | WASHER, FLAT:<br>SAME AS A982 | EA | 2 | | | | | | | | | | H2 |
| X2-H--<br>B242 | | WASHER, LOCK:<br>1-2; (01113) | EA | 1 | | | | | | | | | | H1 |
| X2-H--<br>B243 | | WASHER, LOCK:<br>10; (01113) | EA | 4 | | | | | | | | | | H4 |
| X2-H--<br>B244 | | WASHER, LOCK:<br>SAME AS A375 | EA | 8 | | | | | | | | | | H8 |
| X2-H--<br>B245 | | WASHER, LOCK:<br>SAME AS A376 | EA | 7 | | | | | | | | | | H7 |

## SECTION IV INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO INDEX NUMBER (AN/USM-203)

| FEDERAL STOCK NUMBER | INDEX NO. | FEDERAL STOCK NUMBER | INDEX NO. | FEDERAL STOCK NUMBER | INDEX NO. |
|---|---|---|---|---|---|
| 3110-100-6149 | B147 | 5905-185-6944 | A055 | 5905-295-3403 | A569 |
| 3120-517-8322 | A934 | 5905-185-6946 | A058 | 5905-295-3409 | A315 |
| 3120-661-5014 | A853 | 5905-185-8510 | A557 | 5905-295-3410 | A570 |
| 4730-392-555 | B039 | 5905-185-8518 | A705 | 5905-299-1541 | A566 |
| 4935-774-6255 | A987 | 5905-186-3008 | A769 | 5905-299-1965 | A406 |
| 5325-202-2575 | A290 | 5905-192-0390 | A127 | 5905-299-2008 | A181 |
| 5325-276-4205 | A112 | 5905-192-0660 | A048 | 5905-299-2029 | A061 |
| 5325-619-3036 | B006 | 5905-192-3982 | A564 | 5905-581-7947 | A703 |
| 5325-640-9422 | A289 | 5905-192-3987 | A041 | 5905-769-7223 | A186 |
| 5330-171-8727 | A608 | 5905-192-9260 | A043 | 5905-780-2571 | A316 |
| 5330-345-0990 | B195 | 5905-195-5516 | A152 | 5905-810-3546 | A709 |
| 5330-584-0260 | B194 | 5905-195-6761 | A126 | 5905-821-8123 | A574 |
| 5340-193-3644 | A378 | 5905-195-6806 | A124 | 5905-842-2914 | A325 |
| 5340-329-1568 | B225 | 5905-195-6817 | A039 | 5905-907-3422 | A169 |
| 5340-329-2128 | A832 | 5905-249-3661 | A163 | 5910-050-4402 | A748 |
| 5340-584-1139 | A379 | 5905-249-9468 | A177 | 5910-051-1925 | A254 |
| 5340-796-8719 | A222 | 5905-252-2995 | A313 | 5910-063-0538 | A466 |
| 5340-819-1859 | A380 | 5905-254-9201 | A150 | 5910-070-7994 | A392 |
| 5340-820-6211 | A331 | 5905-279-1692 | A321 | 5910-079-5672 | A022 |
| 5340-839-1279 | A735 | 5905-279-1754 | A046 | 5910-086-6946 | A260 |
| 5340-915-4839 | A217 | 5905-279-1759 | B121 | 5910-088-0328 | A261 |
| 5340-993-5501 | A010 | 5905-279-1884 | A051 | 5910-104-0706 | A148 |
| 5820-935-8114 | A419 | 5905-279-1890 | A179 | 5910-264-9427 | A483 |
| 5905-027-7191 | A324 | 5905-279-2019 | B116 | 5910-543-0052 | A465 |
| 5905-034-5923 | A328 | 5905-279-2514 | A059 | 5910-544-6327 | A468 |
| 5905-050-3881 | A066 | 5905-279-2516 | A151 | 5910-544-6400 | A266 |
| 5905-050-3912 | A067 | 5905-279-2618 | A322 | 5910-556-9437 | A097 |
| 5905-050-3913 | A068 | 5905-279-2621 | A317 | 5910-577-1519 | A092 |
| 5905-050-4415 | B123 | 5905-279-2657 | B118 | 5910-583-1255 | A262 |
| 5905-060-2326 | A620 | 5905-279-2664 | B115 | 5910-666-7615 | B068 |
| 5905-107-8024 | A329 | 5905-279-2694 | A706 | 5910-667-5757 | A651 |
| 5905-171-1974 | A062 | 5905-279-3495 | A320 | 5910-668-4146 | A099 |
| 5905-171-1986 | A573 | 5905-279-3496 | A571 | 5910-681-9204 | A745 |
| 5905-171-2000 | B120 | 5905-279-3504 | A850 | 5910-682-2543 | A333 |
| 5905-171-2005 | A056 | 5905-279-3517 | A006 | 5910-686-9133 | A461 |

## SECTION IV INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO INDEX NUMBER (AN/USM-203) (cont)

| FEDERAL STOCK NUMBER | INDEX NO. | FEDERAL STOCK NUMBER | INDEX NO. | FEDERAL STOCK NUMBER | INDEX NO. |
|---|---|---|---|---|---|
| 5910-702-5718 | A460 | 5935-252-6015 | A347 | 5950-022-5900 | A670 |
| 5910-712-8192 | A472 | 5935-257-7058 | A275 | 5950-022-5901 | A618 |
| 5910-724-7147 | A257 | 5935-257-7185 | A037 | 5950-043-1348 | A309 |
| 5910-729-8830 | A145 | 5935-283-2897 | A113 | 5950-073-1218 | A189 |
| 5910-755-5594 | A094 | 5935-405-0441 | B215 | 5950-073-1219 | A372 |
| 5910-780-8526 | A664 | 5935-500-6174 | A273 | 5950-753-7574 | A371 |
| 5910-802-7432 | A391 | 5935-500-9851 | A009 | 5950-788-1179 | A402 |
| 5910-806-6418 | A018 | 5935-553-2249 | B067 | 5950-834-9125 | A750 |
| 5910-814-7179 | A269 | 5935-702-7202 | A024 | 5960-050-5177 | A138 |
| 5910-818-4622 | A634 | 5935-724-7149 | A025 | 5960-070-0274 | A841 |
| 5910-819-2539 | A259 | 5935-728-4238 | A271 | 5960-087-3086 | A029 |
| 5910-847-5583 | A020 | 5935-838-5183 | A002 | 5960-280-3757 | A349 |
| 5910-884-0256 | A098 | 5935-847-6803 | A114 | 5960-545-5435 | A079 |
| 5910-888-1602 | A653 | 5935-879-8098 | A297 | 5960-557-5883 | A281 |
| 5910-892-7466 | A091 | 5935-888-1439 | A774 | 5960-587-7513 | A136 |
| 5910-899-3797 | A017 | 5935-892-9035 | A108 | 5960-606-8709 | A014 |
| 5910-984-2851 | A096 | 5935-900-4524 | A279 | 5960-615-5584 | A026 |
| 5910-985-2103 | A268 | 5935-901-4450 | A023 | 5960-615-5610 | A109 |
| 5910-986-8950 | B072 | 5935-944-1009 | A073 | 5960-617-8935 | A753 |
| 5915-070-7997 | A754 | 5940-156-7345 | A355 | 5960-681-9596 | A031 |
| 5920-280-5062 | A283 | 5940-255-3237 | A757 | 5960-784-6103 | A013 |
| 5920-295-9600 | A284 | 5940-258-5175 | A158 | 5960-806-5614 | A111 |
| 5920-855-4491 | A291 | 5940-329-4434 | A332 | 5960-996-7077 | A027 |
| 5920-861-6082 | A286 | 5940-682-2427 | A270 | 5961-725-4075 | A342 |
| 5930-729-8444 | B180 | 5940-683-4671 | A590 | 5961-729-0129 | A578 |
| 5930-729-8445 | A142 | 5940-683-4679 | A357 | 5961-759-1312 | A341 |
| 5935-050-4401 | A415 | 5940-729-7746 | A756 | 5961-773-0108 | A394 |
| 5935-072-7157 | A008 | 5940-932-1239 | A144 | 5961-845-4593 | A411 |
| 5935-076-9704 | A700 | 5945-989-4100 | A038 | 5961-845-4695 | A724 |
| 5935-149-4066 | A004 | 5950-022-5874 | A488 | 5961-845-7632 | A722 |
| 5935-197-4319 | A433 | 5950-022-5875 | A490 | 5961-952-6721 | A346 |
| 5935-197-4331 | A274 | 5950-022-5876 | A492 | 5970-280-9491 | A759 |
| 5935-223-8709 | A272 | 5950-022-5886 | A493 | 5975-273-0788 | A214 |
| 5935-241-4005 | A101 | 5950-022-5898 | A494 | 5995-070-8002 | A818 |
| 5935-242-5283 | A541 | 5950-022-5899 | A669 | 6145-681-8499 | B047 |

| FEDERAL STOCK NUMBER | INDEX NO. |
|---|---|
| 6145-942-8514 | B045 |
| 6240-155-8706 | A878 |
| 6240-943-7560 | B091 |
| 6625-070-7998 | A003 |
| 6625-072-4574 | A794 |
| 6625-072-4575 | A806 |
| 6625-072-4577 | A884 |
| 6625-072-4578 | A958 |
| 6625-072-4583 | B146 |
| 6625-072-4585 | A243 |
| 6625-072-4586 | A381 |
| 6625-072-7156 | A631 |
| 6625-072-8638 | B044 |
| 6625-073-1216 | A990 |
| 6625-179-8678 | A630 |
| 6625-880-5157 | B041 |
| 6625-935-0145 | A001 |
| 6625-978-9815 | A239 |
| 6920-833-1404 | B029 |

| REF NUMBER | INDEX NO. |
|---|---|
| AA335-5 | A960 |
| BA811-1533 | A065 |
| BPD203 | A454 |
| BWH10HMPORM10PCT | A323 |
| C2304 | A306 |
| CA10002STYLE1 | B084 |
| CF20601 | A191 |
| CM15E121J | A478 |
| CM15E151J | A480 |
| CM15E161J | A482 |
| CS5013-1 | A586 |
| D1472 | A623 |
| DM20-182G | A093 |
| ES186 | B007 |
| F605 | A543 |
| F61 | B189 |
| F754 | A495 |
| FRL10-3000 | A064 |
| FRL10-5000 | A326 |
| JA2NO56P104AA | B122 |
| KH6474 | B131 |
| LC026B7 | A974 |
| LR8723 | B133 |
| MP4S1 | A253 |
| MSM1470-2 | A102 |
| P13068-1 | B164 |
| P161N68D | A267 |
| P7610-1 | B170 |
| P7611-1 | B171 |
| PS283-233 | B175 |
| RF4012X48 7-12SS | A994 |
| RG55AU | A246 |
| RG58U | A241 |
| RN20B1060F | A164 |
| RN20B3002F | A165 |
| RN20B3163F | A128 |
| RN25B1252F | A182 |
| RN25B6802F | A167 |
| RN25B8202F | A184 |
| RPN4-40-5C | B109 |
| S1657-3L40004 | A628 |
| S1676-33-40D | B086 |
| S1677-3WSLIRT | B087 |
| S1777-313-160D | B088 |
| SCH65470 | A627 |
| SICER72F | A343 |
| SY3048 | B124 |
| TCZ1R5 | A470 |
| TD1500-6 | A263 |
| 04-70302 | A348 |
| 0670-0014A0-102K | A393 |
| 099067-3 | A294 |
| 100-S100 | A885 |
| 1015 | A081 |
| 10-32 | A696 |
| 10-32-1-1-2 | A949 |
| 10-32X1-2PH | B200 |
| 10-32X1-2RH | A907 |
| 10-32X1 1-2 SCH | B201 |
| 10-32X1-2SS | A887 |
| 10-32X1-4BH | A869 |
| 10-32X1-4PH | A713 |
| 10-32X3-16SCHCU | A953 |
| 10-32X3-8 | A950 |
| 10-32X38PH | B202 |
| 10-32X3-8SCH CUP | A954 |
| 10-32X3-8SS | A888 |
| 10-32X5-8FH | B203 |
| 104110-5 | A923 |
| 104W | A080 |
| 10 | B243 |
| 10IT | A875 |
| 118-088 | A330 |
| 1-2 | B242 |
| 1-20DX7-321DX3-6 | A982 |
| 1-2-32 | A736 |
| 128-204 | A900 |
| 130-106 | A442 |
| 1-3-4D48F17500 | A327 |
| 1-4-20 | A227 |
| 1-4-20X1-2 SCH B | B199 |
| 1-4-20X1-20H | A890 |
| 1-4-20X1-4 HEXHD | A212 |
| 1-4-20X2 1-2FHPH | A230 |

## SECTION IV INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO INDEX NUMBER (AN/USM-203) (cont)

| REF NUMBER | INDEX NO. |
|---|---|
| 1-4-20X5-8FHPH | A231 |
| 1-4-28X3-8BRASS | A499 |
| 1-4-28X3-8SCHCO | A952 |
| 1-4-32 | A403 |
| 1-4IT | A203 |
| 156-372 | A190 |
| 161-124 | A975 |
| 16B12358 | A143 |
| 181-271 | A075 |
| 182-602 | A139 |
| 185-131 | B001 |
| 1N87 | A581 |
| 1Z | A090 |
| 201-046 | A497 |
| 202-31-06-066 | B082 |
| 203-135-0 | A237 |
| 203-135-1 | A238 |
| 203-136 | A218 |
| 203-137 | A236 |
| 21S062-0312 | A914 |
| 21S094-0250 | A858 |
| 21S094-0375 | A940 |
| 21S094-0750 | B009 |
| 211-111 | A245 |
| 211-163 | A033 |
| 211-164 | B101 |
| 211-165 | A487 |
| 211-168 | A118 |
| 211-169 | A300 |
| 212-146 | A682 |
| 212-147 | A683 |
| 212-148 | A689 |
| 212-149 | A688 |
| 212-150 | A687 |
| 212-151 | A684 |
| 212-329 | A965 |
| 212-370 | A786 |
| 212-371 | A034 |
| 212-382 | B102 |
| 212-383 | A763 |
| 212-385 | A764 |
| 212-386 | A119 |
| 212-669 | A226 |
| 213-244 | A692 |
| 213-329 | B197 |
| 213-333 | A968 |
| 213-337 | A789 |
| 213-340 | B224 |
| 213-341 | A695 |
| 213-342 | B103 |
| 213-472 | B074 |
| 213-473 | B105 |
| 214-090 | B075 |
| 214-092 | A390 |
| 214-093 | A691 |
| 214-094 | A685 |
| 214-103 | A917 |
| 214-289 | A930 |
| 214-290 | A882 |
| 214-298 | B100 |
| 214-299 | B160 |
| 214-305 | B223 |
| 214-306 | A761 |
| 214-307 | A762 |
| 214-311 | B219 |
| 214-312 | B220 |
| 214-313 | A694 |
| 214-314 | B222 |
| 214-315 | B221 |
| 214-319 | A299 |
| 214-326 | B198 |
| 214-328 | A854 |
| 214-733 | A220 |
| 215-101 | A729 |
| 215-148 | B145 |
| 215-153 | A834 |
| 215-218 | B239 |
| 215-265 | B240 |
| 216-258 | B110 |
| 218-011 | B150 |
| 218-030 | A943 |
| 219-195 | A305 |
| 219-204 | A304 |
| 219-231 | A839 |
| 219-373 | B011 |
| 219-418 | A447 |
| 221-093 | A898 |
| 221-094 | A915 |
| 221-096 | A918 |
| 221-099 | A846 |
| 221-100 | A005 |
| 221-101 | A249 |
| 221-102 | A247 |
| 221-103 | A244 |
| 221-104 | A251 |
| 221-105 | A768 |
| 221-109 | A635 |
| 221-111 | A796 |
| 221-116 | A637 |
| 221-117 | A399 |
| 221-146 | A498 |
| 221-187 | A889 |
| 221-188 | A946 |
| 221-189 | A966 |
| 221-190 | A418E |

## SECTION IV INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO INDEX NUMBER (AN/USM-203) (cont)

| REF NUMBER | INDEX NO. | REF NUMBER | INDEX NO. | REF NUMBER | INDEX NO. |
|---|---|---|---|---|---|
| 221-191 | A213 | 222-171 | B014 | 228-131 | A787 |
| 221-192 | A848 | 222-172 | B012 | 228-132 | A947 |
| 221-193 | A941 | 223-123 | A617 | 228-133 | A925 |
| 221-197 | A793 | 224-004 | A575 | 228-135 | A935 |
| 221-198 | A867 | 224-010 | X2H | 228-136 | A967 |
| 221-202 | B042 | 224-011 | X2H | 228-138 | A865 |
| 221-218 | A961 | 224-014 | A916 | 228-016-0 | B004 |
| 221-219 | A383 | 224-016 | A749 | 228-234 | A992 |
| 221-220 | A382 | 224-020 | A904 | 229-108 | B162 |
| 221-258 | A911 | 224-030 | A927 | 229-109 | A977 |
| 221-328 | B008 | 224-031 | A928 | 229-110 | A899 |
| 221-329 | B003 | 224-033 | A895 | 229-114 | A805 |
| 221-330 | B020 | 224-034 | A874 | 229-117 | A388 |
| 221-331-0 | B021 | 224-036 | A837 | 229-118 | A389 |
| 221-331-1 | B022 | 224-045 | B027 | 229-121 | A141 |
| 221-331-2 | B023 | 224-058 | B028 | 229-125 | B187 |
| 221-331-3 | B024 | 224-059 | A993 | 231-125 | A847 |
| 221-331-4 | B025 | 224-060 | A998 | 231-142 | A963 |
| 221-510 | B026 | 225-011 | A701 | 231-143 | B111 |
| 221-534 | A995 | 225-020 | A973 | 231-155 | B036 |
| 221-585 | B030 | 225-021 | A767 | 232-033 | A677 |
| 222-112 | A741 | 225-022 | A350 | 232-036 | A632 |
| 222-113 | A742 | 225-066 | A235 | 232-037 | A728 |
| 222-116 | A398 | 225-067 | A216 | 232-073 | A979 |
| 222-117 | A699 | 225-081 | A999 | 232-086 | B144 |
| 222-118 | A675 | 226-018 | A964 | 232-088 | B188 |
| 222-124 | B148 | 226-019 | A956 | 232-188 | A252 |
| 222-125 | B158 | 226-020 | A957 | 233-007 | A959 |
| 222-146 | A866 | 226-021 | A385 | 234-154 | A171 |
| 222-148 | B232 | 226-024 | A873 | 234-155 | A157 |
| 222-149 | B227 | 226-025 | B169 | 234-156 | A143 |
| 222-151 | A611 | 226-026 | A859 | 234-157 | A159 |
| 222-155 | B151 | 226-035 | B013 | 234-158 | A172 |
| 222-166 | A401 | 226-043 | B019 | 234-473 | A624 |
| 222-167 | A942 | 228-130 | A932 | 235-005 | A500 |

## SECTION IV INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO INDEX NUMBER (AN/USM-203) (cont)

| REF NUMBER | INDEX NO. |
|---|---|
| 237-003 | B196 |
| 238-142 | A758 |
| 238-146 | A849 |
| 238-148 | A903 |
| 238-149 | A636 |
| 238-181 | A295 |
| 238-191 | A296 |
| 238-213 | A996 |
| 238-214 | A997 |
| 239-067 | B089 |
| 23S125-0250 | A936 |
| 23S125-0375 | A937 |
| 2-56BRASS | A120 |
| 2-56X1-4RH | A714 |
| 2-56X3-16BRASS | B015 |
| 2-56X3-16RH | A408 |
| 2-56X3-4RH | A130 |
| 2-56X3-8RH | A716 |
| 2-56X9-16PAN HD | B165 |
| 2-56X9-16RH | A717 |
| 261-12-06-030 | A831 |
| 265 PLACK | B090 |
| 273-005 | B161 |
| 273-013 | B040 |
| 273-017 | A945 |
| 275-011 | B113 |
| 275-012 | B112 |
| 278-019 | A931 |
| 278-022 | A861 |
| 278-023 | A913 |
| 278-024 | A862 |
| 278-025 | A863 |
| 278-027 | A857 |
| 278-028 | A860 |
| 278-029 | A864 |
| 282-003 | A702 |
| 2AH | A358 |
| 2AU | A104 |
| 2FXG1K | A155 |
| 2HA | A360 |
| 2IT | A194 |
| 2N3250A | A201 |
| 2R1D115 | B031 |
| 2R1D116 | B032 |
| 2R1D117 | B033 |
| 2ULAR | A361 |
| 301-000C0K0688L | A473 |
| 331-000C0H0759D | A015 |
| 331-000C0K0159C | A743 |
| 331-000U2M0250K | A612 |
| 3-48 | A121 |
| 3-48SST | A835 |
| 3-48X1-4FHSST | A836 |
| 3-48X3-16RH | A771 |
| 3-48X3-8RH | A131 |
| 370FA | A744 |
| 3-8-32 | A250 |
| 3-8IT | A984 |
| 3AHA | A362 |
| 3AUA | A082 |
| 3H2A | A364 |
| 3IT | A205 |
| 3R2D118 | B034 |
| 3R2D119 | B035 |
| 4 | A373 |
| 42AHA | A366 |
| 42AUA | A367 |
| 4X3-16HEX HD | A132 |
| 4X3-16HH | A711 |
| 4X3-16HS | A340 |
| 4X3-16RH | B141 |
| 432-222 | A629 |
| 432-226 | A451 |
| 435-002 | A450 |
| 435-505 | A449 |
| 4X3-8BH STL | A721 |
| 4-40 | A301 |
| 4-40X1-2RD HD | A577 |
| 4-40X1-2RH | A334 |
| 4-40X1-4 | A621 |
| 4-40X1-4F1LH | A891 |
| 4-40X1-4RH | A335 |
| 4-40X1-4RHS | A969 |
| 4-40X1-8RH | B016 |
| 4-40X3-16 | A791 |
| 4-40X3-16F1LH | A892 |
| 4-40X3-16RHS | A970 |
| 4-40X3-4 | A901 |
| 4-40X3-4RH | A772 |
| 4-40X3-8F1L H | A410 |
| 4-40X5-16FH BRS | B204 |
| 4-40X5-16RHPH | A232 |
| 4-40X5-16SCH FP | A909 |
| 4-40X5-16TRUSS H | A440 |
| 45-2550 | B130 |
| 45-2551 | B125 |
| 45-2552 | B132 |
| 4708 | A072 |
| 4AU2A | A365 |
| 4IT | A606 |
| 5 | A374 |
| 501-101 | A386 |
| 502-8136-2132-80 | A880 |
| 5133-25 | A868 |
| 52AH2A | A370 |

| REF NUMBER | INDEX NO. |
|---|---|
| 521-014 | A211 |
| 522-100 | A210 |
| 522-101 | A209 |
| 531-006 | A448 |
| 536-000-4R | A484 |
| 5716 | A609 |
| 5AUAUA | A369 |
| 5IT | A085 |
| 6 | A375 |
| 6-32 | A035 |
| 6-32X1-2F1LH | B135 |
| 6-32X1-4BH | A870 |
| 6-32X1-4B1ND HD | A133 |
| 6-32X1-4FH | B205 |
| 6-32X14HEXHTYS | B229 |
| 6-32X1-4PAN HD | B166 |
| 6-32X1-4PH | A336 |
| 6-32X1-4PHPH | A233 |
| 6-32X1-8 | B018 |
| 6-32X2-1-4RH | A069 |
| 6-32X3-16 | A413 |
| 6-32X3-16 ALLEN | A444 |
| 6-32X3-16BH | A893 |
| 6-32X3-16SCH | A726 |
| 6-32X3-16SCH CUP | A910 |
| 6-32X3-4SS | A886 |
| 6-32X3-8B IND HD | A134 |
| 6-32X3 8 FH CROSS | B206 |
| 6-32X3-8FILH | B137 |
| 6-32X3-8PAN HD | B077 |
| 6-32X3-8PH | A070 |
| 6-32X3-8PH STL | A773 |
| 6-32X3-8SHCS | A971 |
| 6-32X5-16PANHD | B017 |
| 6-32X5-8BH | A894 |
| 6-32X5-8FILH | B138 |
| 6-32X5-8RD-HD | B167 |
| 6X1-4 HEX HD | B213 |
| 6X1-4HH | A712 |
| 6X3-80D | A983 |
| 643-015 | A905 |
| 655-040 | B048 |
| 655-058 | B052 |
| 655-059 | B060 |
| 655-062 | A240 |
| 655-078-2 | B043 |
| 655-090 | B064 |
| 658-141 | A453 |
| 659-126 | A830 |
| 69001-0500 | A613 |
| 69-3103 | A598 |
| 6CB6 | A544 |
| 6H4AH | A597 |
| 6IT | A086 |
| 701-003 | A976 |
| 701-004 | A775 |
| 701-008 | B182 |
| 701-009 | A414 |
| 701-011 | A591 |
| 701-022 | A356 |
| 701-031 | A678 |
| 701-032 | A592 |
| 701-033 | A981 |
| 701-047 | B184 |
| 701-059 | A106 |
| 71542 | B238 |
| 716-004 | A633 |
| 716-018 | A535 |
| 720-001-2 | B168 |
| 732-005 | A801 |
| 732-006-2 | A553 |
| 732-008 | A654 |
| 750-004 | A007 |
| 750-009 | B179 |
| 752-005 | A604 |
| 752-008 | A777 |
| 752-009 | A656 |
| 752-011 | A416 |
| 752-018 | B177 |
| 753-106 | A417 |
| 753-109 | A418 |
| 753-110 | A088 |
| 753-115 | A986 |
| 754-005-1 | A978 |
| 754-008 | B038 |
| 773-101 | A576 |
| 773-109 | B163 |
| 773-109-1 | A384 |
| 773-158 | B010 |
| 774-020-1 | A785 |
| 7H5AH | A083 |
| 7U5AU | A084 |
| 8 | A376 |
| 810-247 | A435 |
| 810-258 | A680 |
| 810-261 | A686 |
| 810-316 | A760 |
| 810-328 | A693 |
| 810-655 | A223 |
| 810-656 | B099 |
| 810-657 | B179 |
| 810-658 | A298 |
| 810-659 | B159 |
| 810-660 | A032 |
| 810-677 | A117 |
| 811-110 | A681 |
| 811-111 | A690 |
| 811-116 | A897 |

| REF NUMBER | INDEX NO. | REF NUMBER | INDEX NO. | REF NUMBER | INDEX NO. |
|---|---|---|---|---|---|
| 811-236 | A811-236 | 822-136 | A452 | | |
| 811-237 | A920 | 822-137 | A740 | | |
| 811-238 | A924 | 822-138 | B214 | | |
| 811-240 | A833 | 822-139 | A255 | | |
| 811-244 | A496 | 822-140 | A012 | | |
| 811-245 | A531 | 822-141 | A011 | | |
| 811-250 | A962 | 8-32 | A303 | | |
| 811-253 | A855 | 8-32X1-2B1ND.HD | B139 | | |
| 811-258 | A856 | 8-32X1-2FH | B208 | | |
| 811-259 | A852 | 8-32X1-2PH | B209 | | |
| 811-263 | A909 | 8-32X316SSSCHCU | A872 | | |
| 811-264 | A912 | 8-32X3-8 | A339 | | |
| 811-265 | A902 | 8-32X3-8BH | A871 | | |
| 811-277 | A877 | 8-32X3-8B 1ND HD | A135 | | |
| 811-281 | A840 | 8X32X3-8FH CROSS | B210 | | |
| 811-299 | A933 | 8-32X3-8PH | A071 | | |
| 811-300 | A896 | 8-32X3-8PH PH | A234 | | |
| 811-301 | A792 | 8-32X5-16SSS | A972 | | |
| 811-302 | A784 | 8446 | B046 | | |
| 811-325 | A845 | 8IT | A087 | | |
| 811-328 | A944 | 9700-7 | A584 | | |
| 811-398 | A655 | 9701-4 | A137 | | |
| 811-402 | A100 | 9714 | A103 | | |
| 811-519 | B073 | | | | |
| 811-520 | A225 | | | | |
| 811-523 | A219 | | | | |
| 812-264 | A215 | | | | |
| 813-322 | A224 | | | | |
| 814-166 | A221 | | | | |
| 815-123 | A610 | | | | |
| 815-124 | A783 | | | | |
| 818-107 | A991 | | | | |
| 822-128 | A989 | | | | |
| 822-133 | A089 | | | | |
| 822-134 | A387 | | | | |

# SECTION VI INDEX-REFERENCE DESIGNATION CROSS REFERENCE TO INDEX NUMBER (AN/USM-203)

| REFERENCE DESIGNATION | INDEX NO. |
|---|---|
| AT1 | A991 |
| A1 | A425<br>B112 |
| A2 | B113 |
| A996 | A996 |
| C2 | A259 |
| C3 | A262 |
| C4 | A261 |
| C5 | A260 |
| C8 | A268 |
| C9 | A269 |
| C10 | A263 |
| C11 | A264 |
| C12 | A257 |
| C13 | A258 |
| C14 | A265 |
| C15 | A266 |
| C20 | B068 |
| C21 | B069 |
| C22 | A070 |
| C23 | B071 |
| C25 | B072 |
| C26 | A254 |
| C27 | A253 |
| C101 | A393 |
| C102 | A392 |
| C103 | A391 |
| C201 | A746 |
| C202 | A744 |
| C203 | A748 |
| C204 | A743 |
| C205 | A745 |
| C206 | A747 |
| C301 | A018 |
| C305 | A017 |
| C306 | A015<br>A020 |
| C307 | A016<br>A021 |
| C308 | A022 |
| C401 | A454 |
| C402 | A478 |
| C403 | A479 |
| C404 | A472 |
| C405 | A465 |
| C406 | A455 |
| C407 | A456 |
| C408 | A461 |
| C409 | A462 |
| C410 | A484 |
| C415 | A485 |
| C416 | A463 |
| C417 | A473 |
| C418 | A460 |
| C419 | A482 |
| C420 | A480 |
| C421 | A474 |
| C422 | A475 |
| C423 | A483 |
| C424 | A481 |
| C425 | A470 |
| C426 | A476 |
| C427 | A466 |
| C428 | A467 |
| C429 | A468 |
| C430 | A477 |
| C431 | A471 |
| C432 | A469 |
| C433 | A464 |
| C434 | A486 |
| C435 | A457 |
| C436 | A458 |
| C437 | A459 |
| C501 | A145 |
| C502 | A146 |
| C503 | A147 |
| C504 | A099 |
| C507 | A174 |
| C508 | A097 |
| C509 | A094 |
| C510 | A092 |
| C511 | A091 |
| C512 | A095 |
| C513 | A093 |
| C514 | A148 |
| C515 | A098 |
| C516 | A096 |
| C517 | A175 |
| C524 | A161 |
| C601 | A987 |
| C701 | A661 |
| C702 | A653 |
| C703 | A662 |
| C704 | A634 |
| C706 | A642 |
| C708 | A650 |
| C709 | A649 |
| C710 | A646 |
| C711 | A647 |
| C712 | A648 |
| C713 | A651 |
| C714 | A652 |
| C715 | A663 |
| C716 | A664 |
| C747 | A657 |
| C801 | A612 |
| C901 | A422 |
| C902 | A423 |
| C903 | A424 |
| CR1 | A343 |
| CR2 | A344 |
| CR3 | A345 |
| CR4 | A342 |
| CR6 | A346 |
| CR7 | A341 |

| REFERENCE DESIGNATION | INDEX NO. |
|---|---|
| CR101 | A411 |
| CR102 | A412 |
| CR401 | A581 |
| CR402 | A578 |
| CR403 | A583 |
| CR404 | A579 |
| CR405 | A582 |
| CR406 | A580 |
| CR701 | A722 |
| CR702 | A723 |
| CR703 | A724 |
| CR704 | A725 |
| CR801 | A622 |
| CR901 | A442 |
| CR902 | A443 |
| DS1 | A878 |
| DS2 | A879 |
| DS3 | B091 |
| DS4 | B092 |
| DS5 | B093 |
| DS6 | B094 |
| DS7 | B095 |
| DS8 | B096 |
| DS9 | B097 |
| DS10 | B098 |
| E1 | A350 |
| E2 | A351 |
| E3 | A352 |
| E4 | A353 |
| F1 | A283 |
| F2 | A284 |
| F3 | A285 |
| FL201 | A754 |
| FL202 | A755 |
| FL601 | A842 |
| FL602 | A843 |
| FL603 | A844 |

| REFERENCE DESIGNATION | INDEX NO. |
|---|---|
| H1 | A007 |
| | A035 |
| | A036 |
| | A069 |
| | A070 |
| | A071 |
| | A087 |
| | A122 |
| | A130 |
| | A135 |
| | A149 |
| | A192 |
| | A193 |
| | A194 |
| | A198 |
| | A199 |
| | A200 |
| | A208 |
| | A212 |
| | A250 |
| | A251 |
| | A270 |
| | A356 |
| | A383 |
| | A408 |
| | A418E |
| | A441 |
| | A499 |
| | A504 |
| | A509 |
| | A514 |
| | A519 |
| | A524 |
| | A529 |
| | A552 |
| | A577 |
| | A592 |
| | A606 |
| | A608 |
| | A610 |
| | A623 |
| | A625 |
| | A636 |
| | A640 |
| | A644 |
| | A654 |
| | A656 |
| | A658 |
| | A660 |
| | A677 |
| | A678 |
| | A696 |
| | A697 |
| | A713 |
| | A714 |
| | A716 |
| | A717 |
| | A732 |
| | A736 |
| | A737 |
| | A749 |
| | A758 |
| | A765 |
| | A771 |
| | A775 |
| | A776 |
| | A777 |
| | A778 |
| | A780 |
| | A801 |
| | A802 |
| | A813 |
| | A814 |
| | A825 |

| REFERENCE DESIGNATION | INDEX NO. |
|---|---|
| | A826 |
| | A858 |
| | A875 |
| | A887 |
| | A889 |
| | A892 |
| | A893 |
| | A907 |
| | A909 |
| | A910 |
| | A919 |
| | A936 |
| | A937 |
| | A939 |
| | A940 |
| | A953 |
| | A954 |
| | A971 |
| | A972 |
| | A976 |
| | A978 |
| | A980 |
| | A981 |
| | A988 |
| | B009 |
| | B010 |
| | B017 |
| | B037 |
| | B142 |
| | B168 |
| | B174 |
| | B177 |
| | B179 |
| | B184 |
| | B205 |
| | B242 |
| H2 | A086 |
| | A088 |
| | A121 |
| | A131 |
| | A134 |
| | A191 |
| | A205 |
| | A207 |
| | A301 |
| | A334 |
| | A340 |
| | A373 |
| | A403 |
| | A413 |
| | A414 |
| | A415 |
| | A417 |
| | A444 |
| | A445 |
| | A679 |
| | A712 |
| | A715 |
| | A720 |
| | A731 |
| | A733 |
| | A766 |
| | A772 |
| | A779 |
| | A782 |
| | A835 |
| | A836 |
| | A838 |
| | A869 |
| | A870 |
| | A872 |
| | A876 |
| | A888 |

| REFERENCE DESIGNATION | INDEX NO. |
|---|---|
| | A890 |
| | A901 |
| | A908 |
| | A914 |
| | A938 |
| | A949 |
| | A951 |
| | A952 |
| | A969 |
| | A982 |
| | A986 |
| | B006 |
| | B018 |
| | B036 |
| | B076 |
| | B077 |
| | B078 |
| | B108 |
| | B136 |
| | B137 |
| | B164 |
| | B165 |
| | B182 |
| | B186 |
| | B190 |
| | B191 |
| | B192 |
| | B194 |
| | B195 |
| | B199 |
| | B201 |
| | B209 |
| | B210 |
| | B213 |
| | B226 |
| | B241 |
| H3 | A120 |
| | A203 |
| | A605 |
| | A633 |
| | A698 |
| | A721 |
| | A883 |
| | A884 |
| | A886 |
| | A894 |
| | B107 |
| | B204 |
| | B230 |
| H4 | A107 |
| | A132 |
| | A204 |
| | A206 |
| | A227 |
| | A228 |
| | A229 |
| | A230 |
| | A233 |
| | A234 |
| | A335 |
| | A336 |
| | A337 |
| | A355 |
| | A416 |
| | A418 |
| | A446 |
| | A591 |
| | A621 |
| | A718 |
| | A739 |
| | A767 |
| | A781 |
| | A851 |
| | A891 |
| | A926 |
| | A929 |
| | A955 |
| | A970 |
| | B109 |
| | B134 |
| | B135 |
| | B138 |
| | B139 |
| | B140 |
| | B141 |
| | B166 |
| | B167 |
| | B202 |
| | B208 |
| | B228 |
| | B231 |
| | B235 |
| | B237 |
| | B243 |
| H5 | A106 |
| | A738 |
| | A790 |
| | B206 |
| | B211 |
| H6 | A133 |
| | A232 |
| | A983 |
| | A985 |
| | B193 |
| | B200 |
| H7 | A719 |
| | B236 |
| | B245 |
| H8 | A339 |
| | A377 |
| | A409 |
| | A410 |
| | A439 |
| | A440 |
| | A773 |
| | A871 |
| | B016 |
| | B183 |
| | B212 |
| | B229 |
| | B244 |
| H9 | A553 |
| | A604 |
| | A711 |
| | A950 |
| H10 | B038 |
| | B203 |
| | B207 |
| H11 | A303 |
| | A734 |
| H12 | A158 |
| | B015 |
| | B178 |
| | B189 |
| H13 | A376 |
| H16 | A170 |
| | A187 |
| | A338 |
| | A607 |
| H17 | A085 |
| H18 | A231 |
| | A374 |
| H19 | A375 |
| H21 | A791 |
| J1 | A276 |
| J2 | A277 |
| J3 | A278 |
| J4 | B067 |
| J5 | A272 |
| J13 | B001 |
| J14 | B002 |
| J15 | B216 |
| J16 | B217 |
| J19 | A280 |
| J20 | A297 |
| J21 | A274 |
| | A922 |
| J22 | A273 |
| J23 | A279 |
| J25 | A275 |
| J101 | A396 |
| J102 | A397 |
| J402 | A548 |
| J403 | A549 |
| J404 | A550 |
| J405 | A542 |
| J501 | A108 |
| J502 | A114 |
| J503 | A115 |
| J504 | A116 |
| J505 | A113 |
| J701 | A666 |
| J702 | A667 |
| J703 | A668 |
| J801 | A614 |
| J802 | A615 |
| J803 | A616 |
| J901 | A426 |

| REFERENCE DESIGNATION | INDEX NO. |
|---|---|
| J902 | A427 |
| J903 | A434 |
| J904 | A433 |
| K1 | A123 |
| K2 | A310 |
| K3 | A038 |
| L1 | A306 |
| L2 | A307 |
| L3 | A308 |
| L4 | A309 |
| L201 | A756 |
| L203 | A750 |
| L204 | A751 |
| L205 | A752 |
| L206 | A757 |
| L401 | A531 |
| L402 | A536 |
| L403 | A494 |
| L404 | A490 |
| L405 | A488 |
| L406 | A496 |
| L407 | A501 |
| L408 | A506 |
| L409 | A492 |
| L410 | A511 |
| L411 | A516 |
| L412 | A521 |
| L413 | A526 |
| L414 | A493 |
| L501 | A189<br>A190 |
| L502 | A195 |
| L601 | A884 |
| L701 | A729 |

| REFERENCE DESIGNATION | INDEX NO. |
|---|---|
| M301 | A990 |
| MP1 | A005 |
| MP2 | A010 |
| MP3 | A013 |
| MP4 | A014 |
| MP5 | A032 |
| MP6 | A033 |
| MP7 | A034 |
| MP8 | A072 |
| MP9 | A079 |
| MP10 | A080 |
| MP11 | A081 |
| MP12 | A090 |
| MP13 | A100 |
| MP14 | A112 |
| MP15 | A117 |
| MP16 | A118 |
| MP17 | A119 |
| MP18 | A136 |
| MP19 | A137 |
| MP20 | A141 |
| MP21 | A144 |
| MP22 | A160 |
| MP23 | A173 |
| MP24 | A197 |
| MP25 | A209 |
| MP26 | A210 |
| MP27 | A211 |
| MP28 | A213 |
| MP29 | A214 |
| MP30 | A215 |
| MP31 | A216 |
| MP32 | A217 |

| REFERENCE DESIGNATION | INDEX NO. |
|---|---|
| MP33 | A218 |
| MP34 | A219 |
| MP35 | A220 |
| MP36 | A221 |
| MP37 | A222 |
| MP38 | A223 |
| MP39 | A224 |
| MP40 | A225 |
| MP41 | A226 |
| MP42 | A235 |
| MP43 | A236 |
| MP44 | A237 |
| MP45 | A238 |
| MP46 | A245 |
| MP47 | A247 |
| MP48 | A249 |
| MP49 | A252 |
| MP50 | A255 |
| MP51 | A256 |
| MP52 | A289 |
| MP53 | A290 |
| MP54 | A298 |
| MP55 | A299 |
| MP56 | A300 |
| MP57 | A304 |
| MP58 | A305 |
| MP59 | A331 |
| MP60 | A332 |
| MP61 | A333 |
| MP62 | A347 |
| MP63 | A349 |
| MP64 | A378 |
| MP65 | A379 |

| REFERENCE DESIGNATION | INDEX NO. |
|---|---|
| MP66 | A380 |
| MP67 | A381 |
| MP68 | A382 |
| MP69 | A384 |
| MP70 | A385 |
| MP71 | A386 |
| MP72 | A388 |
| MP73 | A389 |
| MP74 | A390 |
| MP75 | A398 |
| MP76 | A401 |
| MP77 | A420 |
| MP78 | A421 |
| MP79 | A428 |
| MP80 | A431 |
| MP81 | A435 |
| MP82 | A447 |
| MP83 | A448 |
| MP84 | A449 |
| MP85 | A450 |
| MP86 | A451 |
| MP87 | A487 |
| MP88 | A495 |
| MP89 | A497 |
| MP90 | A498 |
| MP91 | A500 |
| MP92 | A502 |
| MP93 | A503 |
| MP94 | A505 |
| MP95 | A507 |
| MP96 | A508 |
| MP97 | A510 |
| MP98 | A512 |
| MP99 | A513 |
| MP100 | A515 |
| MP101 | A517 |
| MP102 | A518 |
| MP103 | A520 |
| MP104 | A522 |
| MP105 | A523 |
| MP106 | A525 |
| MP107 | A527 |
| MP108 | A528 |
| MP109 | A530 |
| MP110 | A532 |
| MP111 | A533 |
| MP112 | A534 |
| MP113 | A535 |
| MP114 | A537 |
| MP115 | A538 |
| MP116 | A539 |
| MP117 | A540 |
| MP118 | A547 |
| MP120 | A575 |
| MP121 | A576 |
| MP122 | A584 |
| MP123 | A585 |
| MP124 | A609 |
| MP125 | A611 |
| MP126 | A617 |
| MP127 | A627 |
| MP128 | A628 |
| MP129 | A629 |
| MP130 | A631 |
| MP131 | A632 |
| MP132 | A635 |
| MP133 | A637 |
| MP134 | A639 |
| MP135 | A641 |
| MP136 | A643 |
| MP137 | A645 |
| MP138 | A655 |
| MP139 | A659 |
| MP140 | A669 |
| MP141 | A670 |
| MP142 | A680 |
| MP143 | A681 |
| MP144 | A682 |
| MP145 | A683 |
| MP146 | A684 |
| MP147 | A685 |
| MP148 | A686 |
| MP149 | A687 |
| MP150 | A688 |
| MP151 | A689 |
| MP152 | A690 |
| MP153 | A691 |
| MP154 | A692 |
| MP155 | A693 |
| MP156 | A694 |
| MP157 | A695 |
| MP158 | A699 |
| MP159 | A701 |
| MP160 | A702 |
| MP161 | A727 |
| MP162 | A728 |
| MP163 | A735 |
| MP164 | A741 |
| MP165 | A742 |

| REFERENCE DESIGNATION | INDEX NO. |
|---|---|
| MP166 | A760 |
| MP167 | A761 |
| MP168 | A762 |
| MP169 | A763 |
| MP170 | A764 |
| MP171 | A768 |
| MP172 | A785 |
| MP173 | A786 |
| MP174 | A787 |
| MP175 | A811 |
| MP176 | A789 |
| MP177 | A793 |
| MP178 | A796 |
| MP179 | A798 |
| MP180 | A800 |
| MP181 | A805 |
| MP182 | A808 |
| MP183 | A810 |
| MP184 | A812 |
| MP185 | A817 |
| MP186 | A820 |
| MP187 | A822 |
| MP188 | A824 |
| MP189 | A829 |
| MP190 | A832 |
| MP191 | A833 |
| MP192 | A834 |
| MP193 | A837 |
| MP194 | A839 |
| MP195 | A840 |
| MP196 | A847 |
| MP197 | A852 |
| MP198 | A853 |
| MP199 | A854 |
| MP200 | A855 |
| MP201 | A856 |
| MP202 | A857 |
| MP203 | A859 |
| MP204 | A860 |
| MP205 | A861 |
| MP206 | A862 |
| MP207 | A863 |
| MP208 | A864 |
| MP209 | A865 |
| MP210 | A866 |
| MP211 | A867 |
| MP212 | A868 |
| MP213 | A873 |
| MP214 | A874 |
| MP215 | A877 |
| MP216 | A882 |
| MP217 | A885 |
| MP218 | A895 |
| MP219 | A897 |
| MP220 | A898 |
| MP221 | A899 |
| MP222 | A902 |
| MP223 | A903 |
| MP224 | A909 |
| MP225 | A911 |
| MP226 | A912 |
| MP227 | A913 |
| MP228 | A915 |
| MP229 | A916 |
| MP230 | A917 |
| MP231 | A918 |
| MP232 | A923 |
| MP233 | A924 |
| MP234 | A925 |
| MP235 | A927 |
| MP236 | A928 |
| MP237 | A930 |
| MP238 | A931 |
| MP239 | A932 |
| MP240 | A933 |
| MP241 | A934 |
| MP242 | A935 |
| MP243 | A941 |
| MP244 | A942 |
| MP245 | A943 |
| MP246 | A944 |
| MP247 | A945 |
| MP248 | A956 |
| MP249 | A947 |
| MP250 | A948 |
| MP251 | A956 |
| MP252 | A957 |
| MP253 | A959 |
| MP254 | A960 |
| MP255 | A961 |
| MP256 | A962 |
| MP257 | A963 |
| MP258 | A964 |
| MP259 | A965 |
| MP260 | A966 |
| MP261 | A967 |
| MP262 | A968 |
| MP263 | A973 |
| MP264 | A974 |

| REFERENCE DESIGNATION | INDEX NO. |
|---|---|
| MP265 | A977 |
| MP266 | A979 |
| MP267 | A989 |
| MP268 | A992 |
| MP269 | A993 |
| MP270 | A994 |
| MP271 | A995 |
| MP273 | A997 |
| MP274 | A998 |
| MP275 | A999 |
| MP276 | B004 |
| MP278 | B007 |
| MP279 | B011 |
| MP280 | B012 |
| MP281 | B013 |
| MP282 | B014 |
| MP283 | B019 |
| MP284 | B020 |
| MP285 | B021 |
| MP286 | B022 |
| MP287 | B023 |
| MP288 | B024 |
| MP289 | B025 |
| MP290 | B026 |
| MP291 | B027 |
| MP292 | B028 |
| MP293 | B029 |
| MP294 | B030 |
| MP295 | B039 |
| MP296 | B040 |
| MP297 | B041 |
| MP298 | B042 |
| MP299 | B073 |
| MP300 | B074 |
| MP301 | B075 |
| MP302 | B079 |
| MP303 | B083 |
| MP304 | B084 |
| MP305 | B085 |
| MP306 | B086 |
| MP307 | B087 |
| MP308 | B088 |
| MP309 | B089 |
| MP310 | B090 |
| MP311 | B099 |
| MP312 | B100 |
| MP313 | B101 |
| MP314 | B102 |
| MP315 | B103 |
| MP316 | B104 |
| MP317 | B105 |
| MP318 | B106 |
| MP319 | B110 |
| MP320 | B111 |
| MP321 | B143 |
| MP322 | B144 |
| MP323 | B145 |
| MP324 | B147 |
| MP325 | B148 |
| MP326 | B150 |
| MP327 | B151 |
| MP328 | B152 |
| MP329 | B158 |
| MP330 | B159 |
| MP331 | B160 |
| MP332 | B161 |
| MP333 | B162 |
| MP334 | B163 |
| MP335 | B169 |
| MP336 | B170 |
| MP337 | B171 |
| MP338 | X2H |
| MP339 | X2H |
| MP340 | B187 |
| MP341 | B188 |
| MP342 | B196 |
| MP343 | B197 |
| MP344 | B198 |
| MP345 | B179 |
| MP346 | B219 |
| MP347 | B220 |
| MP348 | B221 |
| MP349 | B222 |
| MP350 | B223 |
| MP351 | B224 |
| MP352 | B225 |
| MP353 | B227 |
| MP354 | B232 |
| MP355 | B239 |
| MP356 | B240 |
| MP357 | A418C<br>B031 |
| MP358 | B032 |
| MP359 | B033 |
| MP360 | B034 |
| MP361 | B035 |
| P5 | A009 |
| P6 | A799 |
| P7 | A823<br>B154 |

| REFERENCE DESIGNATION | INDEX NO. |
|---|---|
| P8 | B050 |
| | B156 |
| P9 | B058 |
| | B157 |
| P10 | B054 |
| | B155 |
| P11 | B055 |
| P12 | B062 |
| P13 | B063 |
| P14 | B066 |
| P16 | B215 |
| P17 | B080 |
| P18 | A081 |
| P19 | A665 |
| P20 | A037 |
| P21 | A831 |
| P22 | B153 |
| P23 | A271 |
| P24 | A811 |
| P301 | A023 |
| P302 | B082 |
| P401 | A541 |
| P501 | A101 |
| P701 | B051 |
| P702 | B059 |
| P703 | A248 |
| P803 | A242 |
| Q501 | A201 |
| Q502 | A202 |
| R1 | A313 |
| R2 | A314 |
| R3 | A316 |
| R4 | A325 |
| R5 | A326 |
| R6 | A329 |
| R6A | A320 |
| R7 | A322 |
| R8-S10 | B125 |
| R9 | B122 |
| R10 | B130 |
| R11 | A315 |
| R13 | A327 |
| R14 | B131 |
| R15 | A324 |
| R16 | A311 |
| R17 | A312 |
| R20 | A006 |
| R21-S6 | B126 |
| R22-S7 | B127 |
| R23-S8 | B128 |
| R24-S9 | B129 |
| R25 | A317 |
| R26 | A318 |
| R27 | A319 |
| R29 | A330 |
| R32 | B118 |
| R33 | B119 |
| R34 | B120 |
| R35 | B121 |
| R36 | B115 |
| R37 | B123 |
| R38-S11 | B132 |
| R39 | B116 |
| R40 | B114 |
| R41 | A321 |
| R42 | B117 |
| R43 | A323 |
| R44 | A328 |
| R101 | A406 |
| R102 | A404 |
| R103 | A407 |
| R201 | A769 |
| R202 | A770 |
| R301 | A056 |
| R302 | A057 |
| R303 | A043 |
| R304 | A067 |
| R306 | A048 |
| R307 | A055 |
| R308 | A041 |
| R310 | A051 |
| R311 | A058 |
| R312 | A052 |
| R313 | A042 |
| R314 | A066 |
| R315 | A039 |
| R316 | A040 |
| R317 | A049 |
| R318 | A050 |
| R319 | A068 |
| R320 | A044 |
| R321 | A059 |
| R322 | A060 |
| R323 | A053 |
| R324 | A054 |
| R325 | A046 |
| R326 | A047 |
| R327 | A064 |
| R328 | A045 |
| R330 | A061 |
| R331 | A062 |

| REFERENCE DESIGNATION | INDEX NO. |
|---|---|
| R332 | A063 |
| R333 | A065 |
| R401 | A573 |
| R402 | A559 |
| R403 | A557 |
| R404 | A491 |
| R405 | A489 |
| R406 | A566 |
| R407 | A558 |
| R411 | A567 |
| R412 | A554 |
| R413 | A571 |
| R414 | A564 |
| R415 | A560 |
| R416 | A569 |
| R417 | A570 |
| R418 | A561 |
| R419 | A562 |
| R420 | A563 |
| R421 | A572 |
| R422 | A565 |
| R423 | A555 |
| R424 | A568 |
| R425 | A574 |
| R426 | A556 |
| R501 | A177 |
| R502 | A178 |
| R503 | A179 |
| R504 | A180 |
| R505 | A155 |
| R506 | B124 |
| R507 | A127 |
| R508 | A151 |
| R509 | A167 |
| R510 | A168 |
| R511 | A156 |
| R512 | A152 |
| R513 | A184 |
| R514 | A153 |
| R517 | A181 |
| R526 | A164 |
| R527 | B133 |
| R528 | A185 |
| R529 | A165 |
| R530 | A154 |
| R531 | A124 |
| R532 | A126 |
| R533 | A150 |
| R534 | A125 |
| R535 | A128 |
| R536 | A176 |
| R537 | A129 |
| R538 | A166 |
| R539 | A182 |
| R540 | A183 |
| R541 | A163 |
| R542 | A169 |
| R543 | A186 |
| R544 | A162 |
| R601 | A850 |
| R602 | A803 |
| R603 | A704 |
| R604 | A827 |
| R605 | A828 |
| R606 | A815 |
| R607 | A816 |
| R701 | A709 |
| R702 | A706 |
| R704 | A710 |
| R705 | A703 |
| R706 | A704 |
| R707 | A707 |
| R708 | A705 |
| R709 | A708 |
| R801 | A620 |
| R802 | A619 |
| R901 | A437 |
| R902 | A436 |
| R903 | A438 |
| S1 | B180 |
| S2A | B176 |
| S2B | B175 |
| S2C | B175A |
| S3 | A975 |
| S4 | A354 |
| S5 | B146 |
| S12 | B181 |
| S13 | B233 |
| S301 | A024 |
| S302 | A025 |
| S501 | A142 |
| T1-C1 | B238 |
| T2 | A372 |
| T3 | A371 |
| TB2 | A364 |
| TB3 | A366 |
| TB4 | A358 |
| TB5 | A362 |
| TB6 | A363 |

| REFERENCE DESIGNATION | INDEX NO. |
|---|---|
| TB7 | A367 |
| TB9 | A357 |
| TB10 | A370 |
| TB11 | A360 |
| TB12 | A365 |
| TB15 | B185 |
| TB20 | A361 |
| TB21 | A359 |
| TB22 | A368 |
| TB23 | A369 |
| TB302 | A082 |
| TB303 | A083 |
| TB401 | A596 |
| TB402 | A595 |
| TB403 | A597 |
| TB404 | A593 |
| TB405 | A594 |
| TB406 | A598 |
| TB407 | A599 |
| TB408 | A600 |
| TB409 | A601 |
| TB410 | A602 |
| TB411 | A603 |
| TB502 | A104 |
| TB505 | A143 |
| TB506 | A172 |
| TB507 | A159 |
| TB509 | A105 |
| TB702 | A730 |
| TB801 | A624 |
| V1 | A281 |
| V2 | A282 |
| V201 | A753 |
| V301 | A027 |
| V302 | A028 |
| V303 | A029 |
| V304 | A030 |
| V305 | A031 |
| V306 | A026 |
| V401 | A545 |
| V402 | A544 |
| V403 | A546 |
| V501 | A111 |
| V502 | A110 |
| V503 | A109 |
| V601 | A841 |
| XCR1 | A291<br>A671 |
| XCR2 | A292<br>A672 |
| XCR3 | A293<br>A673 |
| XCR4 | A674 |
| XCR5 | A675 |
| XCR6 | A676 |
| XDS1 | A880 |
| XDS2 | A881 |
| XF1 | A286 |
| XF2 | A287 |
| XF3 | A288 |
| XQ501 | A139 |
| XQ502 | A140 |
| XV1 | A348 |
| XV2 | A348A |
| XV301 | A073 |
| XV302 | A074 |
| XV303 | A075 |
| XV304 | A076 |
| XV305 | A077 |
| XV306 | A078 |
| XV401 | A588 |
| XV402 | A587 |
| XV403 | A589 |
| XV502 | A102 |
| XV503 | A103 |
| XY401 | A586 |
| Y401 | A543 |

By Order of the Secretary of the Army:

W. C. WESTMORELAND,
*General, United States Army,*
*Chief of Staff*

Official:

KENNETH G. WICKHAM,
*Major General, United States Army,*
*The Adjutant General*

Distribution:

*Active Army:*
CNGB (1)
Dir of Trans (1)
CofEngrs (1)
TSG (1)
CofSptS (1)
ACSC-E (2)
USAMB (10)
USAARENBD (1)
CONARC (2)
USAMC (1)
USAMICOM (2)
USATECOM (2)
ARADCOM (1)
ARADCOM Rgn (1)
OS Maj Comd (2)
USASTRATCOM (2)
USASTRATCOM-CONUS (2)
USAESC (60)
Armies (1)
1st Cav Div (2)
Fort Huachuca (5)
Fort Carson (7)
USASA
USACDCCEA (1)
USACDCCEA Ft Huachuca (1)
USASCS (10)
USASESS (10)
Army Dep (1) except
LBAD (14)
SAAD (30)
TOAD (14)
LEAD (7)
NAAD (3)
SVAD (3)
ATAD (10)
Svc Colleges (1)
Gen Dep (2)
Sig Sec Gen Dep (5)
Sig Dep (5)
Sig FLDMS (2)
WSMR (2)
USAERDAA (2)
USAERDAW (2)
USARV (5)
ICC (3)
Units org under fol TOE:
(2 copies each)
11-95
11-158
11-215
11-500 (AA-AC)
29-27
29-134
29-136
32-87

*NG:* None.
*USAR:* None.
For explanation of abbreviations used, see AR 310-50.

☆ U.S. GOVERNMENT PRINTING OFFICE: 1971—431-139/350